



FINE FINISH SPRAYERS

Graco's Complete Line of Fine Finish Sprayers and Accessories



PROVEN QUALITY. LEADING TECHNOLOGY.



THERE IS NOTHING LIKE A GRACO SPRAYER

Experienced contractors know the difference. Graco professional fine finish sprayers are solid investments that perform reliably, year after year.

TRUST YOUR BUSINESS AND REPUTATION TO GRACO

Graco is committed to providing the highest quality finish sprayers available, backed by the industry's best warranty.

AMERICAN BUILT QUALITY SINCE 1926

100% factory-tested and field-proven Graco fine finish sprayers are designed, manufactured, and assembled in the USA.

INDUSTRY-LEADING WARRANTY

Behind every Graco sprayer is the industry's strongest warranty. You may never use Graco's warranty—but if you do, we will be there.

GRACO-ONLY SOLUTIONS TO PROVIDE THE BEST FINISH AND KEEP YOU SPRAYING



PATENT PENDING

LIGHTWEIGHT, ERGONOMIC DESIGN

- G40 Spray Gun with RAC X[™]
 FFLP Fine Finish Low
 Pressure Spray SwitchTips[™]
- · Ultralight trigger pull
- Gun filter integrated into the gun to minimize tip clogs



GRACO EXCLUSIVE

UNMATCHED RELIABILITY AND PERFORMANCE

Endurance™ Pumps

- Lasts 2X longer than the next brand with Chromex[™] rod and hardened stainless steel cylinder
- Clear debris faster with the QuikAccess[™] intake valve



PATENT PENDING

STREAMLINE YOUR BUSINESS

BlueLink™ Job and Sprayer Management App System

- Track Every Sprayer exact location and hourly productivity
- Know Job Progress—ensure you're on time with needed materials
- Maximize Uptime set maintenance schedules, alerts, and jobsite notes

AIR-ASSISTED AIRLESS TECHNOLOGY

HVLP QUALITY FINISH AT THE SPEED OF AN AIRLESS SPRAYER

Material is delivered to the gun at lower pressure than traditional airless (500-1500 psi vs. 1500-3000 psi) and partially atomized through a small tip. Full atomization is achieved by adding a small amount of air (5-35 psi) to the edges of the spray fan, resulting in a softer pattern, more control, higher transfer, and less overspray.



G40

AIR-ASSISTED AIRLESS GUN

The premier Air-Assisted Airless gun in the industry provides an ultra-light trigger pull and ergonomic fit. The G40 comes standard with all FinishPro II sprayers.

GRACO-ONLY TECHNOLOGY FOR THE ULTIMATE FINISH



INDUSTRIAL QUALITY

 An industrial-grade finishing gun, built for years of uninterrupted service

LIGHTWEIGHT, ERGONOMIC DESIGN

 Becomes an extension of your hand so you deliver a perfect finish—every time



RAC X Air Cap

- Accepts RAC X SwitchTips for quick and easy tip clog clean-out
- Softer, more consistent spray pattern eight air ports inject air closer to the tip

MINIMIZE TIP CLOGS

Gun Filter

- · Integrated into the gun
- · Fine mesh results in a superior finish

FAST AND EASY ADJUSTMENTS

Air Adjustment Valve

 Air control at the gun allows "on the fly" adjustments to maximize performance

ULTIMATE PERFORMANCE

Precision Cut Fine Finish Flat Tip Kit

- Air cap utilizes flat tips
- Extremely high performance in low-viscosity, light-bodied materials

INLINE MOISTURE REMOVAL

Air Moisture Filter

- Desiccant material removes all moisture from air supplied by the compressor
- Improved performance when spraying solvent-based finishes
- Disposable filter design



TIP TECHNOLOGY

FINISHPRO AIRLESS

Only Graco gives you the ability to customize your air-assisted airless sprayer to fit your needs
— whether you need fast high-production spraying or a smooth HVLP-like finish.







RAC X FFLP SWITCHTIPS

Characteristics:

The exclusive internal tip geometry of Graco's RAC X Fine Finish Low Pressure Tips delivers the industry's best finish at the lowest airless spray pressure. Sprays at up to 50% lower pressure.

- · Easiest pattern overlap
- Less overspray
- Up to 2X life

Recommended Uses:

When speed and finish quality are equally important

PRECISION-CUT FINE FINISH FLAT TIPS

Characteristics:

The Precision-Cut Flat Tip is designed with stains and lacquers in mind and produces the best atomization for extremely smooth finishes for furniture and similar applications.

- · Delivers softest spray fan
- · Offers fan width control
- Closer to HVLP quality
- Zero air cap buildup

Recommended Uses:

• Where finish quality is the #1 requirement



RAC X LOW PRESSURE SWITCHTIPS (FFLPXXX)

	IN	MM	.008	.010	.012	.014	.016	.018	.020
	2-4	(51-102)	108	110	112				
	4-6	(102-152)	208	210	212	214			
_	6-8	(152-203)	308	310	312	314			
FAN WIDTH	8-10	(203-254)		410	412	414			
2	10-12	(254-305)		510	512	514	516	518	520
<u></u>	12-14	(305-356)			612	614	616	618	620
	Flow Rate (gpm)		.07	.11	.15	.21	.27	.35	.43
	Flow I	Rate (Ipm)	.26	.41	.59	.80	1.04	1.32	1.63



PRECISION-CUT FLAT TIPS

	IN	ММ	.007	.009	.011	.013	.015	.017
	2-4	(51-102)	107	109	111			
	4-6	(102-152)	207	209	211	213	215	217
_	6-8	(152-203)	307	309	311	313	315	317
FAN WIDTH	8-10	(203-254)	407	409	411	413	415	417
2	10-12	(254-305)		509	511	513	515	517
-	12-14	(305-356)			611	613	615	617
	Flow F	Rate (gpm)	.05	.09	.12	.18	.24	.31
	Flow I	Rate (Ipm)	.20	.33	.49	.69	.91	1.17



RAC X LOW PRESSURE SWITCHTIPS (LPXXX)

	IN	MM	.013	.015	.017	.019	.021	.023	.025	.027
	6-8	(152-203)	313	315						
WIDTH	8-10	(203-254)		415	417	419	421	423	425	
	10-12	(254-305)		515	517	519	521	523	525	527
ĕ	12-14	(305-356)			617	619	621	623	625	627
	14-16	(356-406)						723	725	

Water @ 2000 psi (138 bar, 13.8 MPa); paints with a higher viscosity will decrease the flow rate. Example: For a tip with a .010 orifice and an 8 in (203 mm) pattern, order FFLP410.



STREAMLINE YOUR BUSINESS

BlueLink connects the people and equipment that drive your business in a completely new way. Whether on the jobsite, at the office, or anywhere in between, BlueLink provides the critical information you need every day



TRACK EVERY SPRAYER

- Know exact locations and hourly productivity
- Make fewer trips to jobsites



KNOW JOB PROGRESS

- On-demand productivity facts and reporting from anywhere
- Ensure you're on time with needed materials



MAXIMIZE UPTIME

- Set preventive maintenance schedules and receive alerts
- Ensure your sprayer is ready for every job



PERFECT FOR ANY COMPANY SIZE

- Streamline existing operations
- Owner-operators to large contractors



FASTER SERVICE AND SUPPORT

- Quick access to Graco product information and your nearby distributor
- Helpful application, maintenance, and parts resources



FLEXIBLE PLATFORM

- · Available in 9 languages
- Available on Apple® and Android® devices

NO MONTHLY FEES

Put BlueLink to work for your business today

> DOWNLOAD THE BLUELINK APP NOW!



raco.com/BlueLink

FINISH EVERY JOB, EVERY DAY WITH GRACO'S PROCONNECT AND ENDURANCE NOW™ PROGRAM





ELIMINATE COSTLY DOWNTIME

ProConnect

(Available on FinishPro II Models)

- No-Tools Pump Replacement System
- · Quickly repair your pump on the jobsite
- · Eliminate downtime waiting on replacement parts or service
- · Exceptional durability and long life piston pump



ALWAYS HAVE A SPARE PUMP ON HAND

Endurance Advantage Program

Graco makes it easy to always have a spare pump on the jobsite.

Receive a FREE Pump Repair Kit.

SWAP YOUR PUMP IN LESS THAN 1 MINUTE — NO SPECIAL TOOLS, PINS OR PARTS TO LOSE

Fast Pump Removal - 3 Simple Steps







2) Open door and remove pump



3) Remove hose and suction tube



FINISHPRO II 595 PC

AIR-ASSISTED AIRLESS

The FinishPro II 595 PC Pro is ideal for large commercial and industrial jobs with more features and higher performance to get the job done faster.

GRACO-ONLY TECHNOLOGY TO PROVIDE THE PERFECT FINISH AND KEEP YOU SPRAYING:

HIGHER FLOW FOR MORE PRODUCTIVITY

 The highest performing air-assisted airless sprayer!

INCREASED SPRAY CONSISTENCY

SmartControl 3.0

- Delivers a consistent spray fan without pressure fluctuation
- Ideal for low pressure tips for fine finish work and low overspray applications
- Digital display accurately shows spraying pressure



STREAMLINE YOUR BUSINESS

BlueLink Job and Sprayer Management system

- Track Every Sprayer Exact location and hourly productivity
- Know Job Progress Ensure you're on-time with needed materials
- Maximize Uptime Set maintenance schedules, alerts and jobsite notes



ALL-DAY COMFORT AND CONTROL

New Contractor PC™ Spray Gun

- Lightest weight gun in its class
- Up to 50% lighter trigger pull force
- E-Z Fit[™] adjustable trigger length
- Complete no-tools gun rebuild in seconds with ProConnect

MORE SPRAYING AND LESS CLEANING

FastFlush™ System

- · Clean the pump 4X faster
- High-velocity fluid flow delivered with higher motor speed

JOBSITE READY

• Includes Graco Contractor PC Spray Gun and airless hose kit for increased versatility

SELF-CONTAINED AND PORTABLE

• One plug runs the entire unit, simplifying jobsite operation



Includes ALL FinishPro II 395 PC features:

- SmartComp
- · Two Sprayers in One
- Single Selector Switch
- Precision-Cut RAC X FF LP SwitchTip
- Super-Flex Hose
- G40 Spray Gun

AIR-ASSISTED AIRLESS SPRAYERS	PART #
FinishPro II 595 PC	17E915

ACCESSORIES

FINISHPRO AIR-ASSISTED AIRLESS

FLUID AND AIR HOSES





PART #	DESCRIPTION			
262929	G40 Air-Assisted Airless Gun			
24U891	G40 Gun with RAC X Tip and 50 ft Super-Flex Hose Set			
24U578	25 ft (7.6 m) Super-Flex Fluid and Air Hose Set			
24U579	50 ft (15.2 m) Super-Flex Fluid and Air Hose Set			
278750	1/8 in x 6 ft (3.2 mm x 1.8 m) Super-Flex Whip-Fluid			
278751	1/4 in x 6 ft (6.4 mm x 1.8 m) Super-Flex Whip-Air			
24U577	50 ft (15.2 m) Flex Wrap Hose Protector			
24U576	25 ft (7.6 m) Flex Wrap Hose Protector			
214698	3/16 in x 25 ft (4.76 mm x 7.6 m) Blue Max II Hose			

FILTERS AND STRAINERS





PART #	DESCRIPTION			
224454	G40 Gun Filter, 60 Mesh (5-Pack)			
224453	G40 Gun Filter, 100 Mesh (5-Pack)			
257129	Contractor II™ and FTx Gun Filter, 60 Mesh (1 per card)			
287033	Contractor II and FTx Gun Filter, 100 Mesh (1 per card)			
257130	Contractor II and FTx Gun Filter, 200 Mesh (1 per card)			
257094	Manifold Filter, 40 Mesh			
246384	Easy Out Manifold Filter, Black 60 Mesh			
246382	Easy Out Manifold Filter, Blue 100 Mesh			
246383	Easy Out Manifold Filter, Red 200 Mesh			
246385	Pump Inlet Strainer			
127465	Disposable, Inline Air Moisture Filter (single)			
24U981	Disposable, Inline Air Moisture Filter (5-Pack)			
24U982	Inline Air Moisture Filter (25-Pack)			



MAINTENANCE AND REPAIR KITS

PART #	DESCRIPTION				
17H171	Hopper Assembly 1.5 gal (5.7 L) molded hopper attaches to sprayer in place of inlet suction hose. Ideal for spraying small amounts of material. Lid included. Smooth inside cleans up fast.				
288514	288514 Precision Cut Flat Tip Conversion Kit-G40 Gun				
289108	Severe Solvents Suction Set (for use on FinishPro II 395 PC and 595 PC Pro sprayers only)				
288839	G40 RAC X Air Cap				



PUMP REPAIR PARTS

PART #	DESCRIPTION
17C487	Replacement Pump-replace pump on the job (for use on FinishPro II 395 PC and 595 PC Pro sprayers only)
24Y472	ProXChange Repair Kit (for use on FinishPro GX 19 sprayer only)





SPRAY WITH CONFIDENCE

Industry-Leading Warranty Protection

Every Graco fine finish sprayer is backed by the industry's best warranty coverage.

LIFETIME ELECTRIC MOTOR WARRANTY*†

If the motor fails from normal use, we'll replace it under warranty for the original owner for the life of the sprayer.

LIFETIME DRIVETRAIN WARRANTY*†

If the drivetrain fails from normal use, we'll replace it under warranty for the original owner for the life of the sprayer.

30-DAY "JUST ADD PAINT" REPLACEMENT GUARANTEE*

Dissatisfied? Simply return the sprayer to the place you bought it within 30 days. They'll either exchange it for an identical sprayer or you can tradeup to a larger sprayer at an additional cost.

3-YEAR WARRANTY*†

Coverage against defects in materials and workmanship on the entire sprayer, FinishPro compressors and turbine motors.

DOWNTIME ELIMINATOR PROGRAM*

Part needed for a warranty repair not in stock at your distributor? Get FREE next business day air freight delivery when distributor orders the part by 2 p.m. CT.

CONVENIENT SERVICE

Graco offers more than 5,500 authorized distributor locations in North America and over 700 locations to administer warranty repair.

*NORTH AMERICA ONLY. See your local Graco Distributors for country specifics. See printed product warranty for complete warranty terms and conditions.



Save Time and Money on Every Job

You can't afford costly downtime. Stop worrying with the Endurance Advantage Program.

Receive a FREE repair kit by following the registration instructions included with your sprayer.



Every Graco purchase comes with A+ Customer Service.

Questions? Call (844) 241-9499

For more information visit graco.com

©2019 Graco Inc. 344400 Rev. A 3/19 All written and visual data contained in this document are based on the latest product information available at the time of publication. Graco reserves the right to make changes at any time without notice. Trademarks are referenced herein for identification purposes only. DeWALT® and the DeWALT Logo are trademarks of DeWALT Industrial Tool Co. and are used under license. All trademarks are the property of their respective owners. Product covered by issued and pending patents, see graco.com/us/en/patents