

NX25-120 &
NX25-240*


WITH



FILL-RITE



ON →
OFF ←



THE INDUSTRY'S BEST CONTINUOUS DUTY FUEL TRANSFER PUMP

NX25 SERIES PRODUCT OVERVIEW BROCHURE

*NX25-240 available in 2021





- ✓ Continuous Duty* - *Transfer fuel all day*
- ✓ True 25 GPM - *High flow fuel transfer rates at the nozzle*
- ✓ Intelligent Tones - *Simplify troubleshooting*
- ✓ Variable Speed Motor - *Optimize performance and improve suction lift*

NX25 Series with nextec Intelligence® Models & Specifications

Fill-Rite is proud to announce the newest extension of its continuous duty family with the release of the new nextec Intelligence AC models. The NX25-120 and NX25-240 fuel transfer series allow fleet managers to fuel all day with less downtime due to short duty cycles or overheating. Our industry-leading pumps are equipped with a variable speed motor and Fill-Rite's exclusive nextec Intelligence technology for elite performance in harsh applications. Its low-profile, lightweight construction eases installation while still moving fuel more efficiently than the competition.

Flow Rate: 25 gpm / 95 lpm
 Voltage: 120V AC and 240V AC (50/60 Hz) models**
 Horsepower: 1/3 HP
 Duty Cycle: Continuous duty for fuel transfer
 Inlet/Outlet: 1 1/4" - 1" (NPT or BSP)
 Compatible fluids: Diesel, Gasoline, Bio-Diesel up to B20, E15, Kerosene, Mineral Spirits, Methanol (up to 15%)



NX25-120NB-PX	N	B	120V pump only
NX25-120NB-AA	N	B	120V pump, 1" X 18' hose, ultra hi-flow nozzle
NX25-120NB-AB	N	B	120V pump, 1" X 18' hose, ultra hi-flow nozzle, 900CD meter
NX25-120NB-AC	N	B	120V pump, 1" X 18' hose, ultra hi-flow nozzle, 900CDP meter
NX25-120NB-AG	N	B	120V pump, 3/4" X 12' hose, auto unleaded nozzle
NX25-120NB-AH	N	B	120V pump, 3/4" X 12' hose, auto unleaded nozzle, 901C meter
NX25-120NB-AJ	N	B	120V pump, 1" X 18' hose, ultra hi-flow nozzle, 901C meter
NX25-120NF-PX	N	F	120V pump only
NX25-120NF-AA	N	F	120V pump, 1" X 18' hose, ultra hi-flow nozzle
NX25-240NB-PX [†]	N	B	240V pump only
NX25-240NF-PX [†]	N	F	240V pump only
NX25-240BF-PX [†]	B	F	240V pump only
NX25-240BB-PX [†]	B	B	240V pump only

*Rated continuous duty for fuel transfer
 ** NX25-120 & NX25-240 pumps are NOT dual voltage
[†]NX25-240 available in 2021

N - NPT threads B - BSP threads
B - Bung F - Foot

PREDICTS. PROTECTS. PERFORMS.

- ✓ Lightweight - Hassle-free installation
- ✓ Auto Power Down After 20 Minutes - Reduce energy costs
- ✓ Magnetic Switch - Smooth operation and field replaceable
- ✓ Reduced Vapor Lock - Keep running in harsh summer temperatures
- ✓ Slow Down in Bypass - Reduce energy consumption
- ✓ Remote On/Off - Ideal for tall, above ground tanks



Intelligent tones

Variable speed motor adjusts to load

Continuous duty

Auto power down

Foot mount configuration



Anti-siphon ready

Replaceable magnetic switch

Locking bar

Bung mount configuration

Heavy-duty cast iron, self-priming rotary vane pump



LIMITED LIFETIME WARRANTY
GARANTÍA LIMITADA DE POR VIDA
GARANTIE À VIE LIMITÉE

WITH



FILL-RITE®

NOTHING CAN STOP YOU NOW.

FIL-BR-488

