

SKU 452030

PIUSI K200 HP Pulse Meter, 1/8" BSP

High pressure oval gear pulse meter for diesel, oil and grease at low flow. 0.1 to 2.5 kg/min, 1000 bar working pressure, 1/8" BSP, no battery.

**0.1 to 2.5 kg/min**

Flow rate

1000 bar

Working pressure

1/8" BSP

Inlet and outlet

Key features

- Oval gear pulse meter, no display
- High pressure version, 1000 bar working pressure
- For diesel, oil and grease at low flow
- No battery
- Aluminium body, technopolymer gears
- NPTF thread available on request



Technical data


SPECIFICATION	VALUE
Order codes	452030
PIUSI code	000452030
Flow range	0.1 to 2.5 kg/min
Working pressure	1000 bar (14500 psi)
Connections	1/8" BSP inlet and outlet
Fluids	Diesel, oil, grease
Output	Pulse, no display
Power	No battery
Materials	Aluminium body, technopolymer gears

Installation and use

PIUSI offers an NPTF thread on request.




Performance



PIUSI K200 family curve, flow rate against total pressure, on oil NLGI-1 at 23°C.

Dimensions



Dimensions in mm for the K200 family. The HP pulser is the front and bottom views marked K200 HP pulser.