

ELECTRIC TRANSFER PUMPS • 12 VDC AND 230 VAC

EGP electric pumps

Electric gear pumps for oil transfer where there is no compressed air. Transfer packages in 12 VDC and 230 VAC, plus a 12 VDC On-Demand pump that holds pressure for dispensing.

**14.4 L/min**

Maximum free flow

325 psi

On-Demand maximum pressure

12 V / 230 V

Power options

Features

- Transfer packages include dispense kit 133376 and suction kit 133375
- On-Demand pump runs to 22.4 bar for dispensing
- Automatic relief
- Cable not included



PUBLISHED FIGURES

Technical specifications

Published figures for EGP pumps.

Specifications

SPECIFICATION	VALUE
25T819 transfer	12 VDC, TENV, 1/2 HP, 30 A, 14.4 L/min, 4.5 bar
25T821 transfer	230 VAC 50 Hz, ODP, 1/2 HP, 4.4 A, 12.1 L/min, 4.5 bar
25T818 On-Demand	12 VDC, TENV, 3/4 HP, 60 A, 14.4 L/min, 22.4 bar
Transfer inlet / outlet	1 in NPT / 3/4 in NPT
On-Demand inlet / outlet	3/4 in NPT / 1/2 in NPT
Bung adapter	260061
Weight	11 kg transfer, 16.3 kg On-Demand
Wetted parts	Zinc plated carbon steel, stainless, galvanised steel, aluminium, nitrile, rubber
Manuals	3A8569, 3A8568, 3A8571

- CABLE NOT INCLUDED**

Supply cable is not included with EGP pumps. Size the cable for the current draw: 30 A for the 12 VDC transfer pump, 60 A for the On-Demand pump.





PART NUMBERS

Ordering information

Quote the part number when ordering. Prices, stock and delivery times from GO Industrial on 07 3204 2240 or sales@goind.com.au.

Models and parts

PART NUMBER	DESCRIPTION
25T819	EGP transfer pump package, 12 VDC
25T821	EGP transfer pump package, 230 VAC
25T818	EGP On-Demand pump, 12 VDC
260061	Bung adapter

• ORDERING

GO Industrial supplies the full range Australia-wide. Call 07 3204 2240 or email sales@goind.com.au with the part number for price and delivery.

