PRODUCT DATA SHEET

RIDE-ON ATTACHMENT · PETROL · HYDROSTATIC DRIVE

LineDriver HD

A ride-on drive unit that hitches to a walk-behind line marker, grinder or thermoplastic unit. The operator sits and drives, so long runs take less time and less effort.



16 km/h
Forward speed

6.5 hp
Honda GX200 engine

125 kg
Weight

Features

- Dual foot pedals for forward and reverse, hands stay on the striper
- Pro Start system needs up to 50% less pull to start
- Flex Beam LED light with a breakaway arm
- Cool-Comfort high-back seat
- Hitches to LineLazer, GrindLazer and ThermoLazer units

PUBLISHED FIGURES

Technical specifications

Published figures for the LineDriver HD, part 262005, from manual 312540.

Specifications

SPECIFICATION	VALUE
Engine	**Honda GX200, 6.5 hp**
Forward speed	**0 to 16 km/h**
Reverse speed	**0 to 10 km/h**
Fuel tank	**3.6 L**
Hydraulic pressure	**186 bar (2700 psi)**
Hydraulic oil	**1.9 L, 15W-50 synthetic**
Hydraulic oil filter	**245342**
Tyres	**249083, set of 2**
Weight	**125 kg**
Dimensions (L x W x H)	**1470 x 740 x 1190 mm**
Sound pressure	**94 to 102 dB(A) at 1 m**
Fits	**LineLazer V 3900, 5900, 200HS, 200DC, 130HS, ES 1000, ES 2000, GrindLazer, ThermoLazer**
Manual	**312540**

SERVICE

Engine oil at 20 hours, then every 100 hours. Change hydraulic oil and the 245342 filter every year or 500 hours.

PART NUMBERS

Ordering information

Quote the part number when ordering. Prices, stock and delivery from GO Industrial on 07 3204 2240 or sales@goind.com.au.

Models and parts

PART NUMBER	DESCRIPTION
262005	**LineDriver HD ride-on attachment**
245342	**Hydraulic oil filter**
249083	**Turf tyre kit, set of 2**
LD-REG-KIT	**Conditional registration kit (Australia)**

WARRANTY

3 years on the drive train, engine, seat, steering, frame and electronics, from date of delivery.