OIL 3:1 AND GREASE 50:1 · AIR OPERATED

Mini Fire-Ball 225

A compact air operated piston pump in two builds: 3:1 for oil and 50:1 for grease. Sized for one or two dispense points in workshops and on service trucks.



32 L/min
Oil free flow at 100 psi (3:1)

0.7 kg/min
Grease output (50:1)

76 m
Oil line length

Features

- 3:1 universal oil pump for drums and tanks
- 50:1 grease pumps for 16 kg, 55 kg and 180 kg drums
- 3/8 in NPT(F) air inlet
- Oil: 1 to 2 dispense points, grease: 1 dispense point

P 07 3204 2240 E sales@goind.com.au W goind.com.au

PUBLISHED FIGURES

Technical specifications

Published figures. Oil measured at the pump outlet on 10W oil.

Specifications

SPECIFICATION	VALUE
Oil ratio	**3:1**
Oil free flow at 100 psi	**32 L/min (8.3 gpm)**
Oil annual usage	**113,500 L (30,000 gal)**
Oil line length	**76 m (250 ft)**
Oil inlet / outlet	**1-1/2 in / 1/2 in NPT(F)**
Oil air range	**2.8 to 12 bar (40 to 180 psi)**
Grease ratio	**50:1**
Grease output at 100 psi	**0.7 kg/min (1.5 lb/min)**
Grease annual usage	**Up to 4,535 kg (10,000 lb)**
Grease line length	**Up to 30.5 m (100 ft)**
Grease outlet	**1/4 in NPT(F)**
Grease air range	**2.8 to 10 bar (40 to 140 psi)**
Air inlet	**3/8 in NPT(F)**
Manuals	**309868 (oil), 309966 (grease)**

LEAD TIMES

Most models are held in Australia. Some ratios and drum sizes are made to order and arrive by air or sea freight. Call for a delivery date before ordering.

PART NUMBERS

Ordering information

Quote the part number when ordering. Prices, stock and delivery times from GO Industrial on 07 3204 2240 or sales@goind.com.au.

Models and parts

PART NUMBER	DESCRIPTION
248097	**Mini Fire-Ball 225 3:1 oil pump, universal**
246909	**Mini Fire-Ball 225 50:1 grease pump, 16 kg**
246780	**Mini Fire-Ball 225 50:1 grease pump, 55 kg**
246781	**Mini Fire-Ball 225 50:1 grease pump, 180 kg**

ORDERING

GO Industrial supplies the full range Australia-wide. Call 07 3204 2240 or email sales@goind.com.au with the part number for price and delivery.