AIRLESS SPRAY TIPS · RAC 5 · BLACK

RAC 5 SwitchTips (286)

Reversible airless tips with an even-fill pattern. On a line marker they are the stencil tip, because the even fan blends on overlap with no heavy edges.



280 bar
Maximum working pressure

51–457 mm
Fan width at 305 mm

94
Sizes in the range

Features

- Even-fill pattern for stencils, give-way bars and overlapping passes
- Reverse the tip to clear a blockage without removing it
- OneSeal included, solvent seal available for hot solvents
- Fits the RAC 5 HandTite guard 243161
- Size stamped on the handle

P 07 3204 2240 E sales@goind.com.au W goind.com.au

PUBLISHED FIGURES

Technical specifications

Read the tip number 286 F OO. F x 2 is the fan width in inches at a 305 mm stand-off, OO is the orifice in thousandths of an inch.

Specifications

SPECIFICATION	VALUE
2861xx	**51 mm fan**
2862xx	**102 mm fan**
2863xx	**152 mm fan**
2864xx	**203 mm fan**
2865xx	**254 mm fan**
2866xx	**305 mm fan**
2867xx to 2869xx	**356 to 457 mm fan**
Orifice range	**0.007 to 0.065 in**
Maximum working pressure	**280 bar (4050 psi)**
Guard	**RAC 5 HandTite 243161, 7/8 in thread**

STENCIL TIP

286519 (254 mm fan, 0.019 in) is the usual stencil tip on a LineLazer. Run it on a hand gun or the second gun.

PART NUMBERS

Ordering information

Quote the part number when ordering. Prices, stock and delivery from GO Industrial on 07 3204 2240 or sales@goind.com.au.

Models and parts

PART NUMBER	DESCRIPTION
286519	**Stencil tip, 254 mm fan, 0.019 in**
286515	**254 mm fan, 0.015 in**
286517	**254 mm fan, 0.017 in**
286521	**254 mm fan, 0.021 in**
286419	**203 mm fan, 0.019 in**
286619	**305 mm fan, 0.019 in**
243161	**RAC 5 HandTite guard**

FULL RANGE

94 sizes from 286109 to 286935 are listed online. Quote the full part number when ordering.