TIP GUARD · RAC 5 · HANDTITE

RAC 5 HandTite tip guards

Holds a RAC 5 SwitchTip on the gun and keeps hands clear of the spray. Tightens by hand, no tools.



280 bar
Maximum working pressure

7/8 in
Thread, 243161

2
Thread sizes

Features

- Finger-grip shell, fits and removes by hand
- Cuts paint build-up, drips and spitting at the tip
- Takes LineLazer LL5 tips and black 286 SwitchTips
- One guard per gun

PUBLISHED FIGURES

Technical specifications

Published figures for the RAC 5 HandTite guards.

Specifications

SPECIFICATION	VALUE
Maximum working pressure	**280 bar (4050 psi)**
243161 thread	**7/8 in (22 mm)**
243263 thread	**11/16 in**
Tips	**RAC 5 SwitchTips, LL5 and 286**
Guns	**Flex Plus, Silver Plus, SG2, SG3 (7/8 in)**

WHICH GUARD

LineLazer guns take 243161. Order 243263 only for guns with an 11/16 in thread.

P 07 3204 2240 E sales@goind.com.au W goind.com.au

PART NUMBERS

Ordering information

Quote the part number when ordering. Prices, stock and delivery from GO Industrial on 07 3204 2240 or sales@goind.com.au.

Models and parts

PART NUMBER	DESCRIPTION
243161	**RAC 5 HandTite guard, 7/8 in thread**
243263	**RAC 5 guard, 11/16 in thread**
243281	**OneSeal, waterborne, 5 pack**
224081	**OneSeal, solvent, 5 pack**

ORDERING

GO Industrial supplies the full range Australia-wide. Call 07 3204 2240 or email sales@goind.com.au with the part number for price and delivery.