


DATA SHEET

Conditional Registration Kit for Graco LineDriver

Lighting, signalling and electrical package that lets a Graco LineDriver ride-on attachment be conditionally registered for use on public roads. Fitted and commissioned at GO Industrial's Brisbane workshop. Part number LD-REG-KIT.



8

states and territories

12V DC

switched lighting system

15A

auto-reset circuit breaker

Key features

- Meets conditional registration requirements in every Australian state and territory.
- Amber LED rotating beacon on a removable pole, locked by a wing bolt.
- 2,350 lumen LED work light and 110 dB(A) disc horn on a shared bracket.
- Two ADR-approved LED stop, tail and indicator lamps plus a licence plate light.
- Labelled 7-switch operator panel on a powder-coated safety orange bracket.
- Battery master switch and 15A auto-reset breaker protect the lighting circuit.
- Sealed Deutsch DT connectors, so a damaged lamp swaps out without rewiring.

What's in the kit



QTY	COMPONENT
1	Beacon frame with removable beacon pole, safety orange
1	Switch box mounting bracket, 3 mm aluminium
1	Operator switch panel with 5-core wiring loom
1	Amber LED rotating beacon
1	LED work light, 2,350 lumens
2	LED stop / tail / indicator lamps
1	LED licence plate light
1	12V dual-tone disc horn
1	Battery master switch
1	15A auto-reset circuit breaker
Set	Deutsch DT connectors, battery cable, lugs, fasteners

● Running a LineLazer V 250SPS or 250DC?

Those self-propelled machines take the Conditional Registration Kit for Graco LineLazer V 250, part number 250SP-REG-KIT, with a mast and light bar frame and two work lights.




Technical data

SPECIFICATION	VALUE
Operating voltage	12V DC
Rotating beacon	Amber LED, SAE Class 1, ECE-R65
Beacon flash rate	120 flashes per minute
Beacon current draw	1.9 A at 12V
Work light	1 x LED, 2,350 lumens, 9-32V
Work light rating	IP67 IP6K9K
Rear lamps	2 x LED stop / tail / indicator, ADR
Licence plate light	White LED, 12-24V, ADR approved
Horn	12V disc, 110 dB(A) at 1 m
Switch panel	7 labelled switches
Battery isolation	Panel-mount battery master switch
Circuit protection	15A auto-reset circuit breaker
Connectors	Deutsch DT series, sealed
Wiring	5-core loom, split corrugated conduit
Frame	Powder-coated steel, safety orange

Compatibility

MACHINE	GRACO PART NUMBER
Graco LineDriver	262004
Graco LineDriver HD	262005
Graco LineDriver HD Electric Start	25U474
Graco LineDriver ES	25U671





Fitting and handover

GO Industrial fits the kit at our Brisbane workshop to a documented work instruction. Every installation is signed off against a pre-handover checklist before the machine leaves. On-site fitting at your depot is available by arrangement.

- Battery master switch on the side panel, battery negative isolated from the frame.
- 15A auto-reset circuit breaker on the lighting feed.
- Loom in split corrugated conduit, grommited at every panel penetration.
- Every crimp tug-tested, fuse rating and polarity checked.
- Beacon, work light, horn, tail lights, indicators and plate light function-tested.

Australia-wide compliance

Specified to the conditional registration equipment requirements of TMR (QLD), Transport for NSW, VicRoads, DIT (SA), DoT (WA), Department of State Growth (TAS), MVR (NT) and Access Canberra (ACT). Registration is lodged with the road authority in the state where the machine operates.

Warranty

12-month GO Industrial warranty covering manufacturing defects and component failure under normal operating conditions. Claims are handled directly through GO Industrial. Nothing in this warranty excludes rights you have under the Australian Consumer Law.