



Electric Sprayers

Graco's Complete Line of Professional Electric Airless Sprayers



PROVEN QUALITY. LEADING TECHNOLOGY.

There is nothing like a Graco® sprayer.

Quality. Performance. Durability. Productivity.

Graco electric airless sprayers deliver on all counts. Whether you're a contractor focused on small residential or a large contractor tackling the biggest projects every day, Graco offers you the best, most extensive line of painting equipment to meet your needs. Most importantly, when you choose Graco, you know that you are choosing the highest quality product in the industry. You can take pride in the fact that Graco electric sprayers are designed, manufactured, and assembled in the United States of America.

We do!



What is the G4 Difference? Simply put, it's Graco's commitment to provide you with the very best electric airless sprayers, backed by a solid reputation for proven quality, maximum performance, reliable warranty coverage and unmatched on-the-job productivity. Graco sprayers are designed to exceed the professional painting contractor's standards for quality and performance. Graco is the name to turn to today and as your business grows.

PROVEN QUALITY

100% factory-tested and field-proven design, coupled with cutting-edge technology, keep Graco sprayers performing reliably on the job for years.

MAXIMUM PERFORMANCE

Higher output with superior control ensures the highest quality finish for every job.

INDUSTRY-LEADING WARRANTY

Every Graco electric sprayer is backed by our full warranty coverage and more than 80 years of proven commitment to the professional contractor.

UNMATCHED PRODUCTIVITY

Exclusive Endurance™ pumps deliver long life and reliable performance.

For patent information see www.graco.com/patents.



We stand behind every piece of equipment we manufacture with one of the industries strongest warranties. Spray with the confidence that you will probably never need to use Graco's warranty, but if you do... we will be there.

Warranty



Lifetime Motor Warranty – All Ultra Max II and FinishPro 595

If the Motor fails under normal use, we'll replace it under warranty for the original owner for the life of the sprayer.

2-Year Motor Warranty – 390, Ultra 395 & FinishPro 395

Coverage against defects in materials and workmanship on the motor under normal use for the original owner.

Lifetime Drive Warranty

If the Drive Train fails from normal use, we will replace it under warranty for the original owner for the life of the sprayer.

2-Year Warranty

Coverage against defects in materials and workmanship on the entire sprayer.

Convenient Service

Graco offers many authorized distributor locations in Australia/New Zealand for service and repair.

Graco Small Electric Sprayers

Proven quality and unmatched reliability

Just because a sprayer is small in size doesn't mean that it's small in capability. Built with many of the same features as Graco's large electric sprayers, these units are built to deliver the power and performance you need to get the job done.

Small Electrics

Endurance™ Pump

- ▶ The most reliable pump on the market—lasts 2 times longer than the next leading brand
- ▶ Long-life V-Max Blue™ packings, Chromex™ rod and hardened stainless steel cylinder
- ▶ QuikAccess™ intake valve for fast cleaning or debris clearing

Easy Out™ Pump Filter

- ▶ Vertical design helps eliminate spills
- ▶ Filters from the inside out and won't collapse
- ▶ Large 50 square centimetre filtering area reduces tip clogs
- ▶ Flow-through design cleans with only a few gallons

Durable DC Motor

- ▶ DC Motors are more forgiving to voltage fluctuations allowing them to run on longer cords

Advantage Drive™

- ▶ Hardened steel gears run extremely quiet
- ▶ High ratio reduction provides slow pump stroking that reduces wear and extends pump life

Rugged, Durable Frame

- ▶ Thick chrome over steel withstands rugged environments
- ▶ Heavy-duty handles and semi-pneumatic wheels roll easily over rough terrain
- ▶ 4-leg stand is more stable

SmartControl™ 1.0 (395 model only)

- ▶ Delivers a consistent spray fan without pressure fluctuation at all spraying pressures
- ▶ Ideal for smaller tips commonly used for fine finish work

Ready to Work

- ▶ Professional grade hose, gun, tip and throat seal liquid included



Stand model

Finish Every Job, Every Day

with Graco's ProConnect™ and Endurance Now™ program



ProConnect

- ▶ Fast and Easy on-the-job Pump Replacement System
- ▶ Available on small and midsize electric sprayers

Being able to quickly change a pump on the job site can be the difference between a productive day of spraying and one spent waiting on replacement parts or behind the wheel taking your sprayer to be serviced. Thanks to the ProConnect™ Pump Removal System, Graco makes pump swaps fast and easy. In three simple steps, you can remove the pump on Graco's small and midsize electric sprayers. No more time wasted or money lost to labor charges on pump repairs—with a spare pump at the ready, you'll never have a down day.



Loosen the clamping nut



Open door and remove pump



Remove hose and suction tube

Fast Pump Removal

- ▶ 1-minute jobsite replacement
- ▶ Keeps you spraying instead of waiting for service
- ▶ No pins or parts to lose!



Endurance Now Program

With Graco's Endurance Now Program, you can purchase a replacement pump at any Graco distributor.

- ▶ Spare pump available Now at any Graco distributor
- ▶ Never wait for pump repair again
- ▶ Eliminate drive time and repair cost



Small Electrics

190 PC Express

DESCRIPTION PART #
STAND 17C384

SPECIFICATIONS
MAX TIP SIZE: 0.021
MAX LPM (GPM): 1.8 (0.47)
MAX PSI (BAR): 3000 (210)
MOTOR HP: 5/8 DC

INCLUDES
• SG3™ Gun
• RAC™ IV 517 SwitchTip™ and Guard
• 1/4 in x 25 ft (6.4 mm x 7.5 m) DuraFlex Airless Hose

390 PC

DESCRIPTION PART #
STAND 17C386
HI-BOY 17C388
LO-BOY 17C387

SPECIFICATIONS
MAX TIP SIZE: 0.021
MAX LPM (GPM): 2.0 (0.52)
MAX PSI (BAR): 3300 (227)
MOTOR HP: 5/8 DC

INCLUDES
• FTx™ Gun
• RAC™ X 517 SwitchTip™ and Guard
• 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax™ II Airless Hose



Lo-Boy has convenient bucket hook to allow easy movement on the job without spilling.



QuikAccess™ intake valve quickly removes for easy cleaning or accessing the inlet ball.



Variable Pressure Adjustment
Position indicator allows repeatable setting while spraying light-to-heavier materials.

If you need a solid workhorse of a sprayer that is built for the professional who is just “starting out,” then the 190 PC Express and 390 PC are for you. These are Graco’s lightest professional sprayers, ideal for residential jobs.



Easy Out Pump Filter creates less mess during changing or cleaning. Its flow-through design cleans with less fluid.

Advantage Drive runs quiet and has a lifetime guarantee.

Chromed Steel Frame has stable 4-leg design with cord wrap.

Stand model shown. Hi/Lo-Boy model also available.



Swivel Inlet Suction Hose easily reaches paint buckets.

Lightweight Design weighs only 13.6 kg (30 lbs) with offset handle positioned to kick sprayer away from leg for comfortable carrying.

Totally Enclosed DC Motor suitable for use with solvent-based finishes.



The **Ultra 395 PC Pro**’s performance and versatility has made it Graco’s most popular small electric sprayer. It features SmartControl™ 1.0 pressure control that delivers a consistent spray fan without pressure fluctuation at all spraying pressures. Proven technology and reliability make it perfect for professionals who spray daily with a wide range of coatings.

Smart Control 1.0 with digital display and variable speed control delivers consistent spray fan without pressure fluctuations at all spraying pressures.



Durable Cart Designs withstands rugged environments; Hi-Boy cart design allows for easy one-person bucket changes, while retractable handle doubles as hose storage.



Compatible with 1.5 gallon hopper for small projects.

Small Electrics

Ultra® 395 PC Pro

DESCRIPTION PART #
STAND 17C392

SPECIFICATIONS
MAX TIP SIZE: 0.023
MAX LPM (GPM): 2.0 (0.54)
MAX PSI (BAR): 3300 (227)
MOTOR HP: 7/8 TEFC DC

INCLUDES
• Contractor™ Gun
• RAC X 517 SwitchTip and Guard
• 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax™ II Airless Hose

Graco Midsize Electric Sprayers

Increased performance, advanced technology

When you need the increased productivity to handle medium residential and light commercial spraying jobs, Graco's Midsize electric airless sprayers deliver the performance you demand. With features that make it easier to get more work done in a day, these sprayers provide increased flow and production rates over our small electric sprayers.

Midsize Electrics

SmartControl 2.5

- ▶ Digital display shows pressure, gallons, and hours
- ▶ Provides error messages and diagnostics
- ▶ Aids in fleet management

Fast Flush™



Fast Flush™

- ▶ FastFlush high flow cleaning system runs faster and dramatically reduces cleaning time

MaxPower Motor

- ▶ Graco's compact and powerful brushless DC motors are designed to produce the most power possible for all painting applications
- ▶ Higher torque = More work done
- ▶ Totally enclosed, fan-cooled design protects the internal components of the motor from dirt, dust and overspray
- ▶ Brushless design means that you will never need to replace brushes
- ▶ DC motors are more forgiving to voltage fluctuation allowing them to run on longer power cords
- ▶ Lifetime warranty

Endurance Pump

- ▶ The most reliable pump on the market—lasts 2 times longer than the next leading brand
- ▶ Long-life V-Max Blue™ packings, Chromex™ rod and hardened stainless steel cylinder
- ▶ QuikAccess™ intake valve for fast cleaning or debris clearing



Stand model

Easy Out™ Pump Filter

- ▶ Vertical design helps eliminate spills
- ▶ Filters from the inside out and won't collapse
- ▶ Large 50 square centimetre filtering area reduces tip clogs
- ▶ Flow-through design cleans with only a few gallons

Advantage Drive™

- ▶ Hardened steel gears run extremely quiet
- ▶ High ratio reduction provides slow pump stroking that reduces wear and extends pump life

Ready to Work

- ▶ Professional grade hose, gun, tip and throat seal liquid included

Finish Every Job, Every Day

with Graco's ProConnect™ and Endurance Now™ program



ProConnect

- ▶ Fast and Easy on-the-job Pump Replacement System
- ▶ Available on small and midsize electric sprayers

Being able to quickly change a pump on the job site can be the difference between a productive day of spraying and one spent waiting on replacement parts or behind the wheel taking your sprayer to be serviced. Thanks to the ProConnect™ Pump Removal System, Graco makes pump swaps fast and easy. In three simple steps, you can remove the pump on Graco's small and midsize electric sprayers. No more time wasted or money lost to labor charges on pump repairs—with a spare pump at the ready, you'll never have a down day.



Loosen the clamping nut



Open door and remove pump



Remove hose and suction tube

Fast Pump Removal

- ▶ 1-minute jobsite replacement
- ▶ Keeps you spraying instead of waiting for service
- ▶ No pins or parts to lose!



Endurance Now Program

With Graco's Endurance Now Program, you can purchase a replacement pump at any Graco distributor.

- ▶ Spare pump available Now at any Graco distributor
- ▶ Never wait for pump repair again
- ▶ Eliminate drive time and repair cost



Ultra Max II 490 PC Pro

DESCRIPTION	PART #
STAND	17C395
SPECIFICATIONS	
MAX TIP SIZE:	0.023
MAX LPM (GPM):	2.0 (0.54)
MAX PSI (BAR):	3300 (227)
MOTOR HP:	1.0 Brushless DC

- INCLUDES**
- Contractor™ Gun
 - RAC X 517 SwitchTip and Guard
 - 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax™ II Airless Hose

The **Ultra Max II 490 PC Pro** sprayer is the ideal step-up for professionals looking for superior performance and features in a small electric sprayer.

MaxPower brushless DC motor creates more torque and delivers maintenance-free performance.



Features



Smart Control 2.5 advanced pressure control system delivers consistent spray fan without pressure fluctuations at all spraying pressures.

Digital Display for quick readings of pressure, gallon, hours, diagnostics and error messages. Ideal for maintenance tracking.

FastFlush™ cleaning system saves time with high speed cleaning.



The **Ultra Max II 495 PC Pro** brings the leading technology and performance of Graco's larger Ultra Max II models into a compact and lightweight design.



Features



Lo-Boy model shown. Stand and Hi-Boy models also available.

The **Ultra Max II 595 PC Pro** sprayer is the ideal choice for the painting professional who needs the highest possible output from a small, portable unit.

Features



Kickstand on Hi-boy models holds inlet clear of the bucket for easy one-person bucket changes.

Hi-Boy model shown. Lo-Boy model also available.

Suitable for Wide RAC® tips.

Long Stroke Pump reduces wear and extends time between repacks.



Ultra Max II 495 PC Pro

DESCRIPTION	PART #
STAND	17C398
HI-BOY	17C402
LO-BOY	17C401
SPECIFICATIONS	
MAX TIP SIZE:	0.025
MAX LPM (GPM):	2.3 (0.60)
MAX PSI (BAR):	3300 (227)
MOTOR HP:	1.2 Brushless DC

- INCLUDES**
- Contractor Gun
 - RAC X 517 SwitchTip and Guard
 - 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax™ II Airless Hose

Ultra Max II 595 PC Pro

DESCRIPTION	PART #
HI-BOY	17C403
LO-BOY	17C404
SPECIFICATIONS	
MAX TIP SIZE:	0.027
MAX LPM (GPM):	2.6 (0.70)
MAX PSI (BAR):	3300 (227)
MOTOR HP:	1.6 Brushless DC

- INCLUDES**
- Contractor Gun
 - RAC X 517 SwitchTip and Guard
 - 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax™ II Airless Hose

Choose the RIGHT SIZE when purchasing a Graco large electric sprayer.

If you're a painting contractor who routinely handles large residential, commercial, or industrial work, you need an airless sprayer that will deliver the best in performance and reliability. Graco's mission is to offer you the perfect sprayer that's sized for the work you do and will give you the results you expect. Use the Painting Solutions Guide below to help you choose which of Graco's large electric sprayers is right for you. Whatever size you need, Graco has the absolute best airless sprayers in the industry.


- What types of material do you spray? In the future?
- How many gallons per week will you spray?
- How many guns do you now need? In the future?
- What hose lengths will you use?
- Will most jobs be indoors or outdoors?
- What tip sizes do you need?
- What power source do you have available?
- What types of jobs will you bid?
- How much do you want to spend on a sprayer?
- On what types of surfaces will you spray (drywall, wood, concrete, steel, etc.)?

PAINTING SOLUTIONS GUIDE

CLASSIFICATION:	LARGE ELECTRICS	
SPRAYER MODEL:	Ultra Max II 695 Ultra Max II 795	Ultra Max II 1095
TYPICAL JOBS:	Interior/Exterior • Residential New Construction • Light Commercial	Exterior Residential • New Construction Heavy Commercial • Industrial
TYPICAL MATERIALS:	Heavy Interior/Exterior Latex • Oil-Based Primers Acrylics • Block Fillers	Heavy Interior/Exterior Latex • Oil-Based Primers Epoxies • Block Fillers Dryfall • Elastomerics
PRODUCTION RATE:	High up to 2 guns up to 0.033 tip up to 4.5 lpm	High up to 3 guns up to 0.035 tip up to 4.5 lpm

Choose the RIGHT SERIES for all your painting applications.

Only Graco goes beyond motor size and offers three different series of electric airless sprayers that have features designed to make your work easier, faster and more productive. Whether you need the everyday reliability of our **Standard Series**, the increased speed and productivity of the **ProContractor Series**, or extreme ruggedness of the **IronMan Series**, Graco offers the perfect sprayer that's designed specifically for you.



m.graco.com/cedseriesvid

If You're a New Residential and Repainting Contractor

- ▶ You're painting multiple days a week
- ▶ You're jobs are typically on the smaller side
- ▶ You demand everyday reliability
- ▶ You don't need a lot of extra features



You need a **Standard Series** sprayer.

EVERYDAY RELIABILITY



If You're a Large Residential and Commercial Contractor

- ▶ You're painting every day
- ▶ You tackle medium to large projects
- ▶ You're moving frequently from job to job
- ▶ You need features that save you time and get you in, out, and on to the next jobsite



You need a **ProContractor Series** sprayer.

WORK SMARTER, FINISH MORE JOBS



If You're a Large Commercial and Industrial Contractor

- ▶ You're painting continuously in less-than-ideal conditions
- ▶ You handle large, long-duration projects that require large volumes of material
- ▶ You keep your equipment on-site in paint
- ▶ You require extreme durability and reliability



You need an **IronMan Series** sprayer.

BEYOND JOBSITE TOUGH



Standard Series

EVERYDAY RELIABILITY

When you're tackling larger painting projects multiple days a week, you demand reliability. Graco's Standard Series sprayers deliver durability and performance time after time. They handle the widest range of tip sizes, longer hose lengths and heavier coatings with ease.

All Standard Series sprayers come with these "Only On A Graco" features:



MaxPower Motor Graco's compact and powerful MaxPower brushless DC motors are designed to produce the most power possible for all painting applications.

- ▶ Higher torque = More work done
- ▶ Totally enclosed, fan-cooled design protects the internal components of the motor from dirt, dust and overspray
- ▶ Brushless design means that you will never need to replace brushes
- ▶ Lifetime warranty



SmartControl 3.0 Graco's advanced SmartControl 3.0 offers precision pressure control that delivers a consistent spray fan without pressure fluctuations.

- ▶ Lowest dead band at any pressure
- ▶ ProGuard™ Sprayer Protection System guards against bad or extreme jobsite power conditions



Rugged, Durable Cart Design With a Graco sprayer, it's not just the mechanical parts that are built to last. Our carts are built to deliver years of performance.

- ▶ Thick chrome over steel withstands rugged environments
- ▶ Full pneumatic wheels absorb impacts and vibrations
- ▶ Retractable handle doubles as coiled hose storage
- ▶ Hi-Boy TiltBack kickstand cart design holds the inlet clear of the paint bucket for easy one-person bucket changes



Easy Out™ Pump Filter The Easy Out pump filter is designed to filter from the inside out so filters won't get stuck or collapse when filled with dirt or debris.

- ▶ Large 19.5 square inch filtering area reduces tip clogs and ensures a quality finish
- ▶ Vertical filter removes with the cap for less mess



Advantage Drive™ The drive is the critical link between the motor and the pump. Graco doesn't leave the manufacturing of our Advantage Drive System to others; rather, we design and manufacture them at our world-class manufacturing facility in the United States.

- ▶ Hardened steel gears run extremely quiet
- ▶ The most durable, longest lasting drive in the industry
- ▶ Lifetime warranty



Endurance Pump Graco's Endurance Pump is the most rugged and reliable pump on the market today.

- ▶ Long-life V-Max Blue packings
- ▶ Chromex™ rod and stainless steel sleeve deliver superior reliability and life



Ready To Work Everything you need to get spraying—Contractor™ gun, RAC X™ SwitchTip™, Throat Seal Liquid (TSL™) and 15 meter of BlueMax™ II hose is included.

Heavy-Duty Prime Valve Maintenance-free design withstands high-pressure dumping.



ProContractor Series

WORK SMARTER, FINISH MORE JOBS

When it comes to getting the most work done in a day, it's all about speed and high performance. And that's where Graco delivers. With features that enable you to work more efficiently, the ProContractor series of electric airless sprayers help you get in, out, and on to the next job site faster, saving you time and money.

ProContractor Series sprayers have all the Features of the Standard Series, **Plus:**



SmartControl 3.0 with LED Display Graco's advanced SmartControl 3.0 delivers a consistent spray fan without pressure fluctuations at all spraying pressures.

- ▶ Bright, easy-to-read LED display shows pressure read-out, job/lifetime/gallon counter and self-diagnostics
- ▶ ProGuard Sprayer Protection System guards against bad or extreme jobsite power conditions

WatchDog™ The WatchDog Pump Protection System automatically shuts down the pump when paint runs out or if the hose is damaged.

- ▶ Prevents dry pumping damage



FastFlush™ This high flow cleaning system runs faster and dramatically decreases cleaning time.


- ▶ Motor runs at super high speed
- ▶ Results in high flow and faster cleaning—up to 4X faster using only half the water!



QuikReel™ With the integrated QuikReel you can deploy and rewind up to 90 meter of hose in seconds, letting you put the sprayer where you want it and the gun where you need it.



- ▶ Hose guide eliminates twisting, kinking, and coiling for one-person operation
- ▶ Hose is always connected and weight balanced to not tip over
- ▶ Use only the hose you need—the rest stays on the reel
- ▶ Hand crank folds away for storage and one man loading



On-Board Toolbox Convenient storage container keeps tools, tips, filters and accessories where you need them most.



ProConnect™ 2 This next-generation pinless design of Graco's ProConnect Pump Removal and Installation System makes it easier and faster than ever to replace the pump in seconds.

- ▶ Eliminates costly jobsite downtime
- ▶ Quickly and easily swap out the pump for a spare
- ▶ Pinless design needs no tools



Ready To Spray Everything you need—Contractor gun, RAC X SwitchTip, Throat Seal Liquid (TSL) and 30 meter of BlueMax II hose is already assembled and ready to use right out of the box, getting you working that much faster.



IronMan Series

BEYOND JOBSITE TOUGH

Power, Durability and Capability is what makes an IronMan. From its MaxLife pump to its rugged roll cage frame, IronMan airless sprayers are built for the serious contractor who routinely handles large commercial and industrial jobs.

IronMan Series sprayers have all the Features of the Standard Series, *Plus!*



SmartControl 3.0 with LED Display Graco's advanced SmartControl 3.0 delivers a consistent spray fan without pressure fluctuations at all spraying pressures.

- ▶ Bright, easy-to-read LED display shows pressure read-out, job/lifetime/gallon counter and self-diagnostics
- ▶ ProGuard Sprayer Protection System guards against bad or extreme jobsite power conditions

WatchDog™ The WatchDog Pump Protection System automatically shuts down the pump when paint runs out or if the hose is damaged.

- ▶ Prevents dry pumping damage



FastFlush This high flow cleaning system runs faster and dramatically decreases cleaning time.

- ▶ Motor runs at super high speed
- ▶ Results in high flow and faster cleaning—up to **4X faster** using only half the water!



Heavy-Duty Hose and Gun

30 meter of high-performance BlueMax II airless hose, a Silver Plus™ gun, and RAC X SwitchTip that can handle spraying heavier materials are included with every IronMan sprayer.



Flat-Proof Tires

These tires can't be punctured by nails, screws or other sharp debris. They will **never** go flat, leaving the sprayer stranded on a jobsite.



Extreme-Duty MaxLife® Pump Built for the most demanding jobs, Graco's Extreme-Duty MaxLife Pump delivers unmatched durability and life.

- ▶ Exclusive MaxLife sleeve and rod
- ▶ Lasts **6X longer** between repacks
- ▶ Oversized clearances ensure minimal pressure drop and increased performance
- ▶ Long-life ceramic and stainless steel balls included for maximum versatility no matter what you're spraying
- ▶ Crush-proof intake screen stands up to harsh impacts



ProConnect 2 This next-generation pinless design of Graco's ProConnect Pump Removal and Installation System makes it easier and faster than ever to replace the pump in seconds.

- ▶ Eliminates costly jobsite downtime
- ▶ Quickly and easily swap out the pump for a spare
- ▶ Pinless design needs no tools



Roll Cage Frame Design

All IronMan sprayers are built for the most brutal and demanding job sites.

- ▶ Heavy-duty roll cage frame withstands the most extreme abuse from industrial job sites



Ultra Max II 695

With a 2.0 hp brushless DC motor, the Ultra Max II 695 is a rock-solid performer for the professional residential contractor who sprays a wide variety of coatings. It can handle a wide variety of tip sizes and has outstanding proven reliability.

SERIES	PART #
STANDARD	16X660
STANDARD LO-BOY	16X812
PROCONTRACTOR	16Y639
SPECIFICATIONS	
MAX TIP SIZE:	0.031-1 Gun 0.023-2 Guns
MAX LPM (GPM):	3.6 (0.95)
MAX PSI (BAR):	3300 (227)
MOTOR:	2.0 hp Brushless DC

- INCLUDES**
STANDARD SERIES AND LO-BOY UNITS:
- Contractor Gun
 - RAC X 517 SwitchTip and Guard
 - 6.4 mm x 15 m (1/4 in x 50 ft) BlueMax™ II Airless Hose

- PROCONTRACTOR SERIES UNIT:
- Contractor Gun
 - RAC X 517 SwitchTip and Guard
 - 6.4 mm x 15 m (1/4 in x 50 ft) BlueMax™ II Airless Hose
 - AND
 - 6.4 mm x 15 m (1/4 in x 50 ft) BlueMax™ II Airless Hose

Standard Series

EVERYDAY RELIABILITY



Ultra Max II 695 Standard

Ultra Max II 795 Standard

Standard Series features found Only On A Graco:

Advantage Drive System Runs quiet and has a lifetime guarantee.

SmartControl 3.0 Pressure Control Delivers consistent spray fan without pressure fluctuations at all spraying pressures.

Endurance Pump Amazingly durable design lasts twice as long as the next leading brand.

MaxPower Brushless DC Motor Never change brushes with this maintenance-free, totally enclosed, high torque motor.

Rugged Cart Design Chrome over steel makes this durable cart last for years.

Easy Out Pump Filter Less mess when changing or cleaning the filter.

Heavy-Duty Prime Valve Maintenance-free design withstands high pressure dumping.

Choose a Series that's built FOR YOU!

ProContractor Series

WORK SMARTER, FINISH MORE JOBS



Ultra Max II 695 ProContractor

Ultra Max II 795 ProContractor

All the features of the Standard Series, PLUS:

QuikReel Deploy and rewind up to 300 feet of hose in seconds without twists, kinks or coils.

Ready To Spray A total of 100 feet of hose and gun already installed.

ProConnect 2 Change out the pump using no tools in seconds resulting in quickly getting back to work.

LED Display Bright easy-to-read LED display shows pressure readout, job/lifetime/gallon counter and self diagnostics.

FastFlush Cleaning System Cleans the unit up to 4X faster using only half the water!

WatchDog Save the pump from damage when paint runs out or a hose breaks.

On-Board Toolbox End frustration and save time by never again searching for tips, filters, and tools.

Ultra Max II 795

With a 2.2 hp brushless DC motor, the Ultra Max II 795 can handle multiple guns and is ideal for the professional residential remodeling and repainting contractor who sprays a wide variety of coatings.

SERIES	PART #
STANDARD	16X870
STANDARD LO-BOY	16X813
PROCONTRACTOR	16Y895
SPECIFICATIONS	
MAX TIP SIZE:	0.033-1 Gun 0.025-2 Guns 0.019-3 Guns
MAX LPM (GPM):	4.1 (1.10)
MAX PSI (BAR):	3300 (227)
MOTOR:	2.2 hp Brushless DC

- INCLUDES**
STANDARD SERIES UNIT:
- Contractor Gun
 - RAC X 517 SwitchTip and Guard
 - 6.4 mm x 15 m (1/4 in x 50 ft) BlueMax™ II Airless Hose

- PROCONTRACTOR SERIES UNIT:
- Contractor Gun
 - RAC X 517 SwitchTip and Guard
 - 6.4 mm x 15 m (1/4 in x 50 ft) BlueMax™ II Airless Hose
 - AND
 - 6.4 mm x 15 m (1/4 in x 50 ft) BlueMax™ II Airless Hose



Lo-Boy easily carries a standard 19-litre paint bucket.

Ultra Max II 1095

With a 2.4 hp brushless DC motor and the ability to spray up to 4.5 liters per minute, the Ultra Max II 1095 is the industry standard for the large residential and commercial contractor who sprays a wide variety of coatings.

SERIES	PART #
STANDARD	16X881
PROCONTRACTOR	16Y832
IRONMAN	16Y871

SPECIFICATIONS	
MAX TIP SIZE:	0.035-1 Gun 0.027-2 Guns 0.021-3 Guns
MAX LPM (GPM):	4.5(1.20)
MAX PSI (BAR):	3300 (227)
MOTOR:	2.4 hp Brushless DC

- INCLUDES**
STANDARD SERIES UNIT:
- Contractor Gun
 - RAC X 517 SwitchTip and Guard
 - 6.4 mm x 15 m (1/4 in x 50 ft) BlueMax™ II Airless Hose

- PROCONTRACTOR SERIES UNIT:
- Contractor Gun
 - RAC X 517 SwitchTip and Guard
 - 6.4 mm x 15 m (1/4 in x 50 ft) BlueMax™ II Airless Hose
- AND
- 6.4 mm x 15 m (1/4 in x 50 ft) BlueMax™ II Airless Hose

- IRONMAN SERIES UNIT:
- Silver Plus Gun
 - RAC X 517 SwitchTip and Guard
 - 6.4 mm x 15 m (1/4 in x 50 ft) BlueMax™ II Airless Hose
- AND
- 9.5 mm x 15 m (3/8 in x 50 ft) BlueMax™ II Airless Hose

Standard Series

EVERYDAY RELIABILITY



Standard Series features found Only On A Graco:

Advantage Drive System Runs quiet and has a lifetime guarantee.

SmartControl 3.0 Pressure Control Delivers consistent spray fan without pressure fluctuations at all spraying pressures.

Endurance Pump Amazingly durable design lasts twice as long as the next leading brand.

MaxPower Brushless DC Motor Never change brushes with this maintenance-free, totally enclosed, high torque motor.

Rugged Cart Design Chrome over steel makes this durable cart last for years.

Easy Out Pump Filter Less mess when changing or cleaning the filter.

Heavy-Duty Prime Valve Maintenance-free design withstands high pressure dumping.

Choose a Series that's built FOR YOU!

ProContractor Series

WORK SMARTER, FINISH MORE JOBS



All the features of the Standard Series, PLUS:

QuikReel Deploy and rewind up to 300 feet of hose in seconds without twists, kinks or coils.

Ready To Spray A total of 100 feet of hose and gun already installed.

ProConnect 2 Change out the pump using no tools in seconds resulting in quickly getting back to work.

LED Display Bright easy-to-read LED display shows pressure readout, job/lifetime/gallon counter and self diagnostics.

FastFlush Cleaning System Cleans the unit up to 4X faster using only half the water!

WatchDog Save the pump from damage when paint runs out or a hose breaks.

On-Board Toolbox End frustration and save time by never again searching for tips, filters, and tools.

IronMan Series

BEYOND JOBSITE TOUGH



All the features of the Standard Series, PLUS:

MaxLife Extreme Duty Pump Keeps you working by running 6X longer between repacks.

Ceramic and Stainless Steel Ball Sets Provides maximum versatility no matter what you're spraying.

ProConnect 2 Change out the pump using no tools in seconds resulting in quickly getting back to work.

Roll Cage Frame Innovative steel design withstands rugged environments and protects critical sprayer components.

LED Display Bright easy-to-read

LED display shows pressure readout, job/lifetime/gallon counter and self diagnostics.

Flat-Proof Tires Roll through even the worst jobsite debris without ever going flat.

FastFlush Cleaning System Cleans the unit up to 4X faster using only half the water!

WatchDog Save the pump from damage when paint runs out or if a hose breaks.

Additional 15 m of Hose Gives you the versatility to work farther away from the sprayer.

Accessories


ELECTRIC AIRLESS SPRAYERS

In addition to the industry's best sprayers, Graco makes the accessories that enable you to work faster and more productively. From rugged guns and tips to hoses and extensions, Graco's accessories let you customize your sprayer for the maximum performance that best suits your work.

FOR SPRAYERS: 390 PC – Ultra Max II 595 PC Pro

DIGITAL DISPLAYS Simple to use and easy to install display featuring pressure display and error code self diagnostics.

- 287098 Digital Display for Ultra 395 PC
- 287904 Digital Display for Ultra Max II 490/495/595 PC Pro



HOPPER 1.5-gallon molded hopper attaches to sprayer in place of inlet suction hose. Ideal for spraying small amounts of material. Lid included. Smooth inside cleans up fast. Works with Stand, Hi-Boy and Lo-Boy sprayers.

- 288526 Hopper Accessory

FILTERS AND INLET STRAINER

- 246425 Easy Out Filters – Short, Gray, 30 mesh
- 246384 Easy Out Filters – Short, Black, 60 mesh
- 246382 Easy Out Filters – Short, Blue, 100 mesh
- 246383 Easy Out Filters – Short, Red, 200 mesh



- 246385 Inlet Strainer



PROCONNECT REPLACEMENT PUMP

- 17C488 Replacement Pump – Replace pump on the job



FOR SPRAYERS: Ultra Max II 695 – 1095

LED DISPLAY Bright easy-to-read LED display shows pressure readout, job/lifetime, gallon counter and self diagnostics.

- 16Y747 LED Display for SmartControl 3.0 fits Ultra Max II 695/795/1095/1595 Fits all SmartControl 3.0 models. Includes WatchDog feature.



SUCTION HOSE KIT Easily installs on any sprayer to provide the convenience of a flexible inlet hose. Leave tube long (fits 113-litre trash cans and 208-litre drums) or simply unscrew at middle fitting to shorten (fits 19-litre buckets).

- 248317 208 Litre (55 Gallon) Suction Hose Kit

FILTERS AND STRAINERS

- 244071 Easy Out Filters – Long, Gray, 30 mesh
- 244067 Easy Out Filters – Long, Black, 60 mesh
- 244068 Easy Out Filters – Long, Blue, 100 mesh
- 244069 Easy Out Filters – Long, Red, 200 mesh



- 189920 Inlet Screen – Ultra Max II 695/795/1095
- 257033 Inlet Screen – IronMan 1095

RAC X SWITCHTIP The RAC X SwitchTip is a high-performance spray tip used for residential and commercial applications. With a large selection of tip sizes available we are sure to have one to fit your needs. RAC X provides the best fan pattern life and the highest quality finish. These Graco tips are the most widely used reversible spray tip on the market today!



CONTRACTOR/FTx GUNS Designed by Graco to be the longest-lasting guns on the market, the Contractor and FTx Guns continue to be the number one choice of painting contractors. With features like the FlexSeal design, Easy Out Gun Filter and EasyGlide Swivel, no wonder these are the contractors choice in guns.

- 288420 Contractor Gun (2-finger trigger) with RAC X 517 Tip and Guard
- 288430 FTx Gun (4-finger trigger) with RAC X 515 Tip and Guard
- 246240 Silver Plus Gun with RAC X 517 Tip and Guard
- 246468 Flex Plus™ Gun with RAC X 517 Tip and Guard
- 287023 0.9 m (3 ft) Pole Gun with Contractor Inline Valve, CleanShot™ Valve, RAC X Tip and Guard
- 287024 1.8 m (6 ft) Pole Gun with Contractor Inline Valve, CleanShot Valve, RAC X Tip and Guard



GUN HOSE KITS – KITS INCLUDE THE FOLLOWING UNLESS OTHERWISE NOTED

- Airless Gun, RAC X 517 Tip and Guard, 6.4 mm x 15m (1/4 in x 50 ft)
- BlueMax II 3300 psi (227 bar) Airless Hose and 0.9 m (3 ft) Whip Hose
- 288489 Contractor Gun Hose Kit
- 288490 Contractor Gun Hose Kit with 9.5 mm x 15m (3/8 in x 50 ft) BlueMax II 3300 psi (227 bar) Airless Hose
- 288493 FTx Gun Hose Kit with RAC X 515 Tip (Whip Hose excluded)
- 287095 Flex Plus Gun Hose Kit
- 287041 Silver Plus Gun Hose Kit
- 287042 Silver Plus Gun Hose Kit with 9.5 mm x 15m (3/8 in x 50 ft) BlueMax II 3300 psi (227 bar) Airless Hose
- 287043 Silver Plus Gun Hose Kit with 9.5 mm x 15m (3/8 in x 50 ft) BlueMax II 4000 psi (276 bar) Airless Hose



BLUEMAX II AIRLESS HOSE To maximize results, choose the high performance BlueMax II Airless Hose. Lighter weight and increased hose flexibility improves usability when spraying under pressure. With superior flexibility and durability, BlueMax II ensures you get the best results from your airless sprayer.

- 238358 4.8 mm x 0.9 m (3/16 in x 3 ft) BlueMax II 3300 psi (227 bar) Airless Whip Hose
- 238959 4.8 mm x 1.4 m (3/16 in x 4.5 ft) BlueMax II 3300 psi (227 bar) Airless Whip Hose
- 240793 6.4 mm x 7.5m (1/4 in x 25 ft) BlueMax II 3300 psi (227 bar) Airless Hose
- 240794 6.4 mm x 15m (1/4 in x 50 ft) BlueMax II 3300 psi (227 bar) Airless Hose
- 240797 9.5 mm x 15m (3/8 in x 50 ft) BlueMax II 3300 psi (227 bar) Airless Hose



PUMP ARMOR™/TSL™ Maintaining your pump is essential for long life and reliability. Graco has made pump maintenance simple with our complete line of fluids. Pump Armor is a storage solution which protects your pump from the damaging effects of corrosion during storage. TSL (Throat Seal Liquid) prevents dried paint from accumulating on the pump rod—extending the life of the pump packings.

- 243103 Pump Armor – 1 liter (1 qt)
- 245133 Pump Armor – 3.8 liters (1 gal)
- 206994 Throat Seal Liquid (TSL) – .24 liters (8 oz)
- 206995 Throat Seal Liquid (TSL) – 1 liter (1 qt)
- 206996 Throat Seal Liquid (TSL) – 3.8 liters (1 gal)



JETROLLERS™ Save time and money by spraying and back rolling in one easy step with the **NEW** Graco 3-in-1 JetRoller System. Each kit includes a lightweight detachable roller (uses industry standard roller covers), CleanShot shut-off valve, spray tip and guard.

- 24U170 JetRoller System with 50 cm (20 in) Heavy-Duty Extension and 23 cm Handle
- 24U172 JetRoller System with 50 cm (20 in) Heavy-Duty Extension, Contractor Inline Valve and 23 cm Handle
- 24X605 JetRoller System with 50 cm (20 in) Heavy-Duty Extension, Contractor Inline Valve and 27 cm Handle

PRESSURE ROLLERS

- 245397 EvenFlow™ Pressure Roller Assembly with 50 cm (20 in) Fixed, Heavy-Duty Extension and Contractor Inline Valve
- 244279 EvenFlow Pressure Roller Assembly with 50 cm (20 in) Fixed, Heavy-Duty Extension, 45° Angle
- 244281 EvenFlow Pressure Roller Assembly with 46-91 cm (18-36 in) Telescoping Extension



SMALL & MIDSIZE ELECTRIC AIRLESS SPRAYER SPECIFICATIONS

		190 PC Express	390 PC	Ultra 395 PC Pro	Ultra Max II 490 PC Pro	Ultra Max II 495 PC Pro	Ultra Max II 595 PC Pro
SPECIFICATIONS	Maximum Tip Size	0.021	0.021	0.023	0.023	0.025	0.027
	Maximum psi (bar)	3000 (210)	3300 (227)	3300 (227)	3300 (227)	3300 (227)	3300 (227)
	Maximum lpm (gpm)	1.8 (0.47)	2.0 (0.52)	2.0 (0.54)	2.0 (0.54)	2.3 (0.60)	2.6 (0.70)
	Motor hp	5/8 DC	5/8 DC	7/8 TEFC DC	1.0 Brushless DC	1.2 Brushless DC	1.6 Brushless DC
	Weight kg (lb)	14 (30) Stand	14 (30) Stand	19 (42) Stand	15 (34) Stand	15 (34) Stand	33 (72) Hi-Boy
	Gun Support: 1 Gun	0.021	0.021	0.023	0.023	0.025	0.027



Small Electrics

Mid-Sized Electrics

MODEL	Cart Design-Part Number	Stand 17C384	Stand 17C386 Hi-Boy 17C388 Lo-Boy 17C387	Stand 17C392	Stand 17C395	Stand 17C398 Hi-Boy 17C402 Lo-Boy 17C401	Hi-Boy 17C403 Lo-Boy 17C404
INCLUDES	Gun	SG3	FTx	Contractor	Contractor	Contractor	Contractor
	Hose	1/4 in x 25 ft (6.4 mm x 7.5 m) DuraFlex Airless	1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless	1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless	1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless	1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless	1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless
	Tip	RAC IV 517	RAC X 517	RAC X 517	RAC X 517	RAC X 517	RAC X 517
	Filter	60 Mesh Easy Out	60 Mesh Easy Out	60 Mesh Easy Out	60 Mesh Easy Out	60 Mesh Easy Out	60 Mesh Easy Out
ADDITIONAL SERIES FEATURES		—	—	Digital Display	Digital Display	Digital Display	Digital Display
		—	—	—	Fast Flush	Fast Flush	FastFlush
ENDURANCE PUMP	Type	ProConnect	ProConnect	ProConnect	ProConnect	ProConnect	ProConnect
	Rod	Chromex	Chromex	Chromex	Chromex	Chromex	Chromex
	Cylinder	Hardened SST	Hardened SST	Hardened SST	Hardened SST	Hardened SST	Hardened SST
CONTROL & DRIVE	Control	Electronic	Electronic	SmartControl 1.0	SmartControl 2.5	SmartControl 2.5	SmartControl 2.5
	Motor	DC	DC	TEFC DC	MaxPower	MaxPower	MaxPower
ENDURANCE PUMP	Replacement Pump	17C488	17C488	17C488	17C488	17C488	17C488
WEAR PARTS	Repair Kit	244194	244194	244194	244194	244194	244194
	Rod	24W617	24W617	24W617	24W617	24W617	24W617
	Cylinder	24W619	24W619	24W619	24W619	24W619	24W619
	Intake Seat Kit	246429	246429	246429	246429	246429	246429
MANUAL	Operation/Parts	334567	334567	334446	334530	334530	334530

		Ultra Max II 695	Ultra Max II 795	Ultra Max II 1095
SPECIFICATIONS	Maximum Tip Size	0.031	0.033	0.035
	Maximum psi (bar)	3300 (227)	3300 (227)	3300 (227)
	Maximum lpm (gpm)	3.6 (0.95)	4.1 (1.10)	4.5 (1.20)
	MaxPower Motor hp	2.0 Brushless DC	2.2 Brushless DC	2.4 Brushless DC
	Control	SmartControl 3.0	SmartControl 3.0	SmartControl 3.0
	Weight kg (lbs)	42 (93) Standard Hi-Boy	44 (98) Standard	55 (120) Standard
	Gun Support: 1 Gun 2 Guns 3 Guns	0.031 0.023 —	0.033 0.025 0.019	0.035 0.027 0.021



SERIES TYPE		STANDARD	PROCONTRACTOR	STANDARD	PROCONTRACTOR	STANDARD	PROCONTRACTOR	IRONMAN
MODEL	Cart Design-Part Number	Hi-Boy-16X660 Lo-Boy-16X812	16Y639	Hi-Boy-16X870 Lo-Boy-16X813	16Y895	16X881	16Y832	16Y871
INCLUDES	Gun	Contractor	Contractor	Contractor	Contractor	Contractor	Contractor	Silver Plus
	Hose	6.4 mm x 15 m (1/4 in x 50 ft) BlueMax II Airless	6.4 mm x 15 m (1/4 in x 50 ft) AND 6.4 mm x 15 m (1/4 in x 50 ft) BlueMax II Airless	6.4 mm x 15 m (1/4 in x 50 ft) BlueMax II Airless	6.4 mm x 15 m (1/4 in x 50 ft) AND 6.4 mm x 15 m (1/4 in x 50 ft) BlueMax II Airless	6.4 mm x 15 m (1/4 in x 50 ft) BlueMax II Airless	6.4 mm x 15 m (1/4 in x 50 ft) AND 6.4 mm x 15 m (1/4 in x 50 ft) BlueMax II Airless	6.4 mm x 15 m (1/4 in x 50 ft) AND 9.5 mm x 15 m (3/8 in x 50 ft) BlueMax II Airless
	Tip	RAC X 517	RAC X 517	RAC X 517	RAC X 517	RAC X 517	RAC X 517	RAC X 517, RAC X Wide RAC 1231
	Filter	60 Mesh Easy Out	60 Mesh Easy Out	60 Mesh Easy Out	60 Mesh Easy Out	60 Mesh Easy Out	60 Mesh Easy Out	60 Mesh Easy Out
PUMP	Type	QuikChange System	ProConnect System	QuikChange System	ProConnect System	QuikChange System	ProConnect System	ProConnect System
	Rod	Chromex	Chromex	Chromex	Chromex	Chromex	Chromex	MaxLife
	Sleeve	Hardened SST	Hardened SST	Hardened SST	Hardened SST	Hardened SST	Hardened SST	MaxLife
ADDITIONAL SERIES FEATURES		—	QuikReel	—	QuikReel	—	QuikReel	Roll Cage Frame
		—	FastFlush	—	FastFlush	—	FastFlush	FastFlush
		—	LED Display	—	LED Display	—	LED Display	LED Display
		—	WatchDog	—	WatchDog	—	WatchDog	WatchDog
		—	On-Board Toolbox	—	On-Board Toolbox	—	On-Board Toolbox	Flat-Proof Tires
WEAR PARTS	Replacement Pump	16Y598	16Y414	16Y598	16Y414	16Y706	16X419	16X420
	Repair Kit	248212	248212	248212	248212	248213	248213	248213/16X430*
	Rod	248206	16X434	248206	16X434	248207	16X435	16X436
	Cylinder	248209	248209	248209	248209	243347	248210	257031
	Intake Seat Kit	239922	239922	239922	239922	244199	244199	244199
MANUAL	Operation	332916	332916	332916	332916	332916	332916	332916
	Repair	333281	333281	333281	333281	333281	333281	333281
	Pump	333028	332922	333028	332922	333028	332922	332922

*Kit includes ceramic inlet and outlet check balls.



ABOUT GRACO

PROVEN QUALITY. LEADING TECHNOLOGY.

Founded in 1926, Graco is a world leader in fluid handling systems and components. Graco products move, measure, control, dispense and apply a wide range of fluids and viscous materials used in vehicle lubrication, commercial and industrial settings.

The company's success is based on its unwavering commitment to technical excellence, world-class manufacturing and unparalleled customer service. Working closely with qualified distributors, Graco offers systems, products and technology that set the quality standard in a wide range of fluid handling solutions. Graco provides equipment for spray finishing, protective coating, paint circulation, lubrication, and dispensing sealants and adhesives, along with power application equipment for the contractor industry. Graco's ongoing investment in fluid management and control will continue to provide innovative solutions to a diverse global market.

GRACO LOCATIONS

MAILING ADDRESS

P.O. Box 1441
Minneapolis, MN 55440-1441
Tel: 612-623-6000
Fax: 612-623-6777

AMERICAS

MINNESOTA

Worldwide Headquarters
Graco Inc.
88-11th Avenue N.E.
Minneapolis, MN 55413

EUROPE

BELGIUM

European Headquarters
Graco N.V.
Industrieterrein-Oude Bunders
Slakweidestraat 31
3630 Maasmechelen,
Belgium
Tel: 32 89 770 700
Fax: 32 89 770 777

ASIA PACIFIC

AUSTRALIA

Graco Australia Pty Ltd.
Suite 17, 2 Enterprise Drive
Bundoora, Victoria 3083
Australia
Tel: 61 3 9468 8500
Fax: 61 3 9468 8599

CHINA

Graco Hong Kong Ltd.
Shanghai Representative Office
Building 7
1029 Zhongshan Road South
Huangpu District
Shanghai 200011
The People's Republic of China
Tel: 86 21 649 50088
Fax: 86 21 649 50077

INDIA

Graco Hong Kong Ltd.
India Liaison Office
Room 443, Augusta Point
Regus Business Centre 53
Golf Course Road
Gurgaon, Haryana
India 122001
Tel: 91 124 435 4208
Fax: 91 124 435 4001

JAPAN

Graco K.K.
1-27-12 Hayabuchi
Tsuzuki-ku
Yokohama City, Japan 2240025
Tel: 81 45 593 7300
Fax: 81 45 593 7301

KOREA

Graco Korea Inc.
Shinhan Bank Building
4th Floor #1599
Gwanyang-Dong, Dongan-Ku,
Anyang-si, Korea 431-060
Tel: 82 31 476 9400
Fax: 82 31 476 9801

SALES/ DISTRIBUTION/ SERVICE

Call today for product information or to request a demonstration.

03 9468 8500 or visit us at www.graco.com.

Graco Inc. is registered to I.S. EN ISO 9001



Address
Suite 17 & 18, 2 Enterprise Drive,
Bundoora, VIC 3083, Australia
Customer Service
03 9468 8500