

# ULTRA® AND ULTRAMAX™ AIRLESS HANDHELD

Graco's Complete Line of Professional  
Handheld Paint Sprayers



PROVEN QUALITY. LEADING TECHNOLOGY.



# ULTRA AIRLESS HANDHELDS

## THE BEST IN PERFORMANCE, FINISH AND RELIABILITY

Airless handheld sprayers are the essential tool for turning small jobs around fast, and the Graco Ultra handhelds are the most advanced sprayers in the world — delivering top-notch speed, Perfect Airless Finish™ and next-use reliability.

### THE FASTEST WAY TO FINISH SMALL JOBS — PROVEN BY PROS

#### FlexLiner™ Bag System (PATENTED)

- Allows quick start-up, spray, and cleanup
- Ability to spray in any direction — even upside down
- Delivers unmatched portability

#### DeWALT® 20 V MAX Lithium-Ion Battery

- Powered by DeWALT — Compatible with any 20 V Lithium-Ion DeWALT battery

### PERFECT AIRLESS FINISH — SMOOTH AND EVEN AT ANY SPEED

#### SmartControl™

- Smooth, single-coat finishes with no thinning required

#### ProControl™ II Pressure Control

- Exclusive pressure management technology
- Delivers the same performance as the Ultra 395 PC — right in the palm of your hand

### WIDE PRESSURE RANGE AND TIP SUPPORT

#### RAC X™ Fine Finish (PATENTED) Low Pressure Tips

- Full pressure range: 500-2,000 PSI
- Full range tip support: .008-.016
- The only tip necessary for full performance out of all Ultra Handheld and UltraMAX handheld sprayers — available in multiple sizes

### RELIABILITY DELIVERED — EVERY JOB, EVERY TIME

#### Triax™ Pump (PATENTED)

- Clean up in minutes with all new easy-to-clean design
- No inlet check valve to get stuck — prime and spray in seconds
- Reliable priming with Automatic Outlet Ball Knocker

#### ProConnect™

- ProConnect design allows for easy on-the-job replacement



SMARTCONTROL™



## BREAKTHROUGH PERFORMANCE, RELIABILITY AND FINISH



**ULTRA**  
CORDED AIRLESS HANDHELD



**ULTRA**  
CORDLESS AIRLESS HANDHELD



**ULTRAMAX**  
CORDLESS AIRLESS HANDHELD

SPRAYS WATER AND MINERAL SPIRITS-BASED MATERIALS ONLY  
(NO FLAMMABLE MATERIALS)

SPRAYS WATER, SOLVENT, AND FLAMMABLE-BASED MATERIALS

### Triax Pump with ProConnect (PATENT PENDING)

Depend on the durable, lightweight, and full tip support from the Triax triple piston pump — built from durable stainless steel and carbide components, and using ProConnect for a modular, drop-in on-the-job pump replacement.



### REPLACE IN THREE EASY STEPS!



1) Remove the cover with a screwdriver



2) Remove the old pump from the sprayer



3) Place new pump into sprayer




# FROM START TO FINISH, THE WORLD'S MOST ADVANCED HANDHELD PAINT SPRAYER

**FASTEST WAY TO FINISH  
SMALL JOBS, PROVEN BY PROS**

**PERFECT AIRLESS FINISH AT  
ANY SPEED, WITHOUT THINNING**

**RELIABILITY DELIVERED  
— EVERY JOB, EVERY TIME**



**MADE IN THE USA WITH  
GLOBAL COMPONENTS**

## EXCLUSIVE BREAKTHROUGH TECHNOLOGY

# ULTRA<sup>®</sup> AIRLESS HANDHELD

**PATENTED**  
**RAC X FF LP Tips**

Reverse-A-Clean<sup>®</sup> (RAC) SwitchTips deliver exceptional spraying results and make clearing tip clogs simple. Spray at lower pressure with ANY Graco Sprayer

**PATENTED**  
**TRIAx  
TRIPLE PISTON  
PUMP**

Durable carbide pistons built to deliver extended reliability

**PATENTED**  
**32 OZ (0.95 L) FLEXLINER  
ALL NEW EASY-TO-CLEAN DESIGN**

Disposable liners eliminate cleanup time

Spray in ANY direction — even upside down

**PRO CONNECT**

Drop-in on-the-job Triax pump replacement

**PATENT PENDING**

**PROCONTROL II PRESSURE CONTROL**

Adjust motor speed and flow for TOTAL control with thin and thick materials

**SMARTCONTROL**

Delivers consistent spray fan at all spray pressures

POWERED BY



Compatible with any 20 V MAX Lithium-Ion DEWALT battery

**LED FUEL GAUGE**



Delivers Perfect Airless Finish — just like an Ultra

## LIGHTEST PRO AIRLESS HANDHELD

*Sprays most materials that can be cleaned with water or mineral spirits. Do not use materials that state "flammable" on packaging. See Operation Manual online at graco.com.*

**FOR MORE INFORMATION, VISIT [GRACO.COM/ULTRAHH](http://GRACO.COM/ULTRAHH)**

# ULTRAMAX CORDLESS HANDHELD UNMATCHED PERFORMANCE

## EXCLUSIVE FEATURES FOUND ONLY ON ULTRAMAX AIRLESS HANDHELDS:



### BRUSHLESS DC MOTORS

- Most dependable, long-life motors
- Spark-free operation

### SOLVENT RESISTANCE

- Sprays everything including water-based, mineral spirit-based, flammable, and solvent-based materials



### STATIC SHOCK PROTECTION

- Safely spray flammable coatings

**THE ONLY HANDHELD SPRAYER CAPABLE OF  
SPRAYING WATER-BASED, SOLVENT & FLAMMABLE  
ARCHITECTURAL COATINGS**



### UltraMAX Sprayers also include all Ultra Handheld Features:

- Triax Piston Pump with ProConnect
- Precision Advantage Drive
- FlexLiner Bag System
- DeWALT 20 V Lithium Ion Battery & Chargers
- SmartControl
- ProControl II Pressure Control
- RAC X Low Pressure SwitchTips

## LOOKING FOR CORDLESS CONVENIENCE FOR LARGER JOBS?

### NEW! 390 PC CORDLESS AIRLESS PAINT SPRAYER

**THE MOST POWERFUL CORDLESS SPRAYER  
EVER BUILT DELIVERS THE FREEDOM TO SPRAY  
EVERY LARGE JOB FASTER**

- The first and ONLY high-performance cordless sprayer—up to 3,300 psi with 0.021" max tip
- Spray up to 3 gallons on a single battery charge—two batteries included for all day spraying
- Spray anywhere with freedom from power cords, electrical outlets or generators



PATENT PENDING

390 PC Cordless  
25T804

FOR MORE INFORMATION,  
VISIT [WWW.GRACO.COM/390CORDLESS](http://WWW.GRACO.COM/390CORDLESS)



|                               | ULTRA CORDED AIRLESS HANDHELD    | ULTRA CORDLESS AIRLESS HANDHELD  | ULTRAMAX CORDLESS AIRLESS HANDHELD | ULTRAMAX CORDLESS AIRLESS HANDHELD                                       | ULTRAMAX CORDLESS AIRLESS HANDHELD |
|-------------------------------|----------------------------------|--|------------------------------------|--|------------------------------------|
| <b>SPRAYER MODEL</b>          | <b>COMPLETE</b>                  | <b>COMPLETE</b>  | <b>TOOL-ONLY</b>                   | <b>COMPLETE</b>  | <b>TOOL-ONLY</b>                   |
| Part Number                   | 17M359                           | 17M363   | 17P515                             | 17M367   | 17P928                             |
| "Hot" Solvent Capable         | No                               | No   | No                                 | Yes  | Yes                                |
| Pressure Control              | Yes                              | Yes  | Yes                                | Yes  | Yes                                |
| Pressure Adjustment           | 500-2,000 psi (34-138 bar)       | 500-2,000 psi (34-138 bar)   | 500-2,000 psi (34-138 bar)         | 500-2,000 psi (34-138 bar)   | 500-2,000 psi (34-138 bar)         |
| Tip Support                   | RAC X FFLP Tips ONLY .008 - .016 | RAC X FFLP Tips ONLY .008 - .016   | RAC X FFLP Tips ONLY .008 - .016   | RAC X FFLP Tips ONLY .008 - .016   | RAC X FFLP Tips ONLY .008 - .016   |
| Tip(s) Included               | RAC X FFLP 514                   | RAC X FFLP 514   | RAC X FFLP 514                     | RAC X FFLP 514 and RAC X FFLP 210  | RAC X FFLP 514 and RAC X FFLP 210  |
| 32 oz FlexLiner Bags Included | 4                                | 4  | 4                                  | 6  | 6                                  |
| Power/Battery*                | -                                | (2) DeWALT 20V MAX* COMPACT 2.0 ah Lithium-Ion Batteries and (1) Charger | -                                  | (2) DeWALT 20V MAX* COMPACT 2.0 ah Lithium-Ion Batteries and (1) Charger | -                                  |
| Filter Mesh Included          | 60 Mesh                          | 60 Mesh  | 60 Mesh                            | 60 & 100 Mesh  | 60 & 100 Mesh                      |
| Fully Repairable              | Yes                              | Yes  | Yes                                | Yes  | Yes                                |
| ProConnect                    | Yes                              | Yes  | Yes                                | Yes  | Yes                                |
| Storage Bag                   | Yes                              | Yes  | No                                 | Yes  | No                                 |
| Triax Replacement Kit         | 17P185                           | 17P186   | 17P186                             | 17P187   | 17P187                             |
| Outlet Valve Replacement Kit  | 17P183                           | 17P183   | 17P183                             | 17P183   | 17P183                             |
| Manual                        | 3A4433                           | 3A4476   | 3A4476                             | 3A4803   | 3A4803                             |

\*With respect to 20v MAX, maximum initial battery voltage (measured without workload), is 20 volts. Nominal is 18 volts.

## ACCESSORIES



**NOW AVAILABLE AS TOOL ONLY\* MODELS**

\*Works with any DeWALT 20V MAX Battery. The use of different or improperly cared for DeWALT batteries may affect the runtime of the sprayer.

### FLEXLINER ACCESSORIES

| PART # | DESCRIPTION                                   |
|--------|---|
| 17A226 | 32 oz (0.95 l) FlexLiner Paint Bags (3 pack)  |
| 17P212 | 32 oz (0.95 l) FlexLiner Paint Bags (25 pack) |
| 17F005 | 42 oz (1.2 l) FlexLiner Paint Bags (3 pack)   |
| 17P549 | 42 oz (1.2 l) FlexLiner Paint Bags (25 pack)  |
| 17M879 | FlexLiner Storage Plug                        |
| 17R611 | FlexLiner Storage Plug (Solvent Based)        |

### EXTRA FLEXLINER CUP ASSEMBLIES

| PART # | DESCRIPTION                                     |
|--------|---|
| 17P550 | 32 oz (0.95 l) FlexLiner System                 |
| 17P551 | 32 oz (0.95 l) FlexLiner System (Solvent Based) |
| 17P552 | 42 oz (1.2 l) FlexLiner System                  |
| 17P553 | 42 oz (1.2 l) FlexLiner System (Solvent Based)  |

### BATTERIES

| PART # | DESCRIPTION                        |
|--------|------------------------------------|
| 17P474 | DeWALT 20V MAX Lithium-Ion Battery |
| 17P475 | DeWALT 20V MAX Lithium-Ion Charger |

### TRIAX PUMP

| PART # | DESCRIPTION                              |
|--------|--|
| 17P185 | Ultra Corded Triax Replacement Pump      |
| 17P186 | Ultra Cordless Triax Replacement Pump    |
| 17P187 | UltraMAX Cordless Triax Replacement Pump |

### FILTERS

| PART # | DESCRIPTION       |
|--------|-------------------|
| 17P554 | 60 Mesh (3-Pack)  |
| 17P555 | 100 Mesh (3-Pack) |

### MISC

| PART # | DESCRIPTION   |
|--------|---|
| 17M883 | Storage Case  |
| 17P712 | VacuValve™ Cap Replacement (3 Pack)                         |
| 287019 | 10 in (25cm) RAC X Tip Extension (Ultra Models Only)        |
| 287020 | 15 in (38cm) RAC X Tip Extension (Ultra Models Only)        |
| 287030 | CleanShot™ Shut-Off Valve (Ultra Models Only)               |
| 235486 | 180° Easy Turn Directional Spray Nozzle (Ultra Models Only) |

### TIP GUARDS

| PART # | DESCRIPTION                             |
|--------|---|
| 246215 | Ultra Corded & Ultra Cordless Tip Guard |
| 17P573 | UltraMAX Cordless Tip Guard             |

### FINE FINISH LOW PRESSURE RAC X SWITCHTIPS (FFLPXXX)

| FAN WIDTH | RAC X SWITCHTIPS (FFLPXXX) |     |      |      |      |      |      |
|-----------|----------------------------|-----|------|------|------|------|------|
|           | IN                         | MM  | .008 | .010 | .012 | .014 | .016 |
| 2-4       | (51-102)                   | 108 | 110  | 112  |      |      |      |
| 4-6       | (102-152)                  | 208 | 210  | 212  | 214  |      |      |
| 6-8       | (152-203)                  | 308 | 310  | 312  | 314  |      |      |
| 8-10      | (203-254)                  |     | 410  | 412  | 414  |      |      |
| 10-12     | (254-305)                  |     | 510  | 512  | 514  | 516  |      |
| 12-14     | (305-356)                  |     |      |      |      | 616  |      |

Lowering spray pressure can reduce flow in some materials.  
Increase tip orifice size to maintain speed and material flow if needed.

FOR PART NUMBERS AND MORE DETAILS  
ON ALL AIRLESS ACCESSORIES:

Visit [graco.com/accessories](http://graco.com/accessories), see Airless Accessories Brochure (part #344386)  
or ask your local authorized Graco Distributor



graco.com/accessories



# SPRAY WITH CONFIDENCE

## Industry-Leading Warranty Protection

Every Graco handheld sprayer is backed by the industry's best warranty coverage.

### 30-DAY "JUST ADD PAINT" REPLACEMENT GUARANTEE\*

Dissatisfied? Simply return the sprayer to the place you bought it within 30 days. They'll either exchange it for an identical sprayer or you can trade up to a larger sprayer at an additional cost. Excludes corded version.

### 1-YEAR WARRANTY\*

Coverage against defects in materials and workmanship on the entire sprayer.

### 3-YEAR DeWALT DEFECT WARRANTY\*

Coverage against defects in materials and workmanship on batteries and charger.

### CONVENIENT SERVICE

Graco offers more than 5,500 authorized distributor locations in North America and over 700 locations to administer warranty repair.

*\*Please see written product warranty for all terms and conditions.*



## Finish Every Job, Every Time

Downtime is costly. With the Endurance Advantage Program, you'll never need to worry about it again as you can receive **50% OFF the list price of a Triax Pump** with your purchase.

Follow the registration instructions included with your sprayer.



Every Graco purchase comes with A+ Customer Service.

Questions?  
Call (844) 241-9499

**For more information visit [graco.com](http://graco.com)**