









Size	Total Fill Level (L)	Safe Fill Level (L) 95%	Length (mm)	Width (mm)	Height (mm)
CUBE2200	2200L	2000L	1589	2166	1221

07					
06					
05					
04					
03					
02					
01					
REV:	DATE:	REVISION:	DRAWN:	CHECKED:	APPROVED:

Note:
> Designed and approved to AS1940 / AS1692 / AS1657
> All welding to AS1554.1



Material:
Weight: 887.88KG

DRAWN:
CHECKED:
CLIENT:

DATE: 2017/6/12
DATE:
DATE:

APPROVED:

DATE:

TITLE:
GO CUBE 2200L

DRAWING NO. :





PURCHASE
ORDER NO. :

REV: 01
SHEET: 1 of 3

Scale:
No scale

A3





07					
06					
05					
04					
03					
02					
01					
REV:	DATE:	REVISION:	DRAWN:	CHECKED:	APPROVED:




Note:
1.All thread is BSP ;



Material:	
Weight:	887.88KG

DRAWN:	SAVING DATE:
CHECKED:	DATE:
CLIENT:	DATE:
APPROVED:	DATE:

TITLE:		GO CUBE 2200L	
DRAWING NO. :		REV:	A3
		SHEET: 2 of 3	
PURCHASE ORDER NO. :		Scale: No scale	⊕ - ▢



07					
06					
05					
04					
03					
02					
01					
REV:	DATE:	REVISION:	DRAWN:	CHECKED:	APPROVED:

Note:
> Designed and approved to
AS1940 / AS1692 / AS1657
> All welding to AS1554.1



Material:
Weight: 1764.62KG

DRAWN:
CHECKED:
CLIENT:
APPROVED:

DATE:
2017/6/12
DATE:
DATE:
DATE:

TITLE:
GO CUBE 2200L

DRAWING NO. :

PURCHASE
ORDER NO. :

REV:
01
SHEET:
3 of 3
Scale:
No scale

A3

