









Size	Total Fill Level (L)	Safe Fill Level (L) 95%	Length (mm)	Width (mm)	Height (mm)
CUBE3300	3300L	3000L	1589	2166	1221

07					
06					
05					
04					
03					
02					
01					
REV:	DATE:	REVISION:	DRAWN:	CHECKED:	APPROVED:





Note:
> Designed and approved to AS1940 / AS1692 / AS1657
> All welding to AS1554.1



Material:	
Weight:	1111.18KG

DRAWN:	DATE: 2017/6/12	TITLE: GO CUBE 3300L	
CHECKED:	DATE:		
CLIENT:	DATE:	DRAWING NO. :	REV: 01
APPROVED:	DATE:	PURCHASE ORDER NO. :	SHEET: 1 of 3
			Scale: No scale
			

A3






07					
06					
05					
04					
03					
02					
01					
REV:	DATE:	REVISION:	DRAWN:	CHECKED:	APPROVED:

Note:
1.All thread is BSP ;



		DRAWN:	SAVING DATE: 2017/6/12	TITLE: GO CUBE 3300L		
		CHECKED:	DATE:			
		CLIENT:	DATE:	DRAWING NO. :	REV:	A3
Material:			SHEET: 2 of 3			
Weight:	1111.18KG	APPROVED:	DATE:	PURCHASE ORDER NO. :	Scale: No scale	



07					
06					
05					
04					
03					
02					
01					
REV:	DATE:	REVISION:	DRAWN:	CHECKED:	APPROVED:

Note:
> Designed and approved to
AS1940 / AS1692 / AS1657
> All welding to AS1554.1

	
Material:	
Weight:	2211.21KG

DRAWN:	DATE: 2017/6/12
CHECKED:	DATE:
CLIENT:	DATE:
APPROVED:	DATE:

TITLE: GO CUBE 3300L		REV: 01	A3
DRAWING NO. :		SHEET: 3 of 3	
PURCHASE ORDER NO. :		Scale: No scale	