







Size	Total Fill Level (L)	Safe Fill Level (L) 95%	Length (mm)	Width (mm)	Height (mm)
CUBE6300	6300L	5950L	3580	2246	1219

07					
06					
05					
04					
03					
02					
01					
REV:	DATE:	REVISION:	DRAWN:	CHECKED:	APPROVED:


Note:
> Designed and approved to AS1940 / AS1692 / AS1657
> All welding to AS1554.1



Material:	
Weight:	2122.07KG

DRAWN:	DATE: 2016/7/11
CHECKED:	DATE:
CLIENT:	DATE:
APPROVED:	DATE:

TITLE: GO CUBE 6300L	REV: 01	A3
DRAWING NO. :	SHEET: 1 of 3	
PURCHASE ORDER NO. :	Scale: No scale	⊕ - ▢



07					
06					
05					
04					
03					
02					
01					
REV:	DATE:	REVISION:	DRAWN:	CHECKED:	APPROVED:

Note:
> Designed and approved to
AS1940 / AS1692 / AS1657
> All welding to AS1554.1



Material:
Weight: 4232.99KG

DRAWN:	DATE: 2016/7/11
CHECKED:	DATE:
CLIENT:	DATE:
APPROVED:	DATE:

TITLE: GO CUBE 6300L		REV: 01	A3
DRAWING NO. :		SHEET: 3 of 3	
PURCHASE ORDER NO. :		Scale: No scale	⊕ - ▢