

**RUPES®**



# Catalogue 2024



Ed. 1 - 2024

**INNOVATION**  
**TECHNOLOGY**  
DESIGN

# Catalogue 2024

Ed. 1 - 2024

## INTERACTIVE INDEX

<b>Company Profile</b>	<b>2</b>		
<b>1. ELECTRIC &amp; iBRID TOOLS</b>	<b>4</b>	<b>4. DUST EXTRACTION SYSTEMS</b>	<b>128</b>
1.1 Grinders		4.1 Air purifiers standard	
1.2 Polishers / Sanders		4.2 Air purifiers 4.0	
1.3 Polishers		4.3 Mobile units standard	
1.4 BigFoot polishers		4.4 Mobile units 4.0	
1.5 Sanders		4.5 Matic Systems	
1.6 Edge trimmers		4.6 Vacuum towers	
1.7 Glazing machines		4.7 Turbines centralized units standard	
<b>2. PNEUMATIC TOOLS</b>	<b>54</b>	4.8 Turbines centralized units 4.0	
2.1 Sanders		4.9 Terminals	
2.2 Polishers		4.10 ATEX	
<b>3. CONSUMABLES AND ACCESSORIES</b>	<b>66</b>	4.11 ATEX 4.0	
3.1 Sanding backing pads		4.12 Vacuum cleaners, prefilters and terminals ATEX	
3.2 Polishing backing pads		4.13 Cleaning machines	
3.3 Polishing pads		4.14 Accessories	
3.4 Polishing Compounds			
3.5 Residue remover			
3.6 Car Care Products			
3.7 Accessories			
3.8 Abrasives			



## **RUPES**

Realizzazione Utensili Pneumatici Elettrici Speciali, since 1947

Our history is composed of achievements, challenges, ideas, and international successes. The constant commitment to research and development, aimed at constantly improving the performance of each product, is one of the fundamental aspects that during our 75 years of history have contributed to affirm RUPES as one of the major successful brands in the field of professional tools.

The focus on designing and manufacturing products that are in total compliance with health and safety regulations, offering enhanced worker comfort, and providing innovative solutions are at the core of each new idea.

With four production sites and a well - established sales network, RUPES is always close to customers and provides them with products that anticipate and respond quickly to the market needs. The brand has complete coverage of all the main international markets, bringing its systems all over the world thanks to a distribution network consisting of two direct branches and numerous authorized dealers.



## MISSION & VISION

Making tomorrow a safer place

Designing, manufacturing and distributing innovative and reliable solutions in the professional tool market, with particular emphasis on electric tools, pneumatic tools, low voltage tools, and dust extraction systems to improve the quality of life and work.

Researching and creating solutions to simplify work and increase performance, enhancing both productivity and worker comfort while increasing safety. We design tools that change the way people work, helping professionals to work better, faster, and more effectively.

Improving work quality and simplifying tasks through creativity and innovation is our primary skill. We know that the satisfaction of a job well done is something less.

We work hard allowing you to work better. Passion for what we do, on - going research through leading - edge technologies, and commitment to our customers demands are the inspirations that show us the way towards the future.

# 1.

## ELECTRIC & iBRID TOOLS



## 1.1 Grinders



### AR11S - AR52ES

Straight grinders

- Gear reduction to ensure maximum torque
- Optional chuck for accessories with  $\varnothing$  3 and  $\varnothing$  6.5 mm shanks

TECHNICAL DATA	AR11S	AR52ES
<b><math>\varnothing</math> Collet [mm]</b>	6	6
<b>Power [W]</b>	700	600
<b>R.P.M.</b>	9000	3000 - 7000
<b>Weight [kg]</b>	1,5	1,5
<b>Electronic speed control</b>	-	•



### AR38S - AR38ES

Straight grinders

- Gear reduction to ensure maximum torque
- Optional chuck for accessories with  $\varnothing$  3 and  $\varnothing$  6.5 mm shanks
- Also features dead man's switch for applications requiring high safety standards

TECHNICAL DATA	AR38S	AR38ES
<b><math>\varnothing</math> Collet [mm]</b>	6	6
<b>Power [W]</b>	800	800
<b>R.P.M.</b>	30000	18000 - 30000
<b>Weight [kg]</b>	1,5	1,5
<b>Electronic speed control</b>	-	•



AR38ES/STN	Quantity	Code
Straight grinder	1	AR38ES
Systainer Box	1	9.CASEIII
Systainer inlay	1	9.1103

**BA215S - BA225S**

Mini angle grinders

- Heavy-duty motor
- Compact size
- Shaft lock button for easy disc removal

TECHNICAL DATA	BA215S	BA225S
Ø Disc [mm]	115	125
Power [W]	950	950
R.P.M.	11000	8500
Weight [kg]	2	2
Spindle thread	M14 - M	M14 - M
Shaft locking button	•	•
Turning guard	•	•
Side handle	811.13	811.13

**BA31ES**

Mini angle grinder

- Heavy-duty motor
- Compact size
- Shaft locking button for easy disc removal

TECHNICAL DATA	BA31ES
Ø Disc [mm]	115
Power [W]	900
R.P.M.	1500 - 4000
Weight [kg]	2,1
Electronic speed control	•
Spindle thread	M14 - M
Shaft locking button	•
Turning guard	•
Side handle	811.13
Vulcofix support	92.91



## 1.2 Polishers / Sanders



### SM43N

Vertical polisher / sander

- Vertical grinder designed for heavy - duty use
- Gear reduction: maintaining maximum torque
- Perfect balance for optimum stability

TECHNICAL DATA	SM43N
Ø Disc [mm]	178
Power [W]	1100
R.P.M.	4200
Weight [kg]	4,2
Spindle thread	M14 - M
Turning guard	•
Side handle	81.326



### LH31N - LH32EN

Angle polishers / sanders

- Side handle mountable on either left or right side
- Motor designed for heavy - duty applications
- Steel bevel gear

TECHNICAL DATA	LH31N	LH32EN
Ø Disc [mm]	178	178
Power [W]	1200	1200
R.P.M.	3400	1400 - 3400
Weight [kg]	3,3	3,3
Electronic speed control	-	•
Spindle thread	M14 - M	M14 - M
Side handle	81.326	81.326



### LH232N

Angle polisher / sander

- Dual function: sander in normal position (3400 R.P.M.)  
Polisher in upside - down position (1600 R.P.M.)
- Double mechanical speed

TECHNICAL DATA	LH232N
Ø Disc [mm]	178
Power [W]	1200
R.P.M.	1600 - 3400
Weight [kg]	3,7
Electronic speed control	•
Spindle thread	M14 - M
Side handle	81.326

**FR32ES**

Mini angle polisher

- Electronic speed regulation with torque control
- Soft start for smooth acceleration
- Safety device in case of overload
- Special resins to protect electrical parts

TECHNICAL DATA	FR32ES
Ø Disc [mm]	75
Power [W]	900
R.P.M.	1500 - 4000
Weight [kg]	1,8
Electronic speed control	•
Spindle thread	M14 - M
Side handle	811.13
Foam backing pad supplied	990.015

**LH16ES**

Mini angle polisher

- Front handle for comfortable and secure grip while working
- Side handle mountable on either the right or left side
- Soft start for smooth acceleration
- Compact motor housing

TECHNICAL DATA	LH16ES
Ø Polishing foam max [mm]	180
Power [W]	900
R.P.M.	700 - 1700
Weight [kg]	1,9
Electronic speed control	•
Spindle thread	M14 - M
Shaft locking button	•
Side handle	811.13

## 1.3 Polishers



### LH18ENS

Angle polisher

- New ergonomic front handle for comfortable and secure grip
- Soft start for smooth acceleration
- Side handle mountable on both left and right sides
- Double gear reduction

TECHNICAL DATA	LH18ENS
Ø Disc [mm]	180
Power [W]	1100
R.P.M.	750 - 1850
Weight [kg]	2,0
Electronic speed control	•
Spindle thread	M14 - M
Shaft locking button	•
Side handle	811.13



### LH22N - LH22EN

Angle polishers

- Side handle mountable on either left or right side
- Motor protected with epoxy resin
- Polishing of large surfaces

TECHNICAL DATA	LH22N	LH22EN
Ø Polishing foam max [mm]	200	200
Power [W]	1020	1020
R.P.M.	2000	900 - 2000
Weight [kg]	3,3	3,3
Electronic speed control	-	•
Spindle thread	M14 - M	M14 - M
Shaft locking button	•	•
Side handle	81.326	81.326



# HLR75 MINI POLISHER

with iBrid Technology



## 1.4 BigFoot polishers

With iBrid Technology - 18V 2,5Ah Li-Ion battery



### 9.HLR75

HLR75 - BigFoot iBrid mini random orbital polisher

- Perfect to polish hard-to-reach areas and small surfaces. Possibility to run on either battery or corded power
- Lithium-ion battery (18V - 2.5Ah) with 35/45min operating time and approximately 35min charging time

TECHNICAL DATA	HLR75
Ø Backing pad [mm - in]	75 - 3"
Foam backing pad supplied	990.007
Ø Orbit [mm]	12
Voltage VDC [Volt]	18
R.P.M.	3000 - 5500
Battery life	~35/45min*
Charging time	~35min
Electronic speed control	•
Overcurrent protection	•
Soft Start	•
Led indication	•
Dimensions (mm)	240x144x80**
Weight [kg]	1,1**

\*The value refers to the use of the battery pack 9HB180LT, completely charged with the battery charger 9HC180LT.

\*\*Measured without battery pack and power supply.



#### HLR75/STB

Kit HLR75 iBrid Mini

	Quantity	Code
HLR75 Mini iBrid	1	9.HLR75
Charger	1	9HC180LT
Rechargeable power pack	2	9HB180LT



#### HLR75/LUX

Kit HLR75 iBrid Mini

	Quantity	Code
HLR75 Mini iBrid	1	9.HLR75
Systainer Case	1	9.CASEIII
Charger	1	9HC180LT
Rechargeable power pack	2	9HB180LT
Power supply	1	9HP180LT
D-A COARSE foam polishing pad	1	9.DA100H
D-A FINE foam polishing pad	1	9.DA100M
Wool polishing pad COARSE Ø80	1	9.NW80H
Wool polishing pad MEDIUM Ø80	1	9.NW80M
D-A COARSE polishing compound 250ml	1	9.DACOARSE250
D-A FINE polishing compound 250ml	1	9.DAFINE250
Yellow Microfiber Cloth	1	9.BF9060
Blue Microfiber Cloth	1	9.BF9050
Systainer inlay	1	891.432

## 1.4 BigFoot polishers

With iBrid Technology - 12V 2,5Ah Li-Ion battery



### 9.HR81M

HR81M - BigFoot iBrid Nano short neck polisher

- Possibility to run on either battery or corded power
- 3 functional movements including 3mm random orbital, 12mm random orbital, and rotary

TECHNICAL DATA	HR81M
<b>Voltage VDC [Volt]</b>	10,8 - 12
<b>R.P.M</b>	2000 - 5000
<b>Battery life</b>	~30min*
<b>Charging time</b>	~20min*
<b>Electronic speed control</b>	•
<b>Overcurrent protection</b>	•
<b>Soft - Start</b>	•
<b>Led indication</b>	•
<b>Dimensions (mm)</b>	287x70x47**
<b>Weight [g]</b>	470**

\*The value is referred to a use of the battery pack 9HB120LT, fully charged with a charger 9HC120LT and normal use with a Rupes polisher HR81M/HR81ML and functional unit orbit 12mm and Ø30mm polishing pad.

\*\*Measured without a functional unit, battery pack and power supply.



#### HR81M/STB

Kit iBrid Nano short neck

#### Quantity

#### Code

iBrid Nano Short neck	1	9.HR81M
Rechargeable power pack	2	9.HB125LT
Charger	1	9HC120LT
Functional Unit Ø12mm orbit	1	58.390/C
Polishing backing pad Ø50mm (2")	1	996.001



#### HR81M/STP

Kit iBrid Nano short neck

#### Quantity

#### Code

iBrid Nano Short neck	1	9.HR81M
AC - DC adaptor	1	9HP120LT
Functional Unit Ø12mm orbit	1	58.390/C
Polishing backing pad Ø50mm (2")	1	996.001

## 1.4 BigFoot polishers

With iBrid Technology - 12V 2,5Ah Li-Ion battery



### HR81M/LUX

Kit BigFoot iBrid Nano short neck polisher

	Quantity	Code
BigFoot iBrid Nano short neck polisher (Included in HR81M)	1	9.HR81M
Accessories Case with container	1	9.Z987/BF
AC - DC adaptor	1	9HP120LT
Rechargeable power pack	2	9HB125LT
Charger	1	9HC120LT
Extension for iBrid Nano (70mm length - M8 = F - M6 = M)	1	291.390/C
Wool polishing pad with velcro MEDIUM Ø34/45mm (1" - 1.5")	4	9.BW40M/4
Velcro foam polishing pad FINE Ø30/40mm (1"1/4)	6	9.DA40M/6
Wool polishing pad with velcro MEDIUM Ø50/65mm (2" - 2.5")	4	9.BW70M/4
Velcro foam polishing pad FINE Ø50/70mm (2")	4	9.DA70M/4
D-A COARSE polishing compound 250ml	1	9.DACOARSE250
D-A FINE polishing compound 250ml	1	9.DAFINE250
Rotary Functional Unit	1	562.390
3mm orbit Functional Unit	1	581.390/C
12mm orbit Functional Unit	1	58.390/C
Polishing backing pad Ø30mm (1"1/4)	1	995.001
Polishing backing pad Ø50mm (2")	1	996.001
Sanding backing pad Ø30mm (1"1/4)	1	997.001
Horsehair Medium Cup Brush	1	9.BF3000
Nylon Hard Cup Brush	1	9.BF3030
Adhesive Abrasive Discs for denibbing Ø35mm P2000	10	9.45520
Adhesive Abrasive Discs for denibbing Ø35mm P3000	10	9.45530
Blue Microfiber Cloth	1	9.BF9050
Yellow Microfiber Cloth	1	9.BF9060
RUPES Systainer T - LOC	1	9.CASE III
Systainer inlay	1	9.1112

## 1.4 BigFoot polishers

With iBrid Technology - 12V 2,5Ah Li-Ion battery



### 9.HR81ML

HR81ML - polishers BigFoot iBrid Nano long neck

- Possibility to run on either battery or corded power
- 3 functional movements including 3mm random orbital, 12mm random orbital, and rotary

TECHNICAL DATA	HR81ML
<b>Voltage VDC [Volt]</b>	10,8 - 12
<b>R.P.M</b>	2000 - 5000
<b>Battery life</b>	~30min*
<b>Charging time</b>	~20min*
<b>Electronic speed control</b>	•
<b>Overcurrent protection</b>	•
<b>Soft - Start</b>	•
<b>Led indication</b>	•
<b>Dimensions (mm)</b>	332x70x47**
<b>Weight [g]</b>	520**

\*The value is referred to a use of the battery pack 9HB120LT, fully charged with a charger 9HC120LT and normal use with a Rupes polisher HR81M/HR81ML and functional unit orbit 12mm and Ø30mm polishing pad.  
\*\*Measured without a functional unit, battery pack and power supply.



#### HR81ML/STB

Kit iBrid Nano long neck

#### Quantity

#### Code

iBrid Nano Long neck	1	9.HR81ML
Rechargeable power pack	2	9.HB125LT
Charger	1	9HC120LT
Functional Unit Ø12mm orbit	1	58.390/C
Polishing backing pad Ø50mm (2")	1	996.001



#### HR81ML/STP

Kit iBrid Nano long neck

#### Quantity

#### Code

iBrid Nano Long neck	1	9.HR81ML
AC - DC adaptor	1	9HP120LT
Functional Unit Ø12mm orbit	1	58.390/C
Polishing backing pad Ø50mm (2")	1	996.001



## 1.4 BigFoot polishers

With iBrid Technology - 12V 2,5Ah Li-Ion battery



### HR81ML/LUX

Kit iBrid nano long neck

	Quantity	Code
iBrid Nano Long neck (Included in HR81ML)	1	9.HR81ML
Accessories Case with container	1	9.Z987/BF
AC - DC adaptor	1	9HP120LT
Rechargeable power pack	2	9HB125LT
Charger	1	9HC120LT
Extension shaft for Nano polisher (70mm length - M8 = F - M6 = M)	1	291.390/C
Wool polishing pad with velcro MEDIUM Ø34/45mm (1" - 1.5")	4	9.BW40M/4
Velcro foam polishing pad FINE Ø30/40mm (1"1/4)	6	9.DA40M/6
Wool polishing pad with velcro MEDIUM Ø50/65mm (2" - 2.5")	4	9.BW70M/4
Velcro foam polishing pad FINE Ø50/70mm (2")	4	9.DA70M/4
D-A COARSE polishing compound 250ml	1	9.DACOARSE250
D-A FINE polishing compound 250ml	1	9.DAFINE250
Rotary Functional Unit	1	562.390
3mm orbit Functional Unit	1	581.390/C
12mm orbit Functional Unit	1	58.390/C
Polishing backing pad Ø30mm (1"1/4)	1	995.001
Polishing backing pad Ø50mm (2")	1	996.001
Sanding backing pad Ø30mm (1"1/4)	1	997.001
Horsehair Medium Cup Brush	1	9.BF3000
Nylon Hard Cup Brush	1	9.BF3030
Adhesive Abrasive Discs for denibbing Ø35mm P2000	10	9.45520
Adhesive Abrasive Discs for denibbing Ø35mm P3000	10	9.45530
Blue Microfiber Cloth	1	9.BF9050
Yellow Microfiber Cloth	1	9.BF9060
RUPES Systainer T - LOC	1	9.CASE III
Systainer inlay	1	9.1112

# ENGINEERED FOR NOISE REDUCTION AND



# MINIMAL VIBRATIONS



LED INDICATOR

LI-ION BATTERY 18V

## 1.4 BigFoot polishers

With iBrid Technology - 18V 5,0Ah Li-Ion battery



**NEW**



### 9.HLR15

BigFoot iBrid polisher HLR15 with iBrid Technology

- Engineered for noise reduction and minimal vibrations
- Up to 40 minutes of continuous power
- New advanced gear system technology
- LED battery indicator with low battery and overload alerts

#### TECHNICAL DATA

#### iBrid HLR15

<b>Ø Backing pad [mm - in]</b>	125 - 5"
<b>Backing pad supplied</b>	980.710
<b>Ø Orbit [mm - in]</b>	15 - 19/32"
<b>Volt DC</b>	18V
<b>Battery life time</b>	30-40 min
<b>Charging time</b>	50-55 min
<b>R.P.M.</b>	3000 - 5000
<b>Weight (without battery) kg-lbs</b>	1,75 - 3,8
<b>Speed control</b>	•
<b>Overcurrent protection</b>	•
<b>Electronic switch</b>	•
<b>Led indicator</b>	•



#### HLR15/CB2/STD

Kit iBrid HLR15

#### Quantity

#### Code

iBrid HLR15	1	9.HLR15
Dual battery charger	1	9HC185LT
Rechargeable power pack	2	9HB185LT

Packaged in a RUPES carton box



#### HLR15/CB2/BAS

Kit iBrid HLR15

#### Quantity

#### Code

iBrid HLR15	1	9.HLR15
D-A INTERMEDIATE foam polishing pad	2	9.DA150B
D-A FINE foam polishing pad	2	9.DA150M
Wool polishing pad COARSE	2	9.NW130H
Wool polishing pad MEDIUM	2	9.NW130M
D-A COARSE polishing compound	1	9.DACOARSE250
D-A FINE polishing compound	1	9.DAFINE250
Dual battery charger	1	9HC185LT
Rechargeable power pack	2	9HB185LT


Packaged in a RUPES carton box

## 1.4 BigFoot polishers

With iBrid Technology - 18V 5,0Ah Li-Ion battery



**NEW**



### 9.HLR21

BigFoot iBrid polisher HLR21 with iBrid Technology

- Engineered for noise reduction and minimal vibrations
- Up to 40 minutes of continuous power
- New advanced gear system technology
- LED battery indicator with low battery and overload alerts

TECHNICAL DATA	iBrid HLR21
Ø Backing pad [mm - in]	150 - 6"
Backing pad supplied	981.710
Ø Orbit [mm - in]	21 - 13/16"
Volt DC	18V
Battery life time	30-40 min
Charging time	50-55 min
R.P.M.	3000 - 4200
Weight (without battery) kg-lbs	1,95 - 4,3
Speed control	•
Overcurrent protection	•
Electronic switch	•
Led indicator	•



HLR21/CB2/STD Kit iBrid HLR21	Quantity	Code
iBrid HLR21	1	9.HLR21
Dual battery charger	1	9HC185LT
Rechargeable power pack	2	9HB185LT

Packaged in a RUPES carton box



HLR21/CB2/BAS Kit iBrid HLR21	Quantity	Code
iBrid HLR21	1	9.HLR21
D-A INTERMEDIATE foam polishing pad	2	9.DA180B
D-A FINE foam polishing pad	2	9.DA180M
Wool polishing pad COARSE	2	9.NW160H
Wool polishing pad MEDIUM	2	9.NW160M
D-A COARSE polishing compound	1	9.DACOARSE250
D-A FINE polishing compound	1	9.DAFINE250
Dual battery charger	1	9HC185LT
Rechargeable power pack	2	9HB185LT

Packaged in a RUPES carton box



## LHR21ES/STD

Random orbital polisher

- BigFoot 21mm orbit random orbital polisher, characterized by balanced machine body, ergonomic handgrip and low vibrations
- This tool features an antispinning shroud, an electronic speed control module and on-off switch lock

TECHNICAL DATA	LHR21ES
Ø Backing pad [mm - in]	150 - 6"
Ø Orbit [mm - in]	21 - 13/16"
Power [W]	500
R.P.M.	2000 - 4200
Weight [kg - lbs]	2,6 - 5,73
Electronic speed control	•
Spindle thread	M8 - F
Foam backing pad supplied	981.321N
Electrical Cord [m - ft]	9 - 30'

Packaged in a RUPES carton box



### LHR21ES/BAS

Kit LHR21ES

Q.ty

Code

LHR21ES - Random orbital polisher	1	LHR21ES
D-A COARSE polishing compound 250ml	1	9.DACOARSE250
D-A FINE polishing compound 250ml	1	9.DAFINE250
Wool polishing pad COARSE Ø160	1	9.NW160H
D-A FINE foam polishing pad Ø150 - 180mm	1	9.DA180M
Microfiber cloth Blue	1	9.BF9050
Microfiber cloth Yellow	1	9.BF9060
Cable clamp	1	9.Z1024

Packaged in a RUPES carton box



### LHR21ES/LUX

Kit LHR21ES

Q.ty

Code

LHR 21ES - Random orbital polisher	1	LHR21ES
D-A COARSE polishing compound 250ml	1	9.DACOARSE250
D-A FINE polishing compound 250ml	1	9.DAFINE250
UNO PROTECT One - Step Polish & Sealant 250ml	1	9.PROTECT250
Wool polishing pad COARSE Ø160	1	9.NW160H
Wool polishing pad MEDIUM Ø160	1	9.NW160M
D-A COARSE foam polishing pad Ø150 - 180mm	1	9.DA180H
D-A FINE foam polishing pad Ø150 - 180mm	1	9.DA180M
Microfiber cloth Blue	1	9.BF9050
Microfiber cloth Yellow	1	9.BF9060
Microfiber cloth White	1	9.BF9070
Claw pad	1	9.BF7001
Cable clamp	1	9.Z1024
BigFoot apron	1	9.Z868
BigFoot tools bag	1	9.Z1043/BF

## 1.4 BigFoot polishers



### LHR15ES/STD

Random orbital polisher

- BigFoot 15mm orbit random orbital polisher, characterized by balanced machine body, ergonomic handgrip and low vibrations
- This tool features an antispinning shroud, an electronic speed control module and on-off switch lock

TECHNICAL DATA	LHR15ES
Ø Backing pad [mm - in]	125 - 5"
Ø Orbit [mm - in]	15 - 19/32"
Power [W]	500
R.P.M.	2000 - 5000
Weight [kg - lbs]	2,5 - 5,51
Electronic speed control	•
Spindle thread	M8 - F
Foam backing pad supplied	980.027N
Electrical Cord [m - ft]	9 - 30'

Packaged in a RUPES carton box



### LHR15ES/BAS

Kit LHR15ES

Q.ty

Code

LHR 15ES - Random orbital polisher	1	LHR15ES
D-A COARSE polishing compound 250ml	1	9.DACOARSE250
D-A FINE polishing compound 250ml	1	9.DAFINE250
Wool polishing pad COARSE Ø130	1	9.NW130H
D-A FINE foam polishing pad Ø130 - 150mm	1	9.DA150M
Microfiber cloth Blue	1	9.BF9050
Microfiber cloth Yellow	1	9.BF9060
Cable clamp	1	9.Z1024

Packaged in a RUPES carton box



### LHR15ES/LUX

Kit LHR15ES

Q.ty

Code

LHR 15ES - Random orbital polisher	1	LHR15ES
D-A COARSE polishing compound 250ml	1	9.DACOARSE250
D-A FINE polishing compound 250ml	1	9.DAFINE250
UNO PROTECT One - Step Polish & Sealant 250ml	1	9.PROTECT250
Wool polishing pad COARSE Ø130	1	9.NW130H
Wool polishing pad MEDIUM Ø130	1	9.NW130M
D-A COARSE foam polishing pad Ø130 - 150mm	1	9.DA150H
D-A FINE foam polishing pad Ø130 - 150mm	1	9.DA150M
Microfiber cloth Blue	1	9.BF9050
Panno in microfibra Yellow	1	9.BF9060
Microfiber cloth White	1	9.BF9070
Claw pad	1	9.BF7001
Cable clamp	1	9.Z1024
BigFoot apron	1	9.Z868
BigFoot tools bag	1	9.Z1043/BF

## 1.4 BigFoot polishers



### LHR21 MarkIII/STD

Random orbital polisher

- Evolution of the BigFoot LHR21ES, the LHR 21 MarkIII allows to achieve high quality finishes with limited steps
- This polisher features improved ergonomics and a progressive trigger comparing to the previous version

TECHNICAL DATA	LHR21 III
Ø Backing pad [mm - in]	150 - 6"
Ø Orbit [mm - in]	21 - 13/16"
Power [W]	500
R.P.M.	3000 - 4500
Weight [kg - lbs]	2,7 - 5,95
Electronic speed control	•
Spindle thread	M8 - F
Foam backing pad supplied	981.321N
Electrical Cord [m - ft]	9 - 30'

Packaged in a RUPES carton box



### LHR21III/BAS

Kit LHR21 MarkIII

Q.ty

Code

LHR21 MarkIII Random orbital polisher	1	LHR21 III
D-A COARSE polishing compound 250ml	1	9.DACOARSE250
D-A FINE polishing compound 250ml	1	9.DAFINE250
Wool polishing pad COARSE Ø160	1	9.NW160H
D-A FINE foam polishing pad Ø150 - 180mm	1	9.DA180M
Microfiber cloth Blue	1	9.BF9050
Microfiber cloth Yellow	1	9.BF9060
Cable Clamp	1	9.Z1024

Packaged in a RUPES carton box



### LHR21III/LUX

Kit LHR21 MarkIII

Q.ty

Code

LHR 21 MarkIII Random orbital polisher	1	LHR21 III
D-A COARSE polishing compound 250ml	1	9.DACOARSE250
D-A FINE polishing compound 250ml	1	9.DAFINE250
UNO PROTECT One - Step Polish & Sealant 250ml	1	9.PROTECT250
Wool polishing pad COARSE Ø160	1	9.NW160H
Wool polishing pad MEDIUM Ø160	1	9.NW160M
D-A COARSE foam polishing pad Ø150 - 180mm	1	9.DA180H
D-A FINE foam polishing pad Ø150 - 180mm	1	9.DA180M
Microfiber cloth Blue	1	9.BF9050
Microfiber cloth Yellow	1	9.BF9060
Microfiber cloth White	1	9.BF9070
Claw pad	1	9.BF7001
Cable clamp	1	9.Z1024
BigFoot apron	1	9.Z868
BigFoot tools bag	1	9.Z1043/BF



## 1.4 BigFoot polishers



### LHR15 MarkIII/STD

Random orbital polisher

- Evolution of the BigFoot LHR15ES, the LHR 15 MarkIII allows to achieve high quality finishes with complete comfort, even on curved surfaces
- This polisher features improved ergonomics and a progressive trigger comparing to the previous version

TECHNICAL DATA	LHR15 III
Ø Backing pad [mm - in]	125 - 5"
Ø Orbit [mm - in]	15 - 19/32"
Power [W]	500
R.P.M.	3000 - 5200
Weight [kg - lbs]	2,6 - 5,73
Electronic speed control	•
Spindle thread	M8 - F
Foam backing pad supplied	980.027N
Electrical Cord [m - ft]	9 - 30'

Packaged in a RUPES carton box



#### LHR15III/BAS

Kit LHR15 MarkIII

**Q.ty** **Code**

LHR15 MarkIII Random orbital polisher	1	LHR15 III
D-A COARSE polishing compound 250ml	1	9.DACOARSE250
D-A FINE polishing compound 250ml	1	9.DAFINE250
Wool polishing pad COARSE Ø130	1	9.NW130H
D-A FINE foam polishing pad Ø130 - 150mm	1	9.DA150M
Microfiber cloth Blue	1	9.BF9050
Microfiber cloth Yellow	1	9.BF9060
Cable clamp	1	9.Z1024

Packaged in a RUPES carton box



#### LHR15III/LUX

Kit LHR15 MarkIII

**Q.ty** **Code**

LHR15 MarkIII Random orbital polisher	1	LHR15 III
D-A COARSE polishing compound 250ml	1	9.DACOARSE250
D-A FINE polishing compound 250ml	1	9.DAFINE250
UNO PROTECT One - Step Polish & Sealant 250ml	1	9.PROTECT250
Wool polishing pad COARSE Ø130	1	9.NW130H
Wool polishing pad MEDIUM Ø130	1	9.NW130M
D-A COARSE foam polishing pad Ø130 - 150mm	1	9.DA150H
D-A FINE foam polishing pad Ø130 - 150mm	1	9.DA150M
Microfiber cloth Blue	1	9.BF9050
Microfiber cloth Yellow	1	9.BF9060
Microfiber cloth White	1	9.BF9070
Claw pad	1	9.BF7001
Cable clamp	1	9.Z1024
BigFoot apron	1	9.Z868
BigFoot tools bag	1	9.Z1043/BF

## 1.4 BigFoot polishers

Kits for marine applications



### LHR21III/MAR Kit LHR21 MarkIII

	Quantity	Code
LHR21MarkIII Random orbital polisher	1	LHR21 III
Wool polishing pad COARSE Ø160	2	9.NW160H
XC-2 Xtra cut compund rapid removal of defects	2	9.XC2/1KG
Microfiber cloth Blue	2	9.BF9050
Marine BigFoot Bag	1	9.Z946/BF



### LHR 21ES/MAR Kit LHR 21 ES

	Quantity	Code
LHR21ES Random orbital polisher	1	LHR21ES
Wool polishing pad COARSE Ø160	1	9.NW160H
XC-2 Xtra cut compund rapid removal of defects	1	9.XC2/1KG
Microfiber cloth Blue	1	9.BF9050
Marine BigFoot Bag	1	9.Z946/BF



  
*Big Foot*  
Mark V




**NEW**


## LHR21 MarkV/STD

Random orbital polisher

- Evolution of the LHR 21 MarkIII, the LHR 21 MarkV allows to achieve high quality finishes with limited steps
- Engineered for noise reduction and minimal vibrations
- New advanced gear system technology

TECHNICAL DATA	LHR21 V
Ø Backing pad [mm - in]	150 - 6"
Ø Orbit [mm - in]	21 - 13/16"
Power [W]	500
R.P.M.	3000 - 4500
Weight [kg - lbs]	2,7 - 5,95
Electronic speed control	•
Spindle thread	M8 - F
Backing pad supplied	981.710
Electrical Cord [m - ft]	9 - 30'

Packaged in a RUPES carton box



### LHR21 V/BAS

Kit LHR21 MarkV

**Q.ty Code**

LHR21 MarkV Random orbital polisher	1	LHR21 V
D-A COARSE polishing compound 250ml	1	9.DACOARSE250
D-A FINE polishing compound 250ml	1	9.DAFINE250
Wool polishing pad COARSE Ø160	1	9.NW160H
D-A INTERMEDIATE foam pad Ø150 - 180mm	1	9.DA180B
Microfiber cloth Blue	1	9.BF9050
Microfiber cloth Yellow	1	9.BF9060
Cable Clamp	1	9.Z1024

Packaged in a RUPES carton box



### LHR21 V/LUX

Kit LHR21 MarkV

**Q.ty Code**

LHR21 MarkV Random orbital polisher	1	LHR21 V
D-A COARSE polishing compound 250ml	1	9.DACOARSE250
D-A FINE polishing compound 250ml	1	9.DAFINE250
UNO PROTECT One - Step Polish & Sealant 250ml	1	9.PROTECT250
Wool polishing pad COARSE Ø160	1	9.NW160H
Wool polishing pad MEDIUM Ø160	1	9.NW160M
D-A INTERMEDIATE foam pad Ø150 - 180mm	1	9.DA180B
D-A FINE foam polishing pad Ø150 - 180mm	1	9.DA180M
Microfiber cloth Blue	1	9.BF9050
Microfiber cloth Yellow	1	9.BF9060
Microfiber cloth White	1	9.BF9070
Claw pad	1	9.BF7001
Cable clamp	1	9.Z1024
BigFoot apron	1	9.Z868
BigFoot tools bag	1	9.Z1043/BF

## 1.4 BigFoot polishers



**NEW**



### LHR15 MarkV/STD

Random orbital polisher

- Evolution of the LHR 15 MarkIII, the LHR 15 MarkV allows to achieve high quality finishes with limited steps
- Engineered for noise reduction and minimal vibrations
- New advanced gear system technology



TECHNICAL DATA	LHR15 V
<b>Ø Backing pad [mm - in]</b>	125 - 5"
<b>Ø Orbit [mm - in]</b>	15 - 19/32"
<b>Power [W]</b>	500
<b>R.P.M.</b>	3000 - 5200
<b>Weight [kg - lbs]</b>	2,6 - 5,73
<b>Electronic speed control</b>	•
<b>Spindle thread</b>	M8 - F
<b>Backing pad supplied</b>	980.710
<b>Electrical Cord [m - ft]</b>	9 - 30'

Packaged in a RUPES carton box



### LHR21V/BAS

Kit LHR15 MarkV

**Q.ty Code**

LHR15 MarkV Random orbital polisher	1	LHR15 V
D-A COARSE polishing compound 250ml	1	9.DACOARSE250
D-A FINE polishing compound 250ml	1	9.DAFINE250
Wool polishing pad COARSE Ø130	1	9.NW130H
D-A INTERMEDIATE foam pad Ø130 - 150mm	1	9.DA150B
Microfiber cloth Blue	1	9.BF9050
Microfiber cloth Yellow	1	9.BF9060
Cable clamp	1	9.Z1024

Packaged in a RUPES carton box




### LHR15V/LUX

Kit LHR15 MarkV

**Q.ty Code**

LHR15 MarkV Random orbital polisher	1	LHR15 V
D-A COARSE polishing compound 250ml	1	9.DACOARSE250
D-A FINE polishing compound 250ml	1	9.DAFINE250
UNO PROTECT One - Step Polish & Sealant 250ml	1	9.PROTECT250
Wool polishing pad COARSE Ø130	1	9.NW130H
Wool polishing pad MEDIUM Ø130	1	9.NW130M
D-A INTERMEDIATE foam pad Ø130 - 150mm	1	9.DA150B
D-A FINE foam polishing pad Ø130 - 150mm	1	9.DA150M
Microfiber cloth Blue	1	9.BF9050
Microfiber cloth Yellow	1	9.BF9060
Microfiber cloth White	1	9.BF9070
Claw pad	1	9.BF7001
Cable clamp	1	9.Z1024
BigFoot apron	1	9.Z868
BigFoot tools bag	1	9.Z1043/BF

## 1.4 BigFoot polishers



### LH19E/STD

Rotary polisher

- Lightweight rotary tool featuring a high torque motor, compact design and premium ergonomics
- It features electronic speed control dial, progressive trigger, 9 meters electrical cord and double gear reduction

TECHNICAL DATA	LH19E
Ø Polishing foam max [mm]	200 - 8"
Ø Backing pad available [mm - in]	125 - 5" / 150 - 6" / 165 - 6.5"
Power [W]	1200
R.P.M.	450 - 1700
Weight [kg - lbs]	2,2 - 4,85
Electronic speed control	•
Spindle thread	M14
Foam backing pad supplied	992.500
Loop handle	811.374
Electrical Cord [m - ft]	9 - 30'

Packaged in a RUPES carton box



### LH 19E/STN Kit LH19 E

Quantity Code

LH19E Rotary polisher	1	LH19E
Polishing compound 250ml COARSE	1	9.BRCoarse250
Polishing compound 250ml FINE	1	9.BRFINE250
Foam polishing pad COARSE Ø135mm	1	9.BR150H
Foam polishing pad FINE Ø135mm	1	9.BR150M
Backing pad Ø125mm	1	992.500
Loop handle	1	811.374
Side handle	1	81.322
Cable clamp	1	9.Z1024

Packaged in a RUPES carton box



### LH19E/DLX Kit LH19 E

Quantity Code

LH19E Rotary polisher	1	LH19E
BigFoot tools bag	1	9.Z998/BF
Polishing compound 250ml COARSE	1	9.BRCoarse250
Polishing compound 250ml FINE	1	9.BRFINE250
Foam polishing pad COARSE Ø135mm	2	9.BR150H
Foam polishing pad FINE Ø135mm	2	9.BR150M
Wool polishing pad Ø135mm	1	9.BL180H
Microfiber cloth Blue	1	9.BF9050
Microfiber cloth Yellow	1	9.BF9060
BigFoot apron	1	9.Z868
BigFoot Claw pad tool	1	9.BF7001
Backing pad Ø125mm	1	992.500
Loop handle	1	811.374
Side handle	1	81.322
Cable Clamp	1	9.Z1024

## 1.4 BigFoot polishers



### LK900E/STD

Gear driven dual action polisher

- This gear driven orbital polisher was designed to bridge the gap between rotary and free spinning orbital polishers
- It features electronic speed control dial, progressive trigger and 9 meters electrical cord

TECHNICAL DATA	LK900E
Ø Backing pad [mm - in]	125 - 5" / 150 - 6"
Ø Orbit [mm - in]	5 - 3/16"
Power [W]	900
R.P.M.	265 - 535
Weight [kg - lbs]	2,80 - 6,17
Electronic speed control	•
Spindle thread	6 x M4
Electrical Cord [m - ft]	9 - 30'
Backing pad supplied Ø 125	980.037
Backing pad supplied Ø 150	9.Z1024

Packaged in a RUPES carton box



### LK900E/BAS

Kit LK900E Mille

**Q.ty** **Code**

LK900E Gear Driven polisher	1	LK900E
D-A COARSE polishing compound 250ml	1	9.DACOARSE250
D-A FINE polishing compound 250ml	1	9.DAFINE250
D-A COARSE foam polishing pad Ø130 - 150mm	1	9 .DA150H
D-A FINE foam polishing pad	1	9.DA150M
Microfiber cloth Blue	1	9.BF9050
Microfiber cloth Yellow	1	9.BF9060
Backing pad Ø125mm	1	980.037
Backing pad Ø150mm	1	981.089
Cable clamp	1	9.Z1024

Packaged in a RUPES carton box



### LK900E/LUX

Kit LK900 E Mille

**Q.ty** **Code**

LK 900E Gear Driven polisher	1	LK900E
D-A COARSE polishing compound 250ml	1	9.DACOARSE250
D-A FINE polishing compound 250ml	1	9.DAFINE250
Polishing compound 250ml UNO PROTECT	1	9.PROTECT250
D-A COARSE foam polishing pad Ø130 - 150mm	1	9 .DA150H
D-A FINE foam polishing pad Ø130 - 150mm	1	9.DA150M
Wool polishing pad COARSE Ø130	1	9.NW130H
Wool polishing pad MEDIUM Ø130	1	9.NW130M
BigFoot Claw pad tool	1	9.BF7001
Microfiber cloth Blue	1	9.BF9050
Microfiber cloth Yellow	1	9.BF9060
Microfiber cloth White	1	9.BF9070
Backing pad Ø125mm	1	980.037
Backing pad Ø150mm	1	981.089
Cable Clamp	1	9.Z1024
BigFoot tools bag	1	9.Z999/BF

**LHR12E/STD**

Random orbital polisher

- All-in-one sanding and polishing system for painted surfaces
- Antispinning shroud, electronic speed control module and on-off switch lock

TECHNICAL DATA	LHR12E
Ø Backing pad [mm - in]	125 - 5"
Ø Orbit [mm - in]	12 - 5"
Power [W]	400
R.P.M.	4000 - 5500
Weight [kg - lbs]	2,2 - 4,85
Electronic speed control	•
Spindle thread	M8 - F
Foam backing pad supplied	980.027N
Electrical Cord [m - ft]	9 - 30'

Packaged in a RUPES carton box

**LHR12E DUETTO/BAS**

Kit LHR12E DUETTO

**Q.ty Code**

LHR12E DUETTO Random orbital polisher	1	LHR12E
D-A COARSE polishing compound 250ml	1	9.DACOARSE250
D-A FINE polishing compound 250ml	1	9.DAFINE250
Wool polishing pad COARSE Ø130	1	9.NW130H
D-A FINE foam polishing pad Ø130 - 150mm	1	9.DA150M
Microfiber cloth Blue	1	9.BF9050
Microfiber cloth Yellow	1	9.BF9060
Cable clamp	1	9.Z1024

Packaged in a RUPES carton box

**LHR12E/LUX**

Kit LHR12E DUETTO

**Q.ty Code**

LHR12E DUETTO Random orbital polisher	1	LHR12E
D-A COARSE polishing compound 250ml	1	9.DACOARSE250
D-A FINE polishing compound 250ml	1	9.DAFINE250
Wool polishing pad COARSE Ø130	1	9.NW130H
Wool polishing pad MEDIUM Ø130	1	9.NW130M
D-A COARSE foam polishing pad Ø130 - 150mm	1	9.DA150H
D-A FINE foam polishing pad Ø130 - 150mm	1	9.DA150M
Abrasive starter kit	1	9.45401/M
Microfiber cloth Blue	1	9.BF9050
Microfiber cloth Yellow	1	9.BF9060
Microfiber cloth White	1	9.BF9070
Cable clamp	1	9.Z1024
BigFoot apron	1	9.Z868
BigFoot tools bag	1	9.Z883/BF



## 1.4 BigFoot polishers



### LHR75E MINI/STD

Random orbital polisher

- Perfect for difficult shapes, intricate areas and spot repair operations
- Maximum flexibility, electronic speed control module

TECHNICAL DATA	LHR75E
Ø Backing pad [mm - in]	75 - 3"
Ø Orbit [mm - in]	12 - 1/2"
Power [W]	400
R.P.M.	4000 - 5500
Weight [kg - lbs]	1,9 - 4,18
Electronic speed control	•
Spindle thread	M6 - F
Foam backing pad supplied	990.007
Electrical Cord [m - ft]	9 - 30'

Packaged in a RUPES carton box



### LHR75E/BAS Kit LHR75E Mini

**Q.ty**   **Code**

LHR75E MINI Random orbital polisher	1	LHR75E
D-A COARSE polishing compound 250ml	1	9.DACOARSE250
D-A FINE polishing compound 250ml	1	9.DAFINE250
Wool polishing pad COARSE Ø80	1	9.NW80H
Wool polishing pad MEDIUM Ø80 - 90mm	1	9.NW80M
D-A COARSE foam polishing pad Ø80 - 90mm	1	9.DA100H
D-A FINE foam polishing pad Ø80 - 90mm	1	9.DA100M
Microfiber cloth Blue	1	9.BF9050
Microfiber cloth Yellow	1	9.BF9060
Cable clamp	1	9.Z1024

Packaged in a RUPES carton box



### LHR75E/LUX Kit LHR 75E Mini

**Q.ty**   **Code**

LHR75E MINI Random orbital polisher	1	LHR75E
D-A COARSE polishing compound 250ml	1	9.DACOARSE250
D-A FINE polishing compound 250ml	1	9.DAFINE250
Wool polishing pad COARSE Ø80	1	9.NW80H
Wool polishing pad MEDIUM Ø80	1	9.NW80M
D-A COARSE foam polishing pad Ø80 - 90mm	1	9.DA100H
D-A FINE foam polishing pad Ø80 - 90mm	1	9.DA100M
Microfiber cloth Blue	1	9.BF9050
Microfiber cloth Yellow	1	9.BF9060
Microfiber cloth White	1	9.BF9070
Cable clamp	1	9.Z1024
BigFoot apron	1	9.Z868
BigFoot tools bag	1	9.Z883/BF

## 1.4 BigFoot polishers

Renovation Kits



### LHR12E/BOX

Kit LHR12E DUETTO

	Q.ty	Code
LHR12E DUETTO - Random orbital polisher	1	LHR12E
Systainer Box	1	9.CASEIII
D-A COARSE polishing compound 250ml	1	9.DACOARSE250
UNO PROTECT One - Step Polish & Sealant 250ml	1	9.PROTECT250
Wool polishing pad COARSE Ø130	2	9.NW130H
Wool polishing pad MEDIUM Ø130	2	9.NW130M
BIGFOOT Claw pad tool	1	9.BF7001
Abrasives X - Cut P 2000 Ø125mm	3	9.45401
Abrasives X - Cut P 3000 Ø125mm	3	9.45403
Microfiber cloth Blue	1	9.BF9050
Microfiber cloth Yellow	1	9.BF9060
Systainer inlay	1	9.1109



### LHR75E/BOX

Kit LHR75E Mini

	Q.ty	Code
LHR75E MINI Random orbital polisher	1	LHR75E
Systainer Box	1	9.CASEIII
D-A COARSE polishing compound 250ml	1	9.DACOARSE250
UNO PROTECT One - Step Polish & Sealant 250ml	1	9.PROTECT250
Wool polishing pad COARSE Ø80	2	9.NW80H
Wool polishing pad MEDIUM Ø80	2	9.NW80M
BIGFOOT Claw pad tool	1	9.BF7001
Abrasives X - Cut P 2000 Ø75mm	3	9.45451
Abrasives X - Cut P 3000 Ø75mm	3	9.45453
Microfiber cloth Blue	1	9.BF9050
Microfiber cloth Yellow	1	9.BF9060
Systainer inlay	1	9.1109



## 1.5 Sanders

Q-MAG iBrid Nano sander



### 9.HQM83

iBrid Nano orbital sander with Q-MAG magnetic technology

- Ease of operation for any process where spot sanding is required spot, isolated or edge sanding
- Q-MAG technology for fast sanding pad changes using a proprietary proprietary magnetic attachment system

TECHNICAL DATA	HQM83
<b>Volt [VDC]</b>	10.8/12
<b>R.P.M</b>	2000 - 5000
<b>Battery life [min]</b>	~30
<b>Charging time [min]</b>	~20
<b>ContRollo della velocità</b>	•
<b>Overcurrent protection</b>	•
<b>Soft Start</b>	•
<b>Indicatori LED</b>	•
<b>Dimensions [cm]</b>	287x70x47*
<b>Weight [g]</b>	593*
<b>Ø Orbit [mm]</b>	2

\*Measured without backing pad, battery pack and power supply.

**FOCUS**



Q-MAG magnetic technology



A completely new and innovative concept by RUPES introduces a revolutionary solution for the sanding of all painted surfaces, wood, plaster composite materials, and more.

The Q-MAG iBrid Nano provides reliability and comfort and ease of operation for any process where spot, isolated, or edgework sanding is required.

The revolutionary new Q-MAG technology featured on the Q-MAG iBrid Nano allows for quick changes of the backing pad using a proprietary magnetic engagement system.

With a simple hand gesture, the backing pad can be easily removed, or repositioned, without the need for any additional complicated tool processes.

Ease of use, time savings, and maximum safety make Q-MAG technology a new frontier in the field of professional sanding and polishing tools.



**RANDOM ORBITAL**  
magnetic connection  
(patent pending)



**ORBITAL**  
magnetic connection  
(patent pending)



## 1.5 Sanders

Q-MAG iBrid Nano sander



HQM83/STB	Quantity	Code
Q - MAG iBrid Nano	1	9.HQM83
Battery pack	2	9HB125LT
Charger	1	9HC120LT
Swallow sanding backing pad	1	981.393
Sanding backing pad Ø75mm	1	983.393



HQM83/STP	Quantity	Code
Q - MAG iBrid Nano	1	9.HQM83
AC - DC adaptor	1	9HP120LT
Swallow sanding backing pad	1	981.393
Sanding backing pad Ø75mm	1	983.393



HQM83/BLX	Quantity	Code
Q - MAG iBrid Nano	1	9.HQM83
Power Supply	1	9HP120LT
Battery Pack	2	9HB125LT
Charger	1	9HC120LT
Swallow sanding backing pad	1	981.393
Sanding backing pad Ø75mm	1	983.393
box 50 paper sheets P120 swallow	1	9.34120
box 50 paper sheets P180 swallow	1	9.34180
box 50 paper sheets P240 swallow	1	9.34240
box 50 paper sheets P320 swallow	1	9.34320
box 50 film discs Ø75mm P1500	1	9.45240
Internal systainer	1	9.1112



MINI SANDERS HS SERIES




with iBRID TECHNOLOGY - 18V 2,5Ah Li-Ion battery



## 1.5 Sanders

HS series with iBrid Technology - 18V 2,5Ah Li-Ion battery



**GREEN  
TECH  
FILTER**

### HSE73

9.HSE73 - mini sander with iBrid technology

- Mini sander with self-extraction system that enables to use the tool without an external extraction unit
- Lithium-ion battery (18V - 2.5Ah) with 35/45min operating time and approximately 35min charging time

TECHNICAL DATA	HSE73
Ø Orbit [mm]	2
Voltage VDC [Volt]	18
R.P.M	7000÷11000
Battery life	~35/45min*
Charging time	~35min
Electronic speed control	•
Overcurrent protection	•
Soft Start	•
Led indication	•
Pad size [mm]	80x130
Weight [kg]	1.0**
Self generated dust extraction	•
Backing pad supplied	986.012

\*The value refers to the use of the battery pack 9HB180LT, completely charged with the battery charger 9HC180LT.

\*\*Measured without battery pack and power supply.

Packaged in a RUPES carton box



### HSE73/STB

Kit HSE73 Mini iBrid

	Quantity	Code
Sander Mini iBrid	1	9.HSE73
Charger	1	9HC180LT
Rechargeable power pack	2	9HB180LT
Green Tech Filter for iBrid HS series	1	80.436/C

Packaged in a RUPES carton box




### HSE73/BLX

Kit HSE73 Mini iBrid

	Quantity	Code
Sander Mini iBrid	1	9.HSE73
Systainer Case	1	9.CASEIII
Charger	1	9HC180LT
Rechargeable power pack	2	9HB180LT
Power supply	1	9HP180LT
Green Tech Filter for iBrid HS series	1	80.436/C
Internal systainer	1	891.436

**1.5 Sanders**

HS series with iBrid Technology - 18V 2,5Ah Li-Ion battery


**GREEN  
TECH  
FILTER**
**HSS73**

9.HSS73 - mini sander with iBrid technology

- Mini sander with self-extraction system that enables to use the tool without an external extraction unit
- Lithium-ion battery (18V - 2.5Ah) with 35/45min operating time and approximately 35min charging time

TECHNICAL DATA	HSS73
<b>Ø Orbit [mm]</b>	2
<b>Voltage VDC [Volt]</b>	18
<b>R.P.M</b>	7000÷11000
<b>Battery life</b>	~35/45min*
<b>Charging time</b>	~35min
<b>Electronic speed control</b>	•
<b>Overcurrent protection</b>	•
<b>Soft Start</b>	•
<b>Led indication</b>	•
<b>Pad size [mm]</b>	Delta
<b>Weight [kg]</b>	1.0**
<b>Self generated dust extraction</b>	•
<b>Backing pad supplied</b>	985.011

\*The value refers to the use of the battery pack 9HB180LT, completely charged with the battery charger 9HC180LT.

\*\*Measured without battery pack and power supply.

Packaged in a RUPES carton box

**HSS73/STB**

Kit HSS73 Mini iBrid

**Quantity Code**

Mini Sander	1	9.HSS73
Charger	1	9HC180LT
Rechargeable power pack	2	9HB180LT
Green Tech Filter for iBrid HS series	1	80.436/C

Packaged in a RUPES carton box

**HSS73/BLX**

Kit HSS73 Mini iBrid

**Quantity Code**

Mini Sander	1	9.HSS73
Systemainer Case	1	9.CASEIII
Charger	1	9HC180LT
Rechargeable power pack	2	9HB180LT
Power supply	1	9HP180LT
Green Tech Filter for iBrid HS series	1	80.436/C
Internal systemainer	1	891.436



## 1.5 Sanders

HS series with iBrid Technology - 18V 2,5Ah Li-Ion battery



**GREEN  
TECH  
FILTER**

### HSR73

9.HSR73 - mini sander with iBrid technology

- Mini sander with self-extraction system that enables to use the tool without an external extraction unit
- Lithium-ion battery (18V - 2.5Ah) with 35/45min operating time and approximately 35min charging time

TECHNICAL DATA	HSR73
Ø Orbit [mm]	2
Voltage VDC [Volt]	18
R.P.M	7000÷11000
Battery life	~35/45min*
Charging time	~35min
Electronic speed control	•
Overcurrent protection	•
Soft Start	•
Led indication	•
Pad size [mm]	Ø125
Weight [kg]	1.0**
Self generated dust extraction	•
Backing pad supplied	980.046

\*The value refers to the use of the battery pack 9HB180LT, completely charged with the battery charger 9HC180LT.

\*\*Measured without battery pack and power supply.

Packaged in a RUPES carton box



#### HSR73/STB

Kit HSR73 Mini iBrid

	Quantity	Code
Mini Sander	1	9.HSR73
Charger	1	9HC180LT
Rechargeable power pack	2	9HB180LT
Green Tech Filter for iBrid HS series	1	80.436/C

Packaged in a RUPES carton box



#### HSR73/BLX

Kit HSR73 Mini iBrid

	Quantity	Code
Mini Sander	1	9.HSR73
Systemainer Case	1	9.CASEIII
Charger	1	9HC180LT
Rechargeable power pack	2	9HB180LT
Power supply	1	9HP180LT
Green Tech Filter for iBrid HS series	1	80.436/C
Internal systemainer	1	891.436



**GREEN  
TECH  
FILTER**

**LE71T - LE71TE - LE71TC - LE71TEC**

Mini orbital sanders

- 80X130mm orbital sander with Green Tech filter
- Orbital motion
- Integrated dust extraction system
- Lightweight and compact body

TECHNICAL DATA	LE71T	LE71TE	LE71TC	LE71TEC
<b>Ø Orbit [mm]</b>	2	2	2	2
<b>Pad size [mm]</b>	80 x 130	80 x 130	80 x 130	80 x 130
<b>Power [W]</b>	200	200	200	200
<b>R.P.M.</b>	13000	8000 - 13000	13000	8000 - 13000
<b>Weight [kg]</b>	1,15	1,15	1,15	1,15
<b>Elec. speed control</b>	-	•	-	•
<b>Velcro pad</b>	•	•	•	•
<b>Self gen. dust extr.</b>	•	•	•	•
<b>Pad supplied</b>	986.012	986.012	986.012	986.012
<b>Paper clips</b>	-	-	•	•
<b>Green Tech filter*</b>	•	•	•	•

\*Green Tech Filter, code 80.400/C, supplied on all models



**LE71T BOX - Systainer**

**Quantity Code**

Sander	1	LE71T
Green Tech Filter	1	80.400/C
Systainer Case	1	9.CASEIII
Internal systainer	1	9.1100




**LE71TE BOX - Systainer**

**Quantity Code**

Sander	1	LE71TE
Green Tech Filter	1	80.400/C
Systainer Case	1	9.CASEIII
Internal systainer	1	9.1100

## 1.5 Sanders



**GREEN  
TECH  
FILTER**

### LS71T - LS71TE

Mini orbital sanders

- Mini delta orbital sander with orbital motion
- Integrated dust extraction system
- Lightweight and compact body
- Maximum grip

TECHNICAL DATA	LS71T	LS71TE
<b>Ø Orbit [mm]</b>	2	2
<b>Pad size [mm]</b>	Delta	Delta
<b>Power [W]</b>	200	200
<b>R.P.M.</b>	13000	8000 - 13000
<b>Weight [kg]</b>	1,15	1,15
<b>Electronic speed control</b>	-	•
<b>Velcro pad</b>	•	•
<b>Self generated dust extraction</b>	•	•
<b>Pad supplied</b>	985.006	985.006
<b>Paper clips</b>	-	-
<b>Green Tech filter*</b>	•	•

\*Green Tech Filter, code 80.400/C, supplied on all models



#### LS71T BOX - Systainer

	Quantity	Code
Sander	1	LS71T
Green Tech Filter	1	80.400/C
Systainer Case	1	9.CASEIII
Internal systainer	1	9.1100



#### LS71TE BOX - Systainer

	Quantity	Code
Sander	1	LS71TE
Green Tech Filter	1	80.400/C
Systainer Case	1	9.CASEIII
Internal systainer	1	9.1100



**GREEN  
TECH  
FILTER**

## LR71TE

Mini random orbital sander

- Mini sander with self-extraction system that enables to use the tool without an external extraction unit
- Antispinning shroud and electronic speed control module

TECHNICAL DATA	LR71TE
Ø Orbit [mm]	2
Ø Backing pad [mm - in]	125
Holes	8 + 8 + 1
Power [W]	200
R.P.M.	8000 - 13000
Weight [kg]	1,15
Electronic speed control	•
Self generated dust extraction	•
Backing pad supplied	980.046
Green Tech Filter*	•

\*Green Tech Filter, code 80.400/C, supplied on all models



### LR 71TE BOX - Systainer

Quantity Code

Sander	1	LR71TE
Green Tech Filter	1	80.400/C
Systainer Case	1	9.CASEIII
Internal systainer	1	9.1100



**GREEN  
TECH  
FILTER**

## LC71T

Mini orbital sander

- Mini orbital sander 80X200mm, orbital motion
- Integrated dust extraction system
- Lightweight and compact body
- For shutters

TECHNICAL DATA	LC71T
Ø Orbit [mm]	2
Pad size [mm]	80 x 200
Power [W]	200
R.P.M.	13000
Weight [kg]	1,15
Self generated dust extraction	•
Green Tech Filter*	•
Pad supplied	986.015

\*Green Tech Filter, code 80.400/C, supplied on all models

## 1.5 Sanders



### ER03TE - ER05TE

Random orbital sanders

- Powerful 450W
- Integrated self generated dust extraction system and anti spinning system

TECHNICAL DATA	ER03TE	ER05TE
Ø Orbit [mm]	3	5
Ø Backing pad [mm - in]	150	150
Holes	MULTIHOLE SLIM	MULTIHOLE SLIM
Power [W]	450	450
R.P.M.	5000 - 10000	5000 - 10000
Weight [kg]	2,1	2,1
Electronic speed control	•	•
Spindle thread	M8 - F	M8 - F
Self gen. dust extraction	•	•
Backing pad supplied	981.500	981.500



GREEN  
TECH  
FILTER

### ER303TE - ER305TE

Random orbital palm sanders

- Suitable for all types of surfaces
- Ergonomic handle for one or two-handed use
- Also perfect for vertical surfaces

TECHNICAL DATA	ER303TE	ER305TE
Ø Orbit [mm]	3	5
Ø Backing pad [mm - in]	150	150
Holes	MULTIHOLE	MULTIHOLE
Power [W]	350	350
R.P.M.	5000 - 10000	5000 - 10000
Weight [kg]	1,8	1,8
Electronic speed control	•	•
Spindle thread	M8 - F	M8 - F
Self generated dust extraction	•	•
Backing pad supplied	981.500	981.500
Green Tech Filter*	•	•

\*Green Tech Filter, code 80.400/C, supplied on all models



ER303TE BOX - ER305TE BOX	Quantity	Code	Code
Sander	1	ER303TE	ER305TE
Systainer Case	1	9.CASEIII	9.CASEIII
Green Tech Filter	1	80.400/C	80.400/C
Backing pad Ø150	1	981.500	981.500
Internal systainer	1	9.1090	9.1090

**1.5 Sanders**

Skorpio E



Skorpio E

**RX253A/STD - RX253A/ST9**

Brushless electric random orbital sander - SKORPIO E

- RUPES sander with advanced brushless motor technology
- Quiet, extremely lightweight, and with a low vibration level maximizing operator comfort

TECHNICAL DATA	RX253A/STD	RX253A/ST9
Ø Orbit [mm]	3	3
Ø Backing pad [mm - in]	150	150
Thread	5/16"	5/16"
Holes	MULTIHOLE	MULTIHOLE
R.P.M	4000 - 10000	4000 - 10000
Electronic speed control	•	•
Power [W]	250	250
Insulation Class	1.2	1.2
Electrical Cord [m - ft]	5	9
Backing pad supplied	981.600	981.600

**RX253A/KIT A****Quantity****Code**

Abrasive Discs MP330 P240	100 Discs	9.33240
Abrasive Discs MP330 P320	100 Discs	9.33320
Abrasive Discs MP330 P500	100 Discs	9.33500

Packed in a RUPES carton box

**RX253A/KIT B****Quantity****Code**

Film HQ400 P400	100 Discs	9.45231
Film HQ400 P600	100 Discs	9.45233

Packed in a RUPES carton box

**RX253 BOX - Systainer****Quantity****Code**

Sander Skorpio E	1	RX253A/STD
Systainer Box	1	9.CASEIII
Internal systainer	1	9.1314

## 1.5 Sanders

Skorpio E



Skorpio E

### RX256A/STD - RX256A/ST9

Brushless electric random orbital sander - SKORPIO E

- First RUPES sander with advanced brushless motor technology
- Quiet, extremely lightweight, and with a low vibration level maximizing operator comfort

TECHNICAL DATA	RX256A/STD	RX256A/ST9
Ø Orbit [mm]	6	6
Ø Backing pad [mm - in]	150	150
Thread	5/16"	5/16"
Holes	MULTIHOLE	MULTIHOLE
R.P.M	4000 - 10000	4000 - 10000
Electronic speed control	•	•
Power [W]	250	250
Weight [kg]	1.2	1.2
Electrical Cord [m - ft]	5	9
Backing pad supplied	981.600	981.600



RX256A/KIT A	Quantity	Code
Abrasive Discs MP330 P120	100 Discs	9.33120
Abrasive Discs MP330 P240	100 Discs	9.33240
Abrasive Discs MP330 P320	100 Discs	9.33320

Packaged in a RUPES carton box



RX256A/KIT B	Quantity	Code
Film HQ400 P120 - 100pz	100 Discs	9.45224
Film HQ400 P280 - 100pz	100 Discs	9.45228

Packaged in a RUPES carton box



RX256 BOX - Systainer	Quantity	Code
Sander Skorpio E	1	RX256A/STD
Systainer Box	1	9.CASEIII
Internal systainer	1	9.1314



### SL42AES


Orbital sander

- Equipped with multihole rubber plate for optimal suction (400x70 mm)
- Powerful, well-balanced sander designed for smoothing and leveling surfaces
- High abrasive performance index
- Electronic module with speed control and overload control
- Velcro pads for velcro abrasives
- Prepared for connection to vacuum systems

#### TECHNICAL DATA

#### SL42AES

<b>Ø Orbit [mm]</b>	4.8
<b>Pad size [mm]</b>	400 x 70
<b>Power [W]</b>	550
<b>R.P.M.</b>	3000 - 7000
<b>Weight [kg]</b>	2,9
<b>Electronic speed control</b>	•
<b>Paper clipsen</b>	•
<b>Velcro pad</b>	•
<b>Central vacuum</b>	•
<b>Pad supplied</b>	619.153MH



### SSCA - SSCAVR

Orbital sanders

- built-in self-aspirating system
- Powerful and aggressive, ideal for smoothing and leveling surfaces
- Gear - driven motor for correct positioning of the center of gravity on axis with the base plate

#### TECHNICAL DATA


#### SSCA

#### SSCAVR

<b>Ø Orbit [mm]</b>	5	5
<b>Pad size [mm]</b>	210 x 115	225 x 115
<b>Power [W]</b>	350	350
<b>R.P.M.</b>	6000	6000
<b>Weight [kg]</b>	3,6	3,6
<b>Paper clips</b>	•	-
<b>Velcro pad</b>	-	•
<b>Self generated dust extraction</b>	•	•
<b>Pad supplied</b>	983.002	62.55MH



## 1.5 Sanders

**SSPF - SSPFVR - SSPF/NAS**

Orbital sanders

- Historic RUPES sanding machines, rugged and reliable
- Gear driven motor for correct positioning of the center of gravity on axis with the base plate
- SSPF/NAS, taped stator for better protection against metal dust

TECHNICAL DATA	SSPF	SSPFVR	SSPF/NAS
<b>Ø Orbit [mm]</b>	5	5	5
<b>Pad size [mm]</b>	210 x115	210 x115	210 x115
<b>Power [W]</b>	350	350	350
<b>R.P.M.</b>	6000	6000	6000
<b>Weight [kg]</b>	3,6	3,6	3,6
<b>Paper clips</b>	•	-	•
<b>Velcro pad</b>	-	•	-
<b>Central vacuum</b>	•	•	•
<b>Taped stator</b>	-	-	•
<b>Pad supplied</b>	983.002	62.55MH	983.002



**BR65AES**

Random orbital sander

- Lightweight and handy angle sander
- Random orbital motion to ensure the best sanding results
- Very low vibration due to excellent balance
- 5 mm orbit: good stock removal capacity

**TECHNICAL DATA****BR65AES**

<b>Ø Orbit [mm]</b>	5
<b>Ø Backing pad [mm - in]</b>	150
<b>Holes</b>	MULTIHOLE SLIM
<b>Power [W]</b>	550
<b>R.P.M.</b>	3000 - 7000
<b>Weight [kg]</b>	2,2
<b>Electronic speed control</b>	•
<b>Spindle thread</b>	5/16" - F
<b>Shaft locking button</b>	•
<b>Central vacuum</b>	•
<b>Backing pad supplied</b>	981.600

**BR106AES**

Random orbital sander

- Lightweight and maneuverable angle sander
- Very low vibration due to excellent balance
- Equipped with anti-spinning system, which makes the acceleration of the backing pad gradual in the starting phase

**TECHNICAL DATA****BR106AES**

<b>Ø Orbit [mm]</b>	6
<b>Ø Backing pad [mm - in]</b>	150
<b>Holes</b>	MULTIHOLE SLIM
<b>Power [W]</b>	550
<b>R.P.M.</b>	3000 - 7000
<b>Weight [kg]</b>	2,2
<b>Electronic speed control</b>	•
<b>Spindle thread</b>	M8 - F
<b>Central vacuum</b>	•
<b>Backing pad supplied</b>	981.500

## 1.5 Sanders

**BR109AES**

Random orbital sander

- Lightweight and maneuverable angle sander, medium removal
- Very low vibration due to excellent balance
- Equipped with anti-spinning system, which makes the acceleration of the backing pad gradual in the starting phase

TECHNICAL DATA	BR109AES
Ø Orbit [mm]	9
Ø Backing pad [mm - in]	150
Holes	MULTIHOLE SLIM
Power [W]	550
R.P.M.	3000 - 7000
Weight [kg]	2,2
Electronic speed control	•
Spindle thread	M8 - F
Central vacuum	•
Backing pad supplied	981.500

**BR112AES**

Random orbital sander

- Lightweight and handy sander, big removal
- Electronic module with speed and overload control
- Vacuum flow control

TECHNICAL DATA	BR112AES
Ø Orbit [mm]	12
Ø Backing pad [mm - in]	150
Holes	MULTIHOLE SLIM
Power [W]	550
R.P.M.	3000 - 7000
Weight [kg]	2,2
Electronic speed control	•
Spindle thread	M8 - F
Central vacuum	•
Backing pad supplied	981.500



### EK150AES

Gear driven dual action sander

- Excellent suction capacity of the dust produced
- Electronic module with speed regulation and overload control
- Prepared for connection to suction systems

TECHNICAL DATA	EK150AES
Ø Orbit [mm]	5
Ø Backing pad [mm - in]	150
Holes	8 + 6 + 1
Power [W]	550
R.P.M.	200 - 500
Stroke per minute	2800 - 7000
Weight [kg]	2,7
Electronic speed control	•
Central vacuum	•
Side handle	•
Backing pad supplied	981.100



### EK200AS

Gear driven dual action sander

- Excellent suction capacity of the dust produced
- Prepared for connection to suction systems
- Vacuum regulator that eliminates the "suction" effect of the backing pad on the surface

TECHNICAL DATA	EK200AS
Ø Orbit [mm]	5
Ø Backing pad [mm - in]	200
Holes	8
Power [W]	550
R.P.M.	500
Stroke per minute	7000
Weight [kg]	3,1
Electronic speed control	-
Central vacuum	•
Side handle	•
Backing pad supplied	912.279

## 1.6 Edge trimmer



### RP84

Edge trimmer

- Practical, handy and very reliable tool
- Front handle and knob to ensure a comfortable, secure grip and excellent control of the machine during all milling operations

TECHNICAL DATA	RP84
Ø Collet [mm]	6
Power [W]	350
R.P.M.	20000
Weight [kg]	2





### SR200AE

Glazing and brushing machine

- Adjustable guide rollers for precise machine feed along the surface
- Easy calibration of abrasive wheel or brush pressure
- Prepared for connection to a vacuum system

TECHNICAL DATA	SR200AE
Ø Abrasive wheel max [mm]	100
Power [W]	1100
R.P.M.	2000 - 4000
Weight [kg]	2,8
Electronic speed control	•
Ø Wheel holder shaft [mm]	19
Spindle thread	M14 - M
Central vacuum	•
Side handle	•



### Roller protection

Accessories for SR200

TECHNICAL DATA	829.204/C
Application	Wheel guard
Ø mm max	100
Grain	-
R.P.M.	-



### Rollers for stainless steel

Accessories for satin finishers

TECHNICAL DATA	9.NTM40	9.NTM80	9.NTLM	9.NTLC
Application	Stain. steel	Stain. steel	Stain. steel	Stain. steel
Ø mm	100	100	100	100
Grain	P40	P80	MEDIUM	COARSE
R.P.M. max	6800	6800	6800	6800



### Nylon abrasive rollers for wood

Accessories for satin finishers

TECHNICAL DATA	9.RNA46	9.RNA80
<b>Application</b>	Wood	Wood
<b>Ø mm</b>	100	100
<b>Grain</b>	46	80
<b>R.P.M. max</b>	6800	6800



### Steel wire abrasive rollers for wood

Accessories for satin finishers

TECHNICAL DATA	9.RFA03	9.RFA04
<b>Application</b>	Wood	Wood
<b>Ø mm</b>	100	100
<b>Ø Steel wire</b>	Ø 0,3	Ø 0,4
<b>R.P.M. max</b>	6800	6800




# 2.

## PNEUMATIC TOOLS






## 2.1 Sanders

**RS21A**

Orbital palm sander

- Designed for high abrasive power and optimum level of finish
- Light alloy stand and base for strength and vibration-free operation


TECHNICAL DATA	RS21A
Ø Orbit [mm]	3
Pad size [mm]	Delta
Working pressure [bar/PSIG]	6,2/90
Air consumption max [l/min.]	360
R.P.M.	0 - 11000
Weight [kg]	0,87
Electronic speed control	•
Velcro pad	•
Central vacuum	•
Air inlet thread	1/4"GAS
Pad supplied	985.002
Supplied	Oil and key

**RE21ACM**

Orbital palm sander

- Designed for connection to vacuum systems
- Designed for high abrasive power and optimal level of finish
- Light alloy stand and base for strength and vibration-free operation

TECHNICAL DATA	RE21ACM
Ø Orbit [mm]	3
Pad size [mm]	80x130
Working pressure [bar/PSIG]	6,2/90
Air consumption max [l/min.]	360
R.P.M.	0 - 11000
Weight [kg]	0,87
Electronic speed control	•
Paper clips	•
Velcro pad	•
Central vacuum	•
Air inlet thread	1/4"GAS
Pad supplied	986.007MH
Supplied	Oil and key




### RE21ALN

Orbital palm sander

- Designed for high abrasive power and optimum finishing level
- Equipped with multi-hole rubber plate for optimum suction (70x198 mm)
- Speed control valve

TECHNICAL DATA	RE21ALN
Ø Orbit [mm]	3
Pad size [mm]	70x198
Working pressure [bar/PSIG]	6,2/90
Air consumption max [l/min.]	360
R.P.M.	0 - 11000
Weight [kg]	0,85
Electronic speed control	•
Velcro pad	•
Central vacuum	•
Air inlet thread	1/4"GAS
Pad supplied	988.001MH
Supplied	Oil and key



### SLP41A

Orbital sander

- Continuous speed control valve
- Equipped with multi-hole rubber plate, 70x400, for optimal suction
- Designed for connection to suction systems

TECHNICAL DATA	SLP41A
Ø Orbit [mm]	4,8
Pad size [mm]	400x70
Working pressure [bar/PSIG]	6,2/90
Air consumption max [l/min.]	400
R.P.M.	4000 - 10000
Weight [kg]	2,4
Electronic speed control	•
Velcro	•
Central vacuum	•
Air inlet thread	1/4"GAS
Pad supplied	619.153MH
Supplied	Oil and key

## 2.1 Sanders

**LD30**

Mini orbital sander

- Mini orbital sander with  $\varnothing$  30 mm backing pad
- Angular machine body provides excellent grip and visibility of working parts
- Ideal for denibbing

TECHNICAL DATA	LD30
<b><math>\varnothing</math> Orbit [mm]</b>	1,5
<b><math>\varnothing</math> Backing pad [mm]</b>	30
<b>Working pressure [bar/PSIG]</b>	6,2/90
<b>Air consumption max [l/min.]</b>	130
<b>R.P.M.</b>	7500
<b>Weight [kg]</b>	0,65
<b>Thread</b>	M10 - F
<b>Air inlet thread</b>	1/4"GAS
<b>Backing pad supplied</b>	9P06.060 / 9P06.061 / 9P06.062

**TA50**

Mini random orbital sander

- Mini pneumatic orbital sander with velcro pad  $\varnothing$  50mm
- Lightweight and precise
- The angular design of the machine provides excellent grip and visibility of workpieces

TECHNICAL DATA	TA50
<b><math>\varnothing</math> Orbit [mm]</b>	3
<b><math>\varnothing</math> Backing pad [mm]</b>	50
<b>Working pressure [bar/PSIG]</b>	6,2/90
<b>Air consumption max [l/min.]</b>	330
<b>R.P.M.</b>	15000
<b>Weight [kg]</b>	0,65
<b>Thread</b>	M6 - F
<b>Air conveyor hose</b>	•
<b>Air inlet thread</b>	1/4"GAS
<b>Backing pad supplied</b>	9P01.046

## 2.1 Sanders

Skorpio III - 150 mm



### SKORPIO III Ø150mm RH353 - RH356 - RH359

Random orbital palm sanders

- Pneumatic sander without dust extraction capability, available in three versions
- Extremely well balanced tool featuring heavy-duty high-performance motor with double-row ball bearings

TECHNICAL DATA	RH353	RH356	RH359
Ø Orbit [mm]	3	6	9
Ø Backing pad [mm]	150	150	150
Working pressure [bar/PSIG]	6,2/90	6,2/90	6,2/90
Air cons. max [l/min.]	340	340	340
R.P.M.	0 - 11000	0 - 11000	0 - 11000
Weight [kg]	0,8	0,8	0,8
Speed control	•	•	•
Air inlet thread	1/4"GAS	1/4"GAS	1/4"GAS
Thread	M8 - F	M8 - F	M8 - F
Central vacuum	-	-	-
Backing pad supplied	981.500	981.500	981.500
Supplied	Oil and key	Oil and key	Oil and key



### SKORPIO III Ø150mm RH353A - RH356A

- RH359A Random orbital palm sanders

- Pneumatic sander configured for external dust extraction system available in three versions
- Extremely well balanced tool featuring heavy-duty high-performance motor with double-row ball bearings

TECHNICAL DATA	RH353A	RH356A	RH359A
Ø Orbit [mm]	3	6	9
Ø Backing pad [mm]	150	150	150
Working pressure [bar/PSIG]	6,2/90	6,2/90	6,2/90
Air cons. max [l/min.]	340	340	340
R.P.M.	0 - 11.000	0 - 11.000	0 - 11.000
Weight [kg]	0,8	0,8	0,8
Speed control	•	•	•
Air inlet thread	1/4"GAS	1/4"GAS	1/4"GAS
Thread	M8 - F	M8 - F	M8 - F
Central vacuum	Centralised	Centralised	Centralised
Backing pad supplied	981.500	981.500	981.500
Supplied	Oil and key	Oil and key	Oil and key

## 2.1 Sanders

Skorpio III - 150 mm



### SKORPIO III Ø150mm RH353T - RH356T

#### - RH359T Random orbital palm sanders

- Pneumatic sander with integrated dust extraction system (Venturi), available in three versions
- Extremely well balanced tool featuring heavy-duty high-performance motor with double-row ball bearings

TECHNICAL DATA	RH353T	RH356T	RH359T
Ø Orbit [mm]	3	6	9
Ø Backing pad [mm]	150	150	150
Working pressure [bar/PSIG]	6,2/90	6,2/90	6,2/90
Air cons. max [l/min.]	340	340	340
R.P.M.	0 - 11.000	0 - 11.000	0 - 11.000
Weight [kg]	0,8	0,8	0,8
Speed control	•	•	•
Air inlet thread	1/4"GAS	1/4"GAS	1/4"GAS
Thread	M8 - F	M8 - F	M8 - F
Central vacuum	Embedded	Embedded	Embedded
Backing pad supplied	981.500	981.500	981.500
Supplied	Oil and key	Oil and key	Oil and key



## 2.1 Sanders

Skorpio III - 125 mm



### SKORPIO III Ø125mm RH323 - RH326 - RH329

Random orbital palm sanders

- Pneumatic sander without dust extraction capability, available in three versions
- Extremely well balanced tool featuring heavy-duty high-performance motor with double-row ball bearings

TECHNICAL DATA	RH323	RH326	RH329
Ø Orbit [mm]	3	6	9
Ø Backing pad [mm]	125	125	125
Working pressure [bar/PSIG]	6,2/90	6,2/90	6,2/90
Air cons. max [l/min.]	340	340	340
R.P.M.	0 - 11000	0 - 11000	0 - 11000
Weight [kg]	0,8	0,8	0,8
Speed control	•	•	•
Air inlet thread	1/4"GAS	1/4"GAS	1/4"GAS
Thread	M8 - F	M8 - F	M8 - F
Vacuum	-	-	-
Backing pad supplied	980.015	980.015	980.015
Supplied	Oil and key	Oil and key	Oil and key



### SKORPIO III Ø125mm RH323A - RH326A

- RH329A Random orbital palm sanders

- Pneumatic sander configured for external dust extraction system available in three versions
- Extremely well balanced tool featuring heavy-duty high-performance motor with double-row ball bearings

TECHNICAL DATA	RH323A	RH326A	RH329A
Ø Orbit [mm]	3	6	9
Ø Backing pad [mm]	125	125	125
Working pressure [bar/PSIG]	6,2/90	6,2/90	6,2/90
Air cons. max [l/min.]	340	340	340
R.P.M.	0 - 11.000	0 - 11.000	0 - 11.000
Weight [kg]	0,8	0,8	0,8
Speed control	•	•	•
Air inlet thread	1/4"GAS	1/4"GAS	1/4"GAS
Thread	M8 - F	M8 - F	M8 - F
Vacuum	Centralised	Centralised	Centralised
Backing pad supplied	980.015	980.015	980.015
Supplied	Oil and key	Oil and key	Oil and key

**2.1 Sanders**

Skorpio III - 125 mm

**SKORPIO III Ø125mm RH323T - RH326T****- RH329T Random orbital palm sanders**

- Pneumatic sander with integrated dust extraction system (Venturi), available in three versions
- Extremely well balanced tool featuring heavy-duty high-performance motor with double-row ball bearings

TECHNICAL DATA	RH323T	RH326T	RH329T
Ø Orbit [mm]	3	6	9
Ø Backing pad [mm]	125	125	125
Working pressure [bar/PSIG]	6,2/90	6,2/90	6,2/90
Air cons. max [l/min.]	340	340	340
R.P.M.	0 - 11.000	0 - 11.000	0 - 11.000
Weight [kg]	0,8	0,8	0,8
Speed control	•	•	•
Air inlet thread	1/4"GAS	1/4"GAS	1/4"GAS
Thread	M8 - F	M8 - F	M8 - F
Vacuum	Centralised	Centralised	Centralised
Backing pad supplied	980.015	980.015	980.015
Supplied	Oil and key	Oil and key	Oil and key





## RA75 - RA75A

Random orbital palm sanders

- Extremely durable construction
- Ergonomic and compact design that minimizes clogging of the work surface
- Perfect for spot repair applications

TECHNICAL DATA	RA75	RA75A
Ø Orbit [mm]	3	3
Ø Backing pad [mm]	75	75
Holes	-	3
Working pressure [bar/PSIG]	6,2 / 90	6,2 / 90
Air consumption max [l/min.]	380	380
R.P.M	0 - 11000	0 - 11000
Weight [kg]	0,68	0,68
Speed control	•	•
Thread	5/16" - F	5/16" - F
Central vacuum	-	•
Air inlet thread	1/4"GAS	1/4"GAS
Backing pad supplied	990.003	990.012
Supplied	Oil and key	Oil and key



## RA150A

Random orbital palm sander

- Keyless pad quick release button
- Very high quality machine, lightweight, powerful, precise, quiet and very well balanced

TECHNICAL DATA	RA150A
Ø Orbit [mm]	5
Ø Backing pad [mm]	150
Holes	MULTIHOLE
Working pressure [bar/PSIG]	6,2/90
Air consumption max [l/min.]	380
R.P.M	0 - 11000
Weight [kg]	0,95
Speed control	•
Spindle thread	5/16" - F
Shaft locking button	•
Central vacuum	•
Air inlet thread	1/4"GAS
Backing pad supplied	981.600
Supplied	Oil and key



## 2.1 Sanders

**TA562AN**

Random orbital sander

- Tool start-up with adjustable valve
- Orbital movement
- Very low vibrations due to optimal balancing
- Suitable for machining large surfaces

TECHNICAL DATA	TA562AN
Ø Orbit [mm]	5,2
Ø Backing pad [mm]	200
Holes	8
Working pressure [bar/PSIG]	6,2/90
Air consumption max [l/min.]	400
R.P.M	4000 - 10000
Weight [kg]	2
Speed control	•
Central vacuum	•
Air inlet thread	1/4"GAS
Backing pad supplied	912.279
Supplied	Oil and key

**AK150A**

Gear driven dual action sander

- Pneumatic planetary sander with gear-driven motion for maximum stock removal speed
- Two-handed grip
- Tool start-up with adjustable valve

TECHNICAL DATA	AK150A
Ø Orbit [mm]	5
Ø Backing pad [mm]	150
Holes	8 + 6 + 1
Working pressure [bar/PSIG]	6,2/90
Air consumption max [l/min.]	400
R.P.M	250 - 700
Stroke per minute	3080 - 8400
Weight [kg]	1,7
Speed control	•
Central vacuum	•
Air inlet thread	1/4"GAS
Backing pad supplied	981.100
Supplied	Oil and key



## AK200A

Gear driven dual action sander

- Pneumatic planetary sander, is an eccentric rotary motion for maximum removal speed
- Two - handed handle
- Tool start with rotary valve

TECHNICAL DATA	AK200A
Ø Orbit [mm]	5
Ø Backing pad [mm]	200
Holes	8
Working pressure [bar/PSIG]	6,2/90
Air consumption max [l/min.]	400
R.P.M	350 - 900
Stroke per minute	4900 - 11200
Weight [kg]	2,3
Speed control	•
Central vacuum	•
Air inlet thread	1/4"GAS
Backing pad supplied	912.279
Supplied	Oil and key

## 2.2 Polishers

**LH76P**

Right angle polisher

- Case-hardened steel cylinder
- Particularly compact body
- Die-cast alloy motor

TECHNICAL DATA	LH76P
Ø Backing pad [mm]	75
Working pressure [bar/PSIG]	6,2/90
Air consumption max [l/min.]	644
R.P.M	5000
Weight [kg]	1
Thread [mm]	3/8"24TMale
Side handle	•
Air inlet thread	1/4"GAS
Backing pad supplied	9P26.058

**LHR75**

Mini random orbital polisher

- High-efficiency motor provides maximum torque
- Unique design and ergonomic lever for comfortable and secure grip
- On-board wrench for quick and easy tool maintenance

TECHNICAL DATA	LHR75
Ø Orbit [mm]	15 - 19/32"
Ø Backing pad [mm]	75 - 3"
Working pressure [bar/PSIG]	6,2/90
Air consumption max [l/min.]	320
R.P.M	0 - 11000
Weight [kg]	0,65 1,43
Speed control	•
Thread	M6 - F
Air inlet thread	1/4"GAS
Backing pad supplied	990.007
Supplied	Oil and key



3.

# CONSUMABLES AND ACCESSORIES





### 3.1 Sanding backing pads

For iBrid Nano polisher



#### Polishing backing pads Ø30 mm - Ø1.25"

For iBrid Nano

CODE	995.001 /C
Interface	Velcro
Holes	-
Hardness	Hard
Tool	iBrid Nano
Fitting	M8
Unit	1



#### Sanding backing pads Ø30 mm - Ø1.25"

For iBrid Nano

CODE	997.001 /C
Interface	Adhesive
Holes	-
Hardness	Soft
Tool	iBrid Nano
Fitting	M8
Unit	1



#### Polishing backing pads Ø50mm - Ø2"

For iBrid Nano

CODE	996.001 /C
Interface	Velcro
Holes	-
Hardness	Hard
Tool	iBrid Nano
Fitting	M8
Unit	1

### 3.1 Sanding backing pads

For iBrid Nano sander Q-Mag



#### Sanding backing pads Ø Delta

For Q - MAG

<b>CODE</b>	<b>981.393</b>
-------------	----------------

<b>Interface</b>	Velcro
<b>Holes</b>	-
<b>Hardness</b>	-
<b>Tool</b>	Q - MAG
<b>Fitting</b>	Magnetico
<b>Unit</b>	1



#### Sanding backing pads Ø75mm - Ø3"

For Q - MAG

<b>CODE</b>	<b>983.393</b>
-------------	----------------

<b>Interface</b>	Velcro
<b>Holes</b>	-
<b>Hardness</b>	-
<b>Tool</b>	Q - MAG
<b>Fitting</b>	Magnetico
<b>Unit</b>	1





### 3.1 Sanding backing pads



#### Sanding backing pads Ø30mm - Ø1.25"

For LD30 - LD32

CODE	9P06.060	9P06.061
<b>Interface</b>	Adhesive	Velcro
<b>Holes</b>	-	-
<b>Hardness</b>	Hard	Hard
<b>Tool</b>	LD30 - 32	LD30 - 32
<b>Fitting</b>	M10	M10
<b>Unit</b>	1	1



#### Sanding backing pads Ø30mm - Ø1.25"

For LD30 - LD32

CODE	9P06.062
<b>Interface</b>	Vel/Adh
<b>Holes</b>	-
<b>Hardness</b>	Soft
<b>Tool</b>	LD30 - 32
<b>Fitting</b>	M10
<b>Unit</b>	1



#### Sanding backing pads Ø50mm - Ø2"

For TA11 - TA50

CODE	9P01.046
<b>Interface</b>	Velcro
<b>Holes</b>	-
<b>Hardness</b>	Hard
<b>Tool</b>	TA11 - TA50
<b>Fitting</b>	M6
<b>Unit</b>	1



#### Sanding backing pads Ø50mm - Ø2"

For ROC50

CODE	9P23.024
<b>Interface</b>	Roloc
<b>Holes</b>	-
<b>Hardness</b>	-
<b>Tool</b>	ROC50
<b>Fitting</b>	1/4"F
<b>Unit</b>	1

### 3.1 Sanding backing pads



#### Sanding backing pads Ø75mm - Ø3"

For TA11 - TA50

CODE	9P01.055
------	----------

<b>Interface</b>	Velcro
<b>Holes</b>	-
<b>Hardness</b>	Hard
<b>Tool</b>	TA11 - TA50
<b>Fitting</b>	M6
<b>Unit</b>	1



#### Sanding backing pads Ø75mm - Ø3"

For ROC75

CODE	9P24.024
------	----------

<b>Interface</b>	Roloc
<b>Holes</b>	-
<b>Hardness</b>	-
<b>Tool</b>	ROC75
<b>Fitting</b>	1/4"F
<b>Unit</b>	1



#### Sanding backing pads Ø75mm - Ø3"

For RA75 - RA75A

CODE	990.003	990.012
------	---------	---------

<b>Interface</b>	Velcro	Velcro
<b>Holes</b>	-	3
<b>Hardness</b>	Soft	Soft
<b>Tool</b>	RA75	RA75A
<b>Fitting</b>	5/16"	5/16"
<b>Unit</b>	1	1



#### Sanding backing pads Ø125mm - Ø5"

For LR71 - HSE73

CODE	980.046
------	---------

<b>Interface</b>	Velcro
<b>Holes</b>	8 + 8 + 1
<b>Hardness</b>	Hard
<b>Tool</b>	LR71 - HSE73
<b>Fitting</b>	6 Viti
<b>Unit</b>	1



### 3.1 Sanding backing pads



#### Sanding backing pads Ø125mm - Ø5"

For RX2 - RA150

CODE	980.060	980.060/48
<b>Interface</b>	Velcro	Velcro
<b>Holes</b>	8 + 8 + 1	8 + 8 + 1
<b>Hardness</b>	Hard	Hard
<b>Tool</b>	RX2 - RA150	RX2 - RA150
<b>Fitting</b>	5/16"	5/16"
<b>Unit</b>	1	48



#### Sanding backing pads Ø125mm - Ø5"

For ER - RH - BR

CODE	980.050	980.050/48
<b>Interface</b>	Velcro	Velcro
<b>Holes</b>	8 + 8 + 1	8 + 8 + 1
<b>Hardness</b>	Hard	Hard
<b>Tool</b>	ER - RH - BR	ER - RH - BR
<b>Fitting</b>	M8	M8
<b>Unit</b>	1	48



#### Sanding backing pads Ø125mm - Ø5"

For ER - RH

CODE	980.015N	980.015N/48	980.035N
<b>Interface</b>	Velcro	Velcro	Velcro
<b>Holes</b>	8 + 8 + 1	8 + 8 + 1	MULTIHOLES
<b>Hardness</b>	Hard	Hard	Hard
<b>Tool</b>	ER - RH	ER - RH	ER - RH
<b>Fitting</b>	M8	M8	M8
<b>Unit</b>	1	48	1



#### Sanding backing pads Ø150mm - Ø6"

For AK - BK - EK - TK

CODE	981.100
<b>Interface</b>	Velcro
<b>Holes</b>	6 + 8 + 1
<b>Hardness</b>	Hard
<b>Tool</b>	AK - BK - EK - TK
<b>Fitting</b>	6 Viti
<b>Unit</b>	1

## 3.1 Sanding backing pads



## Sanding backing pads Ø150mm - Ø6"

For RX2 - RA

CODE	981.408	981.408/48
<b>Interface</b>	Velcro	Velcro
<b>Holes</b>	8 + 8 + 1	8 + 8 + 1
<b>Hardness</b>	Hard	Hard
<b>Tool</b>	RX2 - RA	RX2 - RA
<b>Fitting</b>	5/16"	5/16"
<b>Unit</b>	1	48



## Sanding backing pads Ø150mm - Ø6"

For ER - RH - BR

CODE	981.308N	981.308N/48
<b>Interface</b>	Velcro	Velcro
<b>Holes</b>	8 + 8 + 1	8 + 8 + 1
<b>Hardness</b>	Hard	Hard
<b>Tool</b>	ER - RH - BR	ER - RH - BR
<b>Fitting</b>	M8	M8
<b>Unit</b>	1	48



## Sanding backing pads Ø150mm - Ø6"

For BR - TA - RA

CODE	981.253	981.253/48
<b>Interface</b>	Velcro	Velcro
<b>Holes</b>	6 + 1	6 + 1
<b>Hardness</b>	Hard	Hard
<b>Tool</b>	BR - TA - RA	BR - TA - RA
<b>Fitting</b>	5/16"	5/16"
<b>Unit</b>	1	48



## Sanding backing pads Ø150mm - Ø6"

For ER - RH - BR

CODE	981.340N	981.340N/48
<b>Interface</b>	Velcro	Velcro
<b>Holes</b>	MULTIHOLES	MULTIHOLES
<b>Hardness</b>	Hard	Hard
<b>Tool</b>	ER - RH - BR	ER - RH - BR
<b>Fitting</b>	M8	M8
<b>Unit</b>	1	48

### 3.1 Sanding backing pads



#### Sanding backing pads Ø150mm - Ø6"

For ER - RH - BR

CODE	981.500	981.500/48
<b>Interface</b>	Velcro	Velcro
<b>Holes</b>	MULTIHOLES	MULTIHOLES
<b>Hardness</b>	Hard	Hard
<b>Tool</b>	ER - RH - BR	ER - RH - BR
<b>Fitting</b>	M8	M8
<b>Unit</b>	1	48



#### Sanding backing pads Ø150mm - Ø6"

For RX2 - RA150 - BR

CODE	981.600	981.600/48
<b>Interface</b>	Velcro	Velcro
<b>Holes</b>	MULTIHOLES	MULTIHOLES
<b>Hardness</b>	Hard	Hard
<b>Tool</b>	RX2 - RA150 - BR	RX2 - RA150 - BR
<b>Fitting</b>	5/16"	5/16"
<b>Unit</b>	1	48



#### Sanding backing pads Ø150mm - Ø6"

For ER - RH - BR

CODE	981.550	981.550/48
<b>Interface</b>	Velcro	Velcro
<b>Holes</b>	MULTIHOLES	MULTIHOLES
<b>Hardness</b>	Hard	Hard
<b>Tool</b>	ER - RH - BR	ER - RH - BR
<b>Fitting</b>	M8	M8
<b>Unit</b>	1	48



#### Sanding backing pads Ø150mm - Ø6"

For RX2 - RA150 - BR

CODE	981.650	981.650/48
<b>Interface</b>	Velcro	Velcro
<b>Holes</b>	MULTIHOLES	MULTIHOLES
<b>Hardness</b>	Hard	Hard
<b>Tool</b>	RX2 - RA150 - BR	RX2 - RA150 - BR
<b>Fitting</b>	5/16"	5/16"
<b>Unit</b>	1	48

## 3.1 Sanding backing pads



NEW

**Sanding backing pads Extra Grip Ø150mm - Ø6"**


For ER - RH - BR

CODE	981.510	981.510/48
<b>Interface</b>	Velcro	Velcro
<b>Holes</b>	MULTIHOLES	MULTIHOLES
<b>Hardness</b>	Hard	Hard
<b>Tool</b>	ER - RH - BR	ER - RH - BR
<b>Fitting</b>	M8	M8
<b>Unit</b>	1	48

**Sanding backing pads Extra Grip Ø150mm - Ø6"**

For RX2 - RA150 - BR

CODE	981.610	981.610/48
<b>Interface</b>	Velcro	Velcro
<b>Holes</b>	MULTIHOLES	MULTIHOLES
<b>Hardness</b>	Hard	Hard
<b>Tool</b>	RX2 - RA150 - BR	RX2 - RA150 - BR
<b>Fitting</b>	5/16"	5/16"
<b>Unit</b>	1	48

**Sanding backing pads Ø200mm - Ø7,87"**

For AK - BK - EK - TK

CODE	912.279	912.279H
<b>Interface</b>	Velcro	Velcro
<b>Holes</b>	8	8 + 1
<b>Hardness</b>	Hard	Hard +
<b>Tool</b>	AK - BK - EK - TK	AK - BK - EK - TK
<b>Fitting</b>	8 Viti	8 Viti
<b>Unit</b>	1	1

**Sanding backing pads Ø200mm - Ø7,87"**

For LH

CODE	86.098
<b>Interface</b>	Velcro
<b>Holes</b>	-
<b>Hardness</b>	Mousse
<b>Tool</b>	LH
<b>Fitting</b>	M14
<b>Unit</b>	1

## 3.2 Polishing backing pads

**Polishing backing pads for rotary Ø75mm - Ø3"**

For LH75P

CODE	9P08.060
Interface	Velcro
Holes	-
Hardness	Hard
Tool	LH75P
Fitting	5/16"
Unit	1

**Polishing backing pads for rotary Ø75mm - Ø3"**

For FR - LH

CODE	990.015
Interface	Velcro
Holes	-
Hardness	Hard
Tool	FR - LH
Fitting	M14
Unit	1

**Polishing backing pads for rotary Ø75mm - Ø3"**

For LH76P

CODE	9P26.058
Interface	Velcro
Holes	-
Hardness	Hard
Tool	LH76P
Fitting	3/8"
Unit	1

**Polishing backing pads for rotary Ø100mm - Ø4"**

For BA

CODE	923.91
Interface	Fibre disc
Holes	22mm
Hardness	-
Tool	BA
Fitting	M14
Unit	1

## 3.2 Polishing backing pads



### Polishing backing pads for rotary Ø115mm - Ø4,5"

For BA

CODE	92.91
------	-------

Interface	Fibre disc
Holes	22mm
Hardness	-
Tool	BA
Fitting	M14
Unit	1



### Polishing backing pads for rotary Ø125mm - Ø5"

For LH

CODE	992.500
------	---------

Interface	Velcro
Holes	-
Hardness	-
Tool	LH
Fitting	M14
Unit	1



### Polishing backing pads for rotary Ø150mm - Ø6"

For LH

CODE	992.600
------	---------

Interface	Velcro
Holes	-
Hardness	Hard
Tool	LH
Fitting	M14
Unit	1



### Polishing backing pads for rotary Ø165mm - Ø6,4"

For LH

CODE	992.650
------	---------

Interface	Velcro
Holes	-
Hardness	Hard
Tool	LH
Fitting	M14
Unit	1

## 3.2 Polishing backing pads



### Polishing backing pads for rotary Ø125mm - Ø5" (USA)

For LH

<b>CODE</b>	<b>982.500</b>
<b>Interface</b>	Velcro
<b>Holes</b>	-
<b>Hardness</b>	Hard
<b>Tool</b>	LH
<b>Fitting</b>	5/8"
<b>Unit</b>	1



### Polishing backing pads for rotary Ø150mm - Ø6" (USA)

For LH

<b>CODE</b>	<b>982.600</b>
<b>Interface</b>	Velcro
<b>Holes</b>	-
<b>Hardness</b>	-
<b>Tool</b>	LH
<b>Fitting</b>	5/8"
<b>Unit</b>	1



### Polishing backing pads for rotary Ø165mm - Ø6,4" (USA)

For LH

<b>CODE</b>	<b>982.650</b>
<b>Interface</b>	Velcro
<b>Holes</b>	-
<b>Hardness</b>	Hard
<b>Tool</b>	LH
<b>Fitting</b>	5/8"
<b>Unit</b>	1



### Polishing backing pads for rotary Ø178mm - Ø7"

For LH

<b>CODE</b>	<b>92.44</b>
<b>Interface</b>	Fibre disc
<b>Holes</b>	-
<b>Hardness</b>	Hard
<b>Tool</b>	LH
<b>Fitting</b>	M14
<b>Unit</b>	1

## 3.2 Polishing backing pads

**Polishing backing pads - D-A Ø75mm - Ø3"**

For LHR75 - LTA75 - HLR75

CODE	990.007
------	---------


<b>Interface</b>	Velcro
<b>Holes</b>	6
<b>Hardness</b>	Hard
<b>Tool</b>	LHR75 - LTA75 - HLR75
<b>Fitting</b>	M6
<b>Unit</b>	1

**Polishing backing pads - D-A Ø125mm - Ø5"**

For LHR150

CODE	9P05.041
------	----------

<b>Interface</b>	Velcro
<b>Holes</b>	6
<b>Hardness</b>	Hard
<b>Tool</b>	LHR150
<b>Fitting</b>	5/16"
<b>Unit</b>	1

**Polishing backing pads - D-A Ø125mm - Ø5"**

For LHR15 - LHR12 - LTA125

CODE	980.027N	980.027N/48
------	----------	-------------

<b>Interface</b>	Velcro	Velcro
<b>Holes</b>	MULTIHOLES	MULTIHOLES
<b>Hardness</b>	Hard	Hard
<b>Tool</b>	LHR15-LHR12 LTA125	LHR15-LHR12 LTA125
<b>Fitting</b>	M8	M8
<b>Unit</b>	1	1



## 3.2 Polishing backing pads

**Polishing backing pads - D-A Ø125mm - Ø5"**

For LK900 - LK125

CODE	980.037
Interface	Velcro
Holes	6 + 1
Hardness	Hard
Tool	LK900 - LK125
Fitting	6 Viti
Unit	1

**Polishing backing pads - D-A Ø150mm - Ø6"**

For LK900

CODE	981.089
Interface	Velcro
Holes	6 + 8 + 1
Hardness	Hard
Tool	LK900
Fitting	6 Viti
Unit	1

**Polishing backing pads - D-A Ø150mm - Ø6"**

For LHR21

CODE	981.321N	981.321N/48
Interface	Velcro	Velcro
Holes	MULTIHOLES	MULTIHOLES
Hardness	Hard	Hard
Tool	LHR21	LHR21
Fitting	M8	M8
Unit	1	1

## 3.2 Polishing backing pads


**NEW**


### Polishing backing pads PrecisionPro D-A Ø125mm - Ø5"

For iBrid HLR 15 and LHR 15 Mark V

CODE	980.710
------	---------

<b>Interface</b>	Velcro
<b>Holes</b>	-
<b>Hardness</b>	Hard
<b>Tool</b>	iBrid LHR 15 - LHR 15 MarkV
<b>Fitting</b>	M8
<b>Unit</b>	1

**NEW**


### Polishing backing pads PrecisionPro D-A Ø150mm - Ø6"

For iBrid HLR 21 and LHR 21 Mark V

CODE	981.710
------	---------

<b>Interface</b>	Velcro
<b>Holes</b>	-
<b>Hardness</b>	Hard
<b>Tool</b>	iBrid LHR 21 - LHR 21 MarkV
<b>Fitting</b>	M8
<b>Unit</b>	1





## NEW BACKING PADS PRECISIONPRO

These revolutionary backing pads have been meticulously designed to take your polishing experience to the next level. Without polyurethane, they not only bring durability to the forefront but also provide a lower center of gravity. This means enhanced stability during operation, allowing for greater control and precision in your work.

The rubber edge adds an extra layer of finesse to your polishing tasks, ensuring that even the most delicate surfaces are treated with care.

What truly sets our backing pads apart is their ability to guarantee better balancing, even with different polishing pads. This means you can effortlessly switch between various pads without compromising on performance or quality.

### LOWER CENTER OF GRAVITY

For superior stability and control

### RUBBER BORDER PROTECTION

For added surface protection and a smoother glide

### BALANCING VERSATILITY


Perfect balance with various polishing pads

Ø125 mm - 5" Part Number **980.710**

Ø150 mm - 6" Part Number **981.710**

### 3.3 Polishing pads

D-A series - Foam polishing pads



#### D-A SERIES Foam polishing pad Ø35 - 40 mm (1" - 1.5")

CODE	Description	Color	Quantity
9.DA40H/6	COARSE	Blue	1 pack with 6 pads
9.DA40H/48	COARSE	Blue	1 box with 48 pads
9.DA40B/6	INTERMEDIATE	Azure	1 pack with 6 pads
9.DA40B/48	INTERMEDIATE	Azure	1 box with 48 pads
9.DA40M/6	FINE	Yellow	1 pack with 6 pads
9.DA40M/48	FINE	Yellow	1 box with 48 pads
9.DA40S/6	ULTRA FINE	White	1 pack with 6 pads
9.DA40S/48	ULTRA FINE	White	1 box with 48 pads



#### D-A SERIES Foam polishing pad Ø50 - 70 mm (2" - 3")

CODE	Description	Color	Quantity
9.DA70H/4	COARSE	Blue	1 pack with 4 pads
9.DA70H/48	COARSE	Blue	1 box with 48 pads
9.DA70B/4	INTERMEDIATE	Azure	1 pack with 4 pads
9.DA70B/48	INTERMEDIATE	Azure	1 box with 48 pads
9.DA70M/4	FINE	Yellow	1 pack with 4 pads
9.DA70M/48	FINE	Yellow	1 box with 48 pads
9.DA70S/4	ULTRA FINE	White	1 pack with 4 pads
9.DA70S/48	ULTRA FINE	White	1 box with 48 pads




#### D-A SERIES Foam polishing pad Ø80 - 100 mm (3" - 4")

CODE	Description	Color	Quantity
9.DA100H	COARSE	Blue	1 pack with 1 pad
9.DA100H/48	COARSE	Blue	1 box with 48 pads
9.DA100B	INTERMEDIATE	Azure	1 pack with 1 pad
9.DA100B/48	INTERMEDIATE	Azure	1 box with 48 pads
9.DA100M	FINE	Yellow	1 pack with 1 pad
9.DA100M/48	FINE	Yellow	1 box with 48 pads
9.DA100S	ULTRA FINE	White	1 pack with 1 pad
9.DA100S/48	ULTRA FINE	White	1 box with 48 pads




### 3.3 Polishing pads

D-A series - Foam polishing pads



#### D-A SERIES Foam polishing pad Ø130 - 150 mm (5" - 6")

CODE	Description	Color	Quantity
<b>9.DA150H</b>	COARSE	Blue	1 pack with 1 pad
<b>9.DA150H/48</b>	COARSE	Blue	1 box with 48 pads
<b>9.DA150B</b>	INTERMEDIATE	Azure	1 pack with 1 pad
<b>9.DA150B/48</b>	INTERMEDIATE	Azure	1 box with 48 pads
<b>9.DA150M</b>	FINE	Yellow	1 pack with 1 pad
<b>9.DA150M/48</b>	FINE	Yellow	1 box with 48 pads
<b>9.DA150S</b>	ULTRA FINE	White	1 pack with 1 pad
<b>9.DA150S/48</b>	ULTRA FINE	White	1 box with 48 pads



#### D-A SERIES Foam polishing pad Ø160 - 180 mm (6" - 7")

CODE	Description	Color	Quantity
<b>9.DA180H</b>	COARSE	Blue	1 pack with 1 pad
<b>9.DA180H/48</b>	COARSE	Blue	1 box with 48 pads
<b>9.DA180B</b>	INTERMEDIATE	Azure	1 pack with 1 pad
<b>9.DA180B/48</b>	INTERMEDIATE	Azure	1 box with 48 pads
<b>9.DA180M</b>	FINE	Yellow	1 pack with 1 pad
<b>9.DA180M/48</b>	FINE	Yellow	1 box with 48 pads
<b>9.DA180S</b>	ULTRA FINE	White	1 pack with 1 pad
<b>9.DA180S/48</b>	ULTRA FINE	White	1 box with 48 pads



#### IMPORTANT NOTICE

- All pads are individually packaged in a resistant flow pack
- 48 foam pads individually packaged in 1 carton box



D-A INTERMEDIATE IN THE NEW FLOW PACK


# ECO-FRIENDLY

Paper flow pack 100% recyclable

CERTIFIED FOR SUSTAINABILITY FSC (Forest Stewardship Council)


### 3.3 Polishing pads

D-A series - Wool polishing pads



#### D-A SERIES Wool polishing pads Ø35 - 45 mm (1" - 1.5")

CODE	Description	Color	Quantity
<b>9.BW40H/4</b>	COARSE	Blue	1 pack with 4 pads
<b>9.BW40M/4</b>	MEDIUM	Yellow	1 pack with 4 pads



#### D-A SERIES Wool polishing pads Ø50 - 65 mm (2" - 2.5")

CODE	Description	Color	Quantity
<b>9.BW70H/4</b>	COARSE	Blue	1 pack with 4 pads
<b>9.BW70M/4</b>	MEDIUM	Yellow	1 pack with 4 pads




### 3.3 Polishing pads

D-A series - Wool polishing pads




**NEW**



#### D-A SERIES Wool polishing pads Ø80 mm (3")

CODE	Description	Color	Quantity
<b>9.NW80H</b>	COARSE	Blue	1 pack with 1 pad
<b>9.NW80H/48</b>	COARSE	Blue	1 box with 48 pads
<b>9.NW80M</b>	MEDIUM	Yellow	1 pack with 1 pad
<b>9.NW80M/48</b>	MEDIUM	Yellow	1 box with 48 pads

**NEW**



#### D-A SERIES Wool polishing pads Ø130 mm (5")

CODE	Description	Color	Quantity
<b>9.NW130H</b>	COARSE	Blue	1 pack with 1 pad
<b>9.NW130H/48</b>	COARSE	Blue	1 box with 48 pads
<b>9.NW130M</b>	MEDIUM	Yellow	1 pack with 1 pad
<b>9.NW130M/48</b>	MEDIUM	Yellow	1 box with 48 pads

**NEW**



#### D-A SERIES Wool polishing pads Ø160 mm (6")

CODE	Description	Color	Quantity
<b>9.NW160H</b>	COARSE	Blue	1 pack with 1 pad
<b>9.NW160H/48</b>	COARSE	Blue	1 box with 48 pads
<b>9.NW160M</b>	MEDIUM	Yellow	1 pack with 1 pad
<b>9.NW160M/48</b>	MEDIUM	Yellow	1 box with 48 pads



#### IMPORTANT NOTICE

- All pads are individually packaged in a resistant flow pack
- 48 foam pads individually packaged in 1 carton box

### 3.3 Polishing pads

D-A series - Microfiber polishing pads



**NEW**



40-1.5"  
Ømm-Ø in  
40-1.5"

#### D-A SERIES Microfiber polishing pads Ø40 mm (1.5")

CODE	Description	Color	Quantity
<b>9.MF40H/4</b>	COARSE	Blue	1 pack with 4 pads
<b>9.MF40M/4</b>	FINE	Yellow	1 pack with 4 pads
<b>9.MF40S/4</b>	ULTRA FINE	White	1 pack with 4 pads

**NEW**



60-2"  
Ømm-Ø in  
60-2"

#### D-A SERIES Microfiber polishing pads Ø60 mm (2")

CODE	Description	Color	Quantity
<b>9.MF60H/4</b>	COARSE	Blue	1 pack with 4 pads
<b>9.MF60M/4</b>	FINE	Yellow	1 pack with 4 pads
<b>9.MF60S/4</b>	ULTRA FINE	White	1 pack with 4 pads



85-3"  
Ømm-Ø in  
85-3"

#### D-A SERIES Microfiber polishing pads Ø85 mm (3")

CODE	Description	Color	Quantity
<b>9.MF80H</b>	COARSE	Blue	1 pack with 1 pad
<b>9.MF80H/48</b>	COARSE	Blue	1 box with 48 pads
<b>9.MF80M</b>	FINE	Yellow	1 pack with 1 pad
<b>9.MF80M/48</b>	FINE	Yellow	1 box with 48 pads
<b>9.MF80S</b>	ULTRA FINE	White	1 pack with 1 pad
<b>9.MF80S/48</b>	ULTRA FINE	White	1 box with 48 pads



### 3.3 Polishing pads

D-A series - Microfiber polishing pads



135-5"  
Ømm-Ø in  
135-5"

#### Microfiber polishing pads Ø135 mm (5")

CODE	Description	Color	Quantity
<b>9.MF130H</b>	COARSE	Blue	1 pack with 1 pad
<b>9.MF130H/48</b>	COARSE	Blue	1 box with 48 pads
<b>9.MF130M</b>	FINE	Yellow	1 pack with 1 pad
<b>9.MF130M/48</b>	FINE	Yellow	1 box with 48 pads
<b>9.MF130S</b>	ULTRA FINE	White	1 pack with 1 pad
<b>9.MF130S/48</b>	ULTRA FINE	White	1 box with 48 pads



160-6"  
Ømm-Ø in  
160-6"

#### Microfiber polishing pads Ø160 mm (6")

CODE	Description	Color	Quantity
<b>9.MF160H</b>	COARSE	Blue	1 pack with 1 pad
<b>9.MF160H/48</b>	COARSE	Blue	1 box with 48 pads
<b>9.MF160M</b>	FINE	Yellow	1 pack with 1 pad
<b>9.MF160M/48</b>	FINE	Yellow	1 box with 48 pads
<b>9.MF160S</b>	ULTRA FINE	White	1 pack with 1 pad
<b>9.MF160S/48</b>	ULTRA FINE	White	1 box with 48 pads



#### IMPORTANT NOTICE

- All pads are individually packaged in a resistant flow pack
- 48 foam pads individually packaged in 1 carton box

### 3.3 Polishing pads

Foam pads for rotary polishers



85-3"  
Ømm-Ø in  
90-3.5"

#### Rotary waffle foam pads Ø85 - 90 mm (3" - 3.5")

CODE	Description	Color	Quantity
9.WF90H	COARSE	Blue	1 pack with 1 pad
9.WF90H/48	COARSE	Blue	1 box with 48 pads
9.WF90M	FINE	Yellow	1 pack with 1 pad
9.WF90M/48	FINE	Yellow	1 box with 48 pads
9.WF90S	ULTRA FINE	White	1 pack with 1 pad
9.WF90S/48	ULTRA FINE	White	1 box with 48 pads



130-5"  
Ømm-Ø in  
140-5.5"

#### Rotary waffle foam pads Ø130 - 140 mm (5" - 5.5")

CODE	Description	Color	Quantity
9.WF150H	COARSE	Blue	1 pack with 1 pad
9.WF150H/48	COARSE	Blue	1 box with 48 pads
9.WF150M	FINE	Yellow	1 pack with 1 pad
9.WF150M/48	FINE	Yellow	1 box with 48 pads
9.WF150S	ULTRA FINE	White	1 pack with 1 pad
9.WF150S/48	ULTRA FINE	White	1 box with 48 pads



155-6"  
Ømm-Ø in  
165-6.5"

#### Rotary waffle foam pads Ø155 - 165 mm (6" - 6.5")

CODE	Description	Color	Quantity
9.WF180H	COARSE	Blue	1 pack with 1 pad
9.WF180H/48	COARSE	Blue	1 box with 48 pads
9.WF180M	FINE	Yellow	1 pack with 1 pad
9.WF180M/48	FINE	Yellow	1 box with 48 pads
9.WF180S	ULTRA FINE	White	1 pack with 1 pad
9.WF180S/48	ULTRA FINE	White	1 box with 48 pads



170-6.5"  
Ømm-Ø in  
180-7"

#### Rotary waffle foam pads Ø170 - 180 mm (6.5" - 7")

CODE	Description	Color	Quantity
9.WF200H	COARSE	Blue	1 pack with 1 pad
9.WF200H/48	COARSE	Blue	1 box with 48 pads
9.WF200M	FINE	Yellow	1 pack with 1 pad
9.WF200M/48	FINE	Yellow	1 box with 48 pads
9.WF200S	ULTRA FINE	White	1 pack with 1 pad
9.WF200S/48	ULTRA FINE	White	1 box with 48 pads




#### IMPORTANT NOTICE

- All pads are individually packaged in a resistant transparent flow pack with UV protection
- 48 foam pads individually packaged in 1 carton box

### 3.3 Polishing pads

Foam pads for rotary polishers




#### Foam polishing pads Ø80 mm (3")

CODE	Description	Color	Quantity
<b>9.BR90H</b>	COARSE	Blue	1 pack with 1 pad
<b>9.BR90H/48</b>	COARSE	Blue	1 box with 48 pads
<b>9.BR90M</b>	FINE	Yellow	1 pack with 1 pad
<b>9.BR90M/48</b>	FINE	Yellow	1 box with 48 pads
<b>9.BR90S</b>	ULTRA FINE	White	1 pack with 1 pad
<b>9.BR90S/48</b>	ULTRA FINE	White	1 box with 48 pads



#### Foam polishing pads Ø135 mm (5")

CODE	Description	Color	Quantity
<b>9.BR150H</b>	COARSE	Blue	1 pack with 1 pad
<b>9.BR150H/48</b>	COARSE	Blue	1 box with 48 pads
<b>9.BR150M</b>	FINE	Yellow	1 pack with 1 pad
<b>9.BR150M/48</b>	FINE	Yellow	1 box with 48 pads
<b>9.BR150S</b>	ULTRA FINE	White	1 pack with 1 pad
<b>9.BR150S/48</b>	ULTRA FINE	White	1 box with 48 pads



#### Foam polishing pads Ø160 mm (6")

CODE	Description	Color	Quantity
<b>9.BR180H</b>	COARSE	Blue	1 pack with 1 pad
<b>9.BR180H/48</b>	COARSE	Blue	1 box with 48 pads
<b>9.BR180M</b>	FINE	Yellow	1 pack with 1 pad
<b>9.BR180M/48</b>	FINE	Yellow	1 box with 48 pads
<b>9.BR180S</b>	ULTRA FINE	White	1 pack with 1 pad
<b>9.BR180S/48</b>	ULTRA FINE	White	1 box with 48 pads



#### Foam polishing pads Ø180 mm (7")

CODE	Description	Color	Quantity
<b>9.BR200H</b>	COARSE	Blue	1 pack with 1 pad
<b>9.BR200H/48</b>	COARSE	Blue	1 box with 48 pads
<b>9.BR200M</b>	FINE	Yellow	1 pack with 1 pad
<b>9.BR200M/48</b>	FINE	Yellow	1 box with 48 pads
<b>9.BR200S</b>	ULTRA FINE	White	1 pack with 1 pad
<b>9.BR200S/48</b>	ULTRA FINE	White	1 box with 48 pads




#### IMPORTANT NOTICE

- All pads are individually packaged in a resistant flow pack
- 48 foam pads individually packaged in 1 carton box




### 3.3 Polishing pads

Wool pads for rotary polishers - Cut & finish




#### Cut & finish wool polishing pads for backing Ø75mm Ø3"

CODE	Description	Color	Quantity
<b>9.BL80F</b>	CUT&FINISH	White	1 pack with 1 pad
<b>9.BL80F/48**</b>	CUT&FINISH	White	1 box with 48 pads




#### Cut & finish wool polishing pads for backing Ø125mm Ø5"

CODE	Description	Color	Quantity
<b>9.BL150F</b>	CUT&FINISH	White	1 pack with 1 pad
<b>9.BL150F/48</b>	CUT&FINISH	White	1 box with 48 pads



#### Cut & finish wool polishing pads for backing Ø150mm Ø6"

CODE	Description	Color	Quantity
<b>9.BL180F</b>	CUT&FINISH	White	1 pack with 1 pad
<b>9.BL180F/48</b>	CUT&FINISH	White	1 box with 48 pads



#### Cut & finish wool polishing pads for backing Ø165mm Ø6.5"

CODE	Description	Color	Quantity
<b>9.BL200F</b>	CUT&FINISH	White	1 pack with 1 pad
<b>9.BL200F/48</b>	CUT&FINISH	White	1 box with 48 pads



#### IMPORTANT NOTICE

- All pads are individually packaged in a resistant transparent flow pack with UV protection
- 48 foam pads individually packaged in 1 carton box

### 3.3 Polishing pads

Wool pads for rotary polishers - Twisted




#### Twisted wool polishing pads for backing Ø125mm Ø5"

CODE	Description	Color	Quantity
<b>9.BL180H</b>	COARSE	Blue / White	1 pack with 1 pad
<b>9.BL180H/48</b>	COARSE	Blue / White	1 box with 48 pads



#### Twisted wool polishing pads for backing Ø150mm Ø6"

CODE	Description	Color	Quantity
<b>9.BL200H</b>	COARSE	Blue / White	1 pack with 1 pad
<b>9.BL200H/48</b>	COARSE	Blue / White	1 box with 48 pads



#### Twisted wool polishing pads for backing Ø165mm Ø6.5"

CODE	Description	Color	Quantity
<b>9.BL230H</b>	COARSE	Blue / White	1 pack with 1 pad
<b>9.BL230H/48</b>	COARSE	Blue / White	1 box with 48 pads




#### IMPORTANT NOTICE

- All pads are individually packaged in a resistant transparent flow pack with UV protection
- 48 foam pads individually packaged in 1 carton box



### 3.4 Polishing Compounds

D-A Series




#### D-A COARSE

High performance COARSE cutting compound

- Fast defect removal with extreme ease of use on all paint types
- Formula containing special lubricants to ensure longer polishing cycles
- Reduced polishing dust and easy removal of residues

CODE	9.DACOARSE250	9.DACOARSE	9.DACOARSE5L
<b>Description</b>	COARSE	COARSE	COARSE
<b>Dimensions</b>	250 mL	1000 mL	5 L
<b>Unit</b>	1 Bottle	1 Bottle	1 Tank
<b>Units per pack</b>	12 Bottles	6 Bottles	2 Tanks
<b>Orders multiple of</b>	12 Bottles	6 Bottles	2 Tanks



#### D-A FINE

High performance FINE polishing compound

- New micro - abrasive technology for improved cutting capacity
- Easy to remove, minimising marks on soft or delicate paints
- Use as 2nd polishing step after D-A COARSE paste

CODE	9.DAFINE250	9.DAFINE	9.DAFINE5L
<b>Description</b>	FINE	FINE	FINE
<b>Dimensions</b>	250 mL	1000 mL	5 L
<b>Unit</b>	1 Bottle	1 Bottle	1 Tank
<b>Units per pack</b>	12 Bottles	6 Bottles	2 Tanks
<b>Orders multiple of</b>	12 Bottles	6 Bottles	2 Tanks


# UNO Series





### 3.4 Polishing Compounds

UNO Series




#### UNO PURE

Universal ultra-finishing polish

- Easy to use and easy removal of residues
- Suitable for all types of paint, including: single - step, clear, hard, soft or sticky
- No added protection, leaves the finish ready for application of a protective product

CODE	9.PURE250	9.PURE	9.PURE5L
<b>Description</b>	Ultra-Fine	Ultra-Fine	Ultra-Fine
<b>Dimensions</b>	250 mL	1000 mL	5 L
<b>Unit</b>	1 Bottle	1 Bottle	1 Tank
<b>Units per pack</b>	12 Bottles	6 Bottles	2 Tanks
<b>Orders multiple of</b>	12 Bottles	6 Bottles	2 Tanks




#### UNO PROTECT

One step polish & sealant

- Removes mild to moderate imperfections in a single pass
- Polishes the surface, imparting high levels of gloss and colour depth
- Provides long - lasting protection, up to 90 days, thanks to a mix of high quality waxes

CODE	9.PROTECT250	9.PROTECT	9.PROTECT5L
<b>Description</b>	Polish & Sealant	Polish & Sealant	Polish & Sealant
<b>Dimensions</b>	250 mL	1000 mL	5 L
<b>Unit</b>	1 Bottle	1 Bottle	1 Tank
<b>Units per pack</b>	12 Bottles	6 Bottles	2 Tanks
<b>Orders multiple of</b>	12 Bottles	6 Bottles	2 Tanks



#### UNO ADVANCED


Stand alone protection & maintenance polish

- Highly technical micro-abrasive technology fused with state-of-the-art nano protection
- It can remove minor imperfection while creating a durable layer of protection that lasts up to 12 months

CODE	9.ADVANCED250	9.ADVANCED
<b>Description</b>	Protection & Maintenance Polish	Protection & Maintenance Polish
<b>Dimensions</b>	250 mL	1000 mL
<b>Unit</b>	1 Bottle	1 Bottle
<b>Units per pack</b>	12 Bottles	6 Bottles
<b>Orders multiple of</b>	12 Bottles	6 Bottles

## 3.4 Polishing Compounds

MILLE Series




### MILLE COARSE

COARSE universal polishing compound

- Ideal for industrial environments and fast cutting applications
- High performance compound, the most aggressive in the Mille range

CODE	9.BGCOARSE250	9.BGCOARSE	9.BGCOARSE5L
<b>Description</b>	COARSE	COARSE	COARSE
<b>Dimensions</b>	250 mL	1000 mL	5 L
<b>Unit</b>	1 Bottle	1 Bottle	1 Tank
<b>Units per pack</b>	12 Bottles	6 Bottles	2 Tanks
<b>Orders multiple of</b>	12 Bottles	6 Bottles	2 Tanks



### MILLE FINE

FINE universal polishing compound

- It can remove moderate-to-fine imperfections, while leaving a high-gloss finish without holograms
- It provides a smooth user experience with all polisher movements

CODE	9.BGFINE250	9.BGFINE	9.BGFINE5L
<b>Description</b>	FINE	FINE	FINE
<b>Dimensions</b>	250 mL	1000 mL	5 L
<b>Unit</b>	1 Bottle	1 Bottle	1 Tank
<b>Units per pack</b>	12 Bottles	6 Bottles	2 Tanks
<b>Orders multiple of</b>	12 Bottles	6 Bottles	2 Tanks



### MILLE Black Line


COARSE universal polishing compound, for dark paints and carbon fibre

- Cutting compound specially designed to polish dark paint systems, carbon fibers and composite materials
- This versatile and universal compound allows to correct severe defects and sanding marks

CODE	9.BGCOARSEBL	9.BGCOARSEBL5L
<b>Description</b>	COARSE	COARSE
<b>Dimensions</b>	1000 mL	5 L
<b>Unit</b>	1 Bottle	1 Tank
<b>Units per pack</b>	6 Bottles	2 Tanks
<b>Orders multiple of</b>	6 Bottles	2 Tanks

### 3.4 Polishing Compounds

ROTARY Series




#### ROTARY COARSE

COARSE polishing compound rotary polishers

- Versatile and universal, allows even deep scratches to be removed
- Good creaminess that allows you to always work in optimal conditions without creating dust

CODE	9.BRCOARSE250	9.BRCOARSE	9.BRCOARSE5L
<b>Description</b>	COARSE	COARSE	COARSE
<b>Dimensions</b>	250 mL	1000 mL	5 L
<b>Unit</b>	1 Bottle	1 Bottle	1 Tank
<b>Units per pack</b>	12 Bottles	6 Bottles	2 Tanks
<b>Orders multiple of</b>	12 Bottles	6 Bottles	2 Tanks




#### ROTARY FINE

FINE polishing compound for rotary polishers

- Ideal product for achieving the right mix of cut and finish
- Specifically formulated for perfect finishes even on particularly hard clear coats

CODE	9.BRFINE250	9.BRFINE	9.BRFINE5L
<b>Description</b>	FINE	FINE	FINE
<b>Dimensions</b>	250 mL	1000 mL	5 L
<b>Unit</b>	1 Bottle	1 Bottle	1 Tank
<b>Units per pack</b>	12 Bottles	6 Bottles	2 Tanks
<b>Orders multiple of</b>	12 Bottles	6 Bottles	2 Tanks



#### ROTARY Black Line

COARSE polishing compound for dark paints and carbon fibre


- Cutting compound specially designed to polish dark paint systems, carbon fibers and composite materials
- This rotary compound allows to correct severe defects and sanding marks

CODE	9.BRCOARSEBL	9.BRCOARSEBL5L
<b>Description</b>	COARSE	COARSE
<b>Dimensions</b>	1000 mL	5 L
<b>Unit</b>	1 Bottle	1 Tank
<b>Units per pack</b>	6 Bottles	2 Tanks
<b>Orders multiple of</b>	6 Bottles	2 Tanks

### 3.4 Polishing Compounds



**NEW**



#### XC-2 XTRA CUT COMPOUND

Superior performance on gelcoat and other high-solid industrial finishes

- Faster defects removal
- Improved finish and optimized clarity
- Superior performance on solid surfaces
- Better emulsion for easy wipe off

CODE	9.XC2/1KG	9.XC2/4,5KG
<b>Description</b>	XTRA CUT	XTRA CUT
<b>Dimensions</b>	1kg	4,5kg
<b>Unit</b>	1 Bottle	1 Tank
<b>Units per pack</b>	6 Bottles	2 Tanks
<b>Orders multiple of</b>	6 Bottles	2 Tanks





## 3.5 Residue remover



### REVEAL LITE

Formulated for surface preparation and cleaning

- Optimised surface preparation and cleaning product specifically formulated to remove residues, waxes, coverings and other contaminants left on surfaces before or after polishing

CODE	9.REVEALM750	9.REVEALM5L
<b>Description</b>	REVEAL LITE	REVEAL LITE
<b>Dimensions</b>	750 mL	5 L
<b>Unit</b>	1 Bottle	1 Tank
<b>Units per pack</b>	6 Bottles	2 Tanks
<b>Orders multiple of</b>	6 Bottles	2 Tanks



### REVEAL STRONG

Formulated for surface preparation and cleaning

- Formulated to remove the most stubborn residues, fillers, adhesives, oily residues; REVEAL STRONG shows the true condition of the surface to be polished, removing everything that can mask defects

CODE	9.REVEALH750	9.REVEALH5L
<b>Description</b>	REVEAL STRONG	REVEAL STRONG
<b>Dimensions</b>	750 mL	5 L
<b>Unit</b>	1 Bottle	1 Tank
<b>Units per pack</b>	6 Bottles	2 Tanks
<b>Orders multiple of</b>	6 Bottles	2 Tanks



NEW



### WASH & DECONTAMINATION MITT

All-in-one solution to wash and decontaminate

- Helps you save time and effort with dual-purpose design
- Prepares the surface for paint correction and/or application of surface protection
- Removes road grime and embedded surface contamination

CODE	9.CLAYMITT
------	------------

<b>Description</b>	RUPES Washing and Decontamination Glove
<b>Dimensions</b>	22cm (L) x 33cm (H)
<b>Unit</b>	1 pz



### M707

Carnauba high gloss protective shampoo

- High - quality shampoo containing a high percentage of genuine carnauba wax
- The combined action of wax and cleanser guarantees efficient vehicle cleaning, protection from environmental contamination and increased shine in one step

CODE	9.CCM707	9.CCM707T/2
------	----------	-------------

<b>Description</b>	Carnauba High Gloss Protective Shampoo	
<b>Dimensions</b>	500 mL	2 x 5 L
<b>Unit</b>	1 Bottle	Tank (x2)
<b>Units per pack</b>	1 Bottle	2 Tanks



### M101

High concentrated detailing shampoo

- Designed to be extremely effective in removing stubborn dirt and preparing the bodywork for the polishing and detailing process

CODE	9.CCM101	9.CCM101T/2
------	----------	-------------

<b>Description</b>	High Concentrated Detailing Shampoo	
<b>Dimensions</b>	500 mL	2 x 5 L
<b>Unit</b>	1 Bottle	Tank (x2)
<b>Units per pack</b>	1 Bottle	2 Tanks



### M501

Multi purpose degreaser

- Effective for degreasing the car's engine compartment or the inside of wheel arches (recommended dilution 1:5), yet gentle enough to be used directly on the leather of the seats or cabin plastics

CODE	9.CCM501	9.CCM501T/2
------	----------	-------------

<b>Description</b>	Multi Purpose Degreaser	
<b>Dimensions</b>	500 mL	2 x 5 L
<b>Unit</b>	1 Bottle	Tank (x2)
<b>Units per pack</b>	1 Bottle	2 Tanks



## 3.6 Car Care Products



### M606

Rapid cleaner detailer

- Ready - to - use cleaner, suitable for all types of exterior car surfaces (bodywork, rubber, chrome profiles, plastics, wheels)
- The lubricants used in the formulation protect against unintentional micro - scratches

CODE	9.CCM606	9.CCM606T/2
<b>Description</b>	Rapid Cleaner Detailer	Rapid Cleaner Detailer
<b>Dimensions</b>	500 mL	2 x 5 L
<b>Unit</b>	1 Bottle	Tank (x2)
<b>Units per pack</b>	1 Bottle	2 Tanks



### P808

Protective sealant

- Resistant protective film on car bodywork
- Protection for up to 6 months from the most common sources of environmental contamination
- Increases the brilliance of the bodywork

CODE	9.CCP808	9.CCP808T/2
<b>Description</b>	Protective Sealant	Protective Sealant
<b>Dimensions</b>	500 mL	2 x 5 L
<b>Unit</b>	1 Bottle	Tank (x2)
<b>Units per pack</b>	1 Bottle	2 Tanks



### G401

Glass cleaner

- Suitable for any type of glass: both original and after - market, even tinted
- Dirt residues and oily patinas are easily dissolved and removed in a single pass, leaving no halo

CODE	9.CCG401	9.CCG401T/2
<b>Description</b>	Glass Cleaner	Glass Cleaner
<b>Dimensions</b>	500 mL	2 x 5 L
<b>Unit</b>	1 Bottle	Tank (x2)
<b>Units per pack</b>	1 Bottle	2 Tanks



### G202

Crystal glass polish

- Extremely fine abrasive paste that really deep - cleans the glass without scratching it and thus substantially improving its transparency
- Suitable for removing limescale stains from the outer surface of windscreen and side windows

CODE	9.CCG202
<b>Description</b>	Crystal Glass Polish (1 Foam Applicator included)
<b>Dimensions</b>	150 mL
<b>Unit</b>	1 Bottle
<b>Units per pack</b>	1 Bottle



## 3.6 Car Care Products



### L301

Leather fast cleaner

- Specially formulated for use on all leather upholstery in the car
- Safely removes stubborn dirt while moisturising and protecting surfaces, restoring them to their original shine

CODE	9.CCL301	9.CCL301T/2
<b>Description</b>	Leather Fast Cleaner	
<b>Dimensions</b>	500 mL	2 x 5 L
<b>Unit</b>	1 Bottle	Tank (x2)
<b>Units per pack</b>	1 Bottle	2 Tanks



### DOUBLE CLEAN

High - concentrated cleaner for car wash

- Two - component cleaner for washing cars, trucks and workshop floors, engine compartments
- On particularly greasy dirt, spray and leave to act
- Can also be used as an anti - silicone prior to painting

CODE	9.CCDCLEAN/5l	9.CCDCLEAN/25l
<b>Description</b>	High-concentration detergent	
<b>Dimensions</b>	5 L	25 L
<b>Unit</b>	1 Tank	1 Tank
<b>Orders multiple of</b>	4 Tanks	1 Tank



### DETERSOL

No foam detergent

- The excellent cleaning power and low foaminess of the product ensure effective and rapid work and a delicate fragrance remains in the environment
- Takes advantage of the mechanical action due to the force with which it is sprayed

CODE	100.1607/4
<b>Description</b>	No foam detergent (CK 31), 1 Carton with 4 Tanks
<b>Dimensions</b>	4 x 5 L
<b>Unit</b>	Tank (x4)
<b>Units per pack</b>	4 Tanks

### 3.7 Accessories

iBrid HLR15 & HLR21



**NEW**



#### Power supply for iBrid HLR15 & HLR21

**CODE** 9HP185LT

**Description** Power Supply  
**Cable length [mt]** 5

**NEW**



#### Dual battery charger for iBrid HLR15 & HLR21

**CODE** 9HC185LT

**Description** Charger

**NEW**



#### Battery for iBrid HLR15 & HLR21

**CODE** 9HB185LT

**Description** Rechargeable power pack  
**Volt [VDC] Amp [Ah]** 18 V - 5Ah

### 3.7 Accessories

HLR 75 &amp; Sanders HS Series with iBrid Technology



#### Power supply for HLR75 iBrid Mini & Sanders HS Series

<b>CODE</b>	<b>9HP180LT</b>
<b>Description</b>	Power Supply
<b>Cable length [mt]</b>	5



#### Battery charger for HLR75 iBrid Mini & Sanders HS Series

<b>CODE</b>	<b>9HC180LT</b>
<b>Description</b>	Charger



#### Battery for HLR75 iBrid Mini & Sanders HS Series

<b>CODE</b>	<b>9HB180LT</b>
<b>Description</b>	Rechargeable power pack
<b>Volt [VDC] Amp [Ah]</b>	18 V - 2.5Ah

## 3.7 Accessories

iBrid Nano



### Power supply for BigFoot iBrid Nano

<b>CODE</b>	<b>9HP120LT</b>
-------------	-----------------

<b>Description</b>	Power Supply
<b>Cable length [mt]</b>	5



### Battery charger for BigFoot iBrid Nano

<b>CODE</b>	<b>9HC120LT</b>
-------------	-----------------

<b>Description</b>	Charger
--------------------	---------



### Battery for BigFoot iBrid Nano

<b>CODE</b>	<b>9HB125LT</b>
-------------	-----------------

<b>Description</b>	Rechargeable power pack
<b>Volt [VDC] Amp [Ah]</b>	10.8 V - 2.5Ah



### Accessory case for BigFoot iBrid Nano

<b>CODE</b>	<b>9.Z987/BF</b>
-------------	------------------

<b>Description</b>	Accessories Case with container*
--------------------	----------------------------------

\*Accessories not included



### BigFoot iBrid Nano cleaning cup brushes

<b>CODE</b>	<b>9.BF3015/6</b>	<b>9.BF3030/6</b>	<b>9.BF3000/6</b>
-------------	-------------------	-------------------	-------------------

<b>Description</b>	NYLON SOFT	NYLON HARD	HORSEHAIR MEDIUM
<b>Dimensions</b>	Ø30	Ø30	Ø30
<b>Unit</b>	1 carton with 6 brushes		

### 3.7 Accessories



iBrid Nano



#### Extension for BigFoot iBrid Nano

CODE	291.390/C
------	-----------

Description	70mm length - M8 = F - M6 = M Extension Shaft
-------------	--



#### Rotary functional unit for BigFoot iBrid Nano

CODE	562.390
------	---------

Description	Rotary Fuctional Unit
-------------	-----------------------



#### Orbit functional unit for BigFoot iBrid Nano

CODE	581.390/C
------	-----------

Description	3mm orbit Fuctional Unit
-------------	--------------------------



#### Orbit functional unit for BigFoot iBrid Nano

CODE	58.390/C
------	----------

Description	12mm orbit Fuctional Unit
-------------	---------------------------



#### Abrasives for BigFoot iBrid Nano

CODE	9.45520/100	9.45530/100
------	-------------	-------------

Description	Adhesive Disc for Denibbing - Ø35mm - P2000 (100 Pcs)	Adhesive Disc for Denibbing - Ø35mm - P3000 (100 Pcs)
-------------	---	---

## 3.7 Accessories

Sanders



**GREEN  
TECH  
FILTER**

### GREEN TECH filter

For electric and pneumatic sander

CODE	Description
<b>80.400/C</b>	Green Tech Filter
<b>INCLUDED</b>	<b>Q.ty</b>
88.400 - Filter cartridge	1



### Filter unit for electric and pneumatic sanders

CODE	Description
<b>80.400/KIT</b>	Filter unit kit
<b>80.400/KIT - INCLUDED</b>	<b>Q.ty</b>
9.Z906 - Filter holder	1
80.400/C - Filter unit	1
9.1266/C Hose Ø25mm - 1,3 mt	1



**GREEN  
TECH  
FILTER**

### GREEN TECH filters

For iBrid sanders - HS series

CODE	Description
<b>80.436/C</b>	Green Tech Filter for iBrid Sanders
<b>INCLUDED</b>	<b>Q.ty</b>
88.436 - Filter cartridge for iBrid Sanders	1



### Filter unit for iBrid sanders - HS series

CODE	Description
<b>80.436/KIT</b>	Filter unit kit for iBrid Sanders
<b>80.436/KIT - INCLUDED</b>	<b>Q.ty</b>
9.Z906 - Filter holder	1
80.436/C - Filter unit	1
9.1266/C Hose Ø25mm - 1,3 mt	1

### 3.7 Accessories

Sanders



#### Accessories for filter units

CODE	9.1266/C	9.2906
Description	Hose Ø25mm	Filter holder
Lenght	1,3m	-





### No vibration side handle

CODE	81.322/C	81.326
<b>Description</b>	Complete side handle	Handle
<b>Thread</b>	M8	M10
<b>Tool</b>	BA - LH16EN/ LH18ENS - GL040/GL080	GL - GM - LH22/ LH31/LH32/LH232



### Conical ring nut x vulkofix BA15

CODE	936.91
<b>Description</b>	For Vulkofix
<b>Tool</b>	923.91 - 92.91



### Air regulator black

CODE	9P03.060
<b>Description</b>	Pneumatic tool speed control



### Lubricat oil

CODE	9.1640/5
<b>Description</b>	Lubricant/detergent oil, 5 bottles 50ml each





**3.7 Accessories**



**CARRIER**  
**Polishing trolley with three drawers**

CODE CARRIER

**INCLUDED** **Q.tà**

Transport handle - CAR/HANDLE/STD	1
Fixed & mobile base - CAR/TRoLLEY/STD	1
Additional module - CAR/MODULE/STD	2
Polishing module with 230v socket - CAR/POLISHING/STD	1



**Base trolley**

Module with 1 drawer, 2 large wheels and 2 castor wheels

CODE CAR/TROLLEY/STD



**Additional module**

Module with 1 drawer

CODE CAR/MODULE/STD



**Polishing module**

With 230v socket

CODE CAR/POLISHING/STD



**Base fix & mobile**

Module with 1 drawer, 4 feet and 4 castor wheels

CODE CAR/FIX/STD

### 3.7 Accessories



#### Drawer

Drawer to accommodate tools and accessories

CODE

CAR/CASE/STD



#### Additional mode

Module without drawer

CODE

CAR/ELEMENT/STD



#### Fastener for modules

Fastener insert for wall system modules

CODE

025.1502



#### Handle

Transport handle

CODE

CAR/HANDLE/STD

**3.7 Accessories**



**NEW**



**LL200 swirl finder flashlight**

CODE	LL200
------	-------



**BigFoot detailing belt**

CODE	9.7884/BF
------	-----------



**BigFoot microfiber cloths**

CODE	Description	Quantity
<b>9.BF9050</b>	Cloth - Blue	1
<b>9.BF9060</b>	Cloth - Yellow	1
<b>9.BF9070</b>	Cloth - White	1
<b>9.BFMICROF2</b>	Cloth - Grey	1
<b>9.BF9022/10</b>	Cloths - Yellow	1 conf. 10 cloths



**BigFoot claw pad tool**

CODE	9.BF7001	9.BF7002
------	----------	----------

Description	9.BF7001	9.BF7002
	BigFoot Claw Pad Tool	BigFoot Claw Pad Tool with holder

### 3.7 Accessories



#### Wall mounted tool holder RUPES

CODE

9.HOLDER

*Mounting kit included*



#### Cable clamp RUPES

CODE

9.Z1024/25

*Pack 25pcs*





### BigFoot bag MarkIII

Black, semi - rigid bag with embroidered RUPES and BigFoot logos

<b>CODE</b>	<b>9.Z1043/BF</b>
-------------	-------------------

<b>Description</b>	Semirigid BigFoot bag
--------------------	-----------------------

<b>Dimension [cm]</b>	50L x 30H x 25P
-----------------------	-----------------



### Bag BigFoot

Black, semi - rigid bag with embroidered RUPES and BigFoot logos

<b>CODE</b>	<b>9.Z871/BF</b>
-------------	------------------

<b>Description</b>	Semirigid BigFoot bag
--------------------	-----------------------

<b>Dimension [cm]</b>	50L x 30H x 25P
-----------------------	-----------------



### Soft bag BigFoot

Black, soft bag with embroidered RUPES and BigFoot logos

<b>CODE</b>	<b>9.Z883/BF</b>
-------------	------------------

<b>Description</b>	Soft BigFoot bag
--------------------	------------------

<b>Dimension [cm]</b>	40L x 30H x 25P
-----------------------	-----------------



### BigFoot marine bag

Blue, semi - rigid bag with embroidered RUPES and BigFoot logos

<b>CODE</b>	<b>9.Z912/BF</b>
-------------	------------------

<b>Description</b>	Semirigid BigFoot bags
--------------------	------------------------

<b>Dimension [cm]</b>	50L x 30H x 25P
-----------------------	-----------------



### Mille BigFoot bag

Grey, semi - rigid bag with embroidered RUPES and BigFoot logos

<b>CODE</b>	<b>9.Z999/BF</b>
-------------	------------------

<b>Description</b>	Semirigid BigFoot bag
--------------------	-----------------------

<b>Dimension [cm]</b>	50L x 30H x 25P
-----------------------	-----------------

## 3.7 Accessories



### Rotary BigFoot bag

Silver, semi - rigid bag with embroidered RUPES and BigFoot logos

<b>CODE</b>	<b>9.Z998/BF</b>
<b>Description</b>	Semirigid BigFoot bag
<b>Dimension [cm]</b>	50L x 30H x 25P



### BigFoot Silver bag

Silver, rigid bag with embroidered RUPES and BigFoot logos

<b>CODE</b>	<b>9.Z1169/BF</b>
<b>Description</b>	Rigid BigFoot bag
<b>Dimension [cm]</b>	50L x 30H x 25P



### BigFoot big bag

Large black, semi - rigid bag with embroidered RUPES and BigFoot logos

<b>CODE</b>	<b>9.Z917/BF</b>
<b>Description</b>	Rigid BigFoot Bag
<b>Dimension [cm]</b>	55L x 43H x 35P



### RUPES Systainer BOX

Stackable case

<b>CODE</b>	<b>9.CASEIII</b>
<b>Dimension [cm]</b>	39,6L X 21H 29,6W
<b>Description</b>	Systainer Box



### RUPES bottle bag

The perfect solution for transporting rupes compound bottles

<b>CODE</b>	<b>9.Z1113</b>
<b>Description</b>	Bottle bag
<b>Dimension [cm]</b>	42L x 30H x 30P

*Note: Bottles no includedS*



NEW

**Soft Interface without holes**

Ø 75mm - 7mm thickness

CODE	990.013
------	---------

Interface	Sponge
Holes	-
Hardness	Soft
Unit	1 pack with 2 pads

NEW

**Soft Interface without holes**

Ø 75mm - 12mm thickness

CODE	990.014
------	---------

Interface	Sponge
Holes	-
Hardness	Soft
Unit	1 pack with 2 pads

NEW

**Soft Interface without holes**

Ø 125mm - 7mm thickness

CODE	980.038
------	---------

Interface	Sponge
Holes	-
Hardness	Soft
Unit	1 pack with 2 pads

NEW

**Soft Interface without holes**

Ø 125mm - 12mm thickness

CODE	980.044
------	---------

Interface	Sponge
Holes	-
Hardness	Soft
Unit	1 pack with 2 pads



## 3.8 Abrasives



NEW

**Soft Interface without holes**

Ø 150mm - 7mm thickness

<b>CODE</b>	<b>981.325</b>
<b>Interface</b>	Sponge
<b>Holes</b>	-
<b>Hardness</b>	Soft
<b>Unit</b>	1 pack with 2 pads

NEW

**Soft Interface without holes**

Ø 150mm - 12mm thickness

<b>CODE</b>	<b>981.324</b>
<b>Interface</b>	Sponge
<b>Holes</b>	-
<b>Hardness</b>	Soft
<b>Unit</b>	1 pack with 2 pads

NEW

**Soft Interface holes 8+8+1**

Ø 125mm - 7mm thickness


<b>CODE</b>	<b>980.039</b>
<b>Interface</b>	Sponge
<b>Holes</b>	8+8+1
<b>Hardness</b>	Soft
<b>Unit</b>	1 pack with 2 pads

NEW

**Soft Interface holes 8+8+1**

Ø 125mm - 12mm thickness

<b>CODE</b>	<b>980.043</b>
<b>Interface</b>	Sponge
<b>Holes</b>	8+8+1
<b>Hardness</b>	Soft
<b>Unit</b>	1 pack with 2 pads


**NEW**

**Soft Interface MULTIHOLEs**

Ø 150mm - 7mm thickness

CODE	981.322
------	---------

<b>Interface</b>	Sponge
<b>Holes</b>	MULTIHOLEs
<b>Hardness</b>	Soft
<b>Unit</b>	1 pack with 2 pads

**NEW**

**Soft Interface MULTIHOLEs**

Ø 150mm - 12mm thickness

CODE	981.323
------	---------

<b>Interface</b>	Sponge
<b>Holes</b>	MULTIHOLEs
<b>Hardness</b>	Soft
<b>Unit</b>	1 pack with 2 pads






**RUPES®**

# HQ400 FILM ABRASIVES

**ALL THAT YOU NEED  
TO MAKE YOUR  
OUTCOME PERFECT**



A full range of abrasives with perforated polyester film backing that ensure higher sanding efficiency and an extended life. Higher quality than paper thanks to the grain homogeneity and the even surface. Resistant to humidity, efficient even on wet surfaces with reinforced edges, it's long lasting without film damage.

Efficient on difficult to reach areas such as corners and sharp edges. No obstruction on the film due to the better vacuum system, multihole plates and central hole, removes up to 50% more dust than traditional paper abrasive film.

## 3.8 Abrasives



### HQ400 104 film delta sheet

Abrasive films with polyester backing

CODE	Grain	Holes	Unit
<b>9.45101/25</b>	P60	10	25
<b>9.45102/25</b>	P80	10	25
<b>9.45104/25</b>	P120	10	25
<b>9.45106/25</b>	P180	10	25
<b>9.45107/25</b>	P220	10	25
<b>9.45108/25</b>	P280	10	25
<b>9.45109/25</b>	P320	10	25
<b>9.45100</b>	P40	10	50
<b>9.45101</b>	P60	10	100
<b>9.45102</b>	P80	10	100
<b>9.45104</b>	P120	10	100
<b>9.45106</b>	P180	10	100
<b>9.45107</b>	P220	10	100
<b>9.45108</b>	P280	10	100
<b>9.45109</b>	P320	10	100



### HQ400 film disc 125mm

Abrasive films with polyester backing

CODE	Grain	Holes	Unit
<b>9.45182/25</b>	P80	10	25
<b>9.45184/25</b>	P120	10	25
<b>9.45186/25</b>	P180	10	25
<b>9.45187/25</b>	P220	10	25
<b>9.45188/25</b>	P280	10	25
<b>9.45182</b>	P80	10	100
<b>9.45184</b>	P120	10	100
<b>9.45186</b>	P180	10	100
<b>9.45187</b>	P220	10	100
<b>9.45188</b>	P280	10	100
<b>9.45189</b>	P320	10	100
<b>9.45190</b>	P360	10	100
<b>9.45191</b>	P400	10	100



### HQ400 film 80X130

Abrasive films with polyester backing

CODE	Grain	Holes	Unit
9.45141/25	P60	12	25
9.45142/25	P80	12	25
9.45144/25	P120	12	25
9.45146/25	P180	12	25
9.45147/25	P220	12	25
9.45148/25	P280	12	25
9.45149/25	P320	12	25
9.45150/25	P40	12	25
9.45141	P60	12	50
9.45142	P80	12	100
9.45144	P120	12	100
9.45146	P180	12	100
9.45147	P220	12	100
9.45148	P280	12	100
9.45149	P320	12	100
9.45150	P360	12	100



### HQ400 film disc 150mm

Abrasive films with polyester backing

CODE	Grain	Holes	Unit
9.45220	P40	15	50
9.45221	P60	15	50
9.45222	P80	15	100
9.45223	P100	15	100
9.45224	P120	15	100
9.45225	P150	15	100
9.45226	P180	15	100
9.45227	P220	15	100
9.45239	P240	15	100
9.45228	P280	15	100
9.45229	P320	15	100
9.45230	P360	15	100
9.45231	P400	15	100
9.45232	P500	15	100
9.45233	P600	15	100
9.45234	P800	15	100
9.45235	P1000	15	100
9.45236	P1200	15	100
9.45237	P1500	15	100
9.45238	P2000	15	100

### 3.8 Abrasives



#### HQ400 film disc 75mm

Abrasive films with polyester backing

CODE	Grain	Unit
9.45240	P1500	50



#### Abrasives for BigFoot iBrid Nano

CODE	9.45520/100	9.45530/100
------	-------------	-------------

Description	Adhesive Disc for Denibbing - Ø35mm - P2000 (100 Pcs)	Adhesive Disc for Denibbing - Ø35mm - P3000 (100 Pcs)
-------------	---	---



## 3.8 Abrasives



### MP330 multi - purpose abrasive discs Ø150mm (6")

Aluminium oxide top coating

CODE	Grain	Holes	Unit
9.33040	P40	15	50
9.33060	P60	15	50
9.33080	P80	15	50
9.33100	P100	15	100
9.33120	P120	15	100
9.33150	P150	15	100
9.33180	P180	15	100
9.33220	P220	15	100
9.33240	P240	15	100
9.33280	P280	15	100
9.33320	P320	15	100
9.33400	P400	15	100
9.33500	P500	15	100



### MP330 multi - purpose abrasive discs

Aluminium oxide top coating

CODE	Grain	Holes	Unit
9.34120	P120	-	50
9.34180	P180	-	50
9.34240	P240	-	50
9.34320	P320	-	50



### X - CUT foam abrasives with sponge backing

Designed for wet sanding applications

CODE	Description	Grain	Unit
9.45450	Ø75mm (3")	P1500	*
9.45451	Ø75mm (3")	P2000	*
9.45453	Ø75mm (3")	P3000	*
9.45400	Ø125mm (5")	P1500	*
9.45401	Ø125mm (5")	P2000	*
9.45403	Ø125mm (5")	P3000	*
9.45300	Ø150 mm (6")	P1500	*
9.45301	Ø150 mm (6")	P2000	*
9.45303	Ø150 mm (6")	P3000	*

1 carton with 20 discs



**3.8 Abrasives****Soft roll 114X125mm**

Soft pre - cut abrasive roll

CODE	Description	Grain	Unit
<b>9.31180</b>	200 STRISCE	P180	200
<b>9.31240</b>	200 STRISCE	P240	200
<b>9.31280</b>	200 STRISCE	P280	200
<b>9.31320</b>	200 STRISCE	P320	200
<b>9.31400</b>	200 STRISCE	P400	200
<b>9.31500</b>	200 STRISCE	P500	200
<b>9.31600</b>	200 STRISCE	P600	200
<b>9.31800</b>	200 STRISCE	P800	200
<b>9.31000</b>	200 STRISCE	P1000	200



# 4.

## DUST EXTRACTION SYSTEMS



## 4.1 Air purifiers standard



### NIVEUS - Air purifiers standard

The perfect solution for excellent air purification

- Professional Air purifiers with 3 filtration steps and 99,99% filtration efficiency
- Very compact and silent, it was tested with viruses and bacteria and has an ECARF certification

TECHNICAL DATA	NV50	NV100	NV150	NV200	NV300
<b>Electric supply [V]</b>	220 - 240	220 - 240	220 - 240	220 - 240	220 - 240
<b>Power [W]</b>	88	88	88	160	160
<b>Flow rate [m³/h]</b>	300	350	500	700	1250
<b>Noise level [db(a)]</b>	Min. 19 - Max 45	Min. 29 - Max 45	Min. 29 - Max 43	Min. 29 - Max 47	Min. 29 - Max 51
<b>Dimensions [cm]</b>	31 x 31 x 69	41 x 41 x 81	41 x 41 x 110	41 x 41 x 110	55 x 55 x 140
<b>Weight [kg]</b>	22	32	43	44	69
<b>Max Size Room [m²]</b>	90	120	150	200	300

Scan the QR-Code

and watch the demonstration video





**CO<sub>2</sub>**  
Monitors levels of CO<sub>2</sub> equivalent in the environment, expressed in PPM (Parts Per Millions)



**Particulate Matter (PM 2.5)**  
Microscopic particles as small as 2.5 microns in suspension in the air we breathe. They include smoke, bacteria and allergens



**Indoor temperature**  
Monitors indoor air temperature to help maintain a comfortable environment



**Indoor humidity**  
The amount of water vapour in the air expressed as a percentage



**Wi-Fi**  
Indicates the current status of the connection to the Wi-Fi network



**Filters**  
The screen indicates the status of the filters and warns when it is time to replace them

## 4.2 Air purifiers 4.0



INDUSTRY 4.0

NEW



### NIVEUS - Air purifiers 4.0

The perfect solution for excellent air purification

- Professional Air purifiers with 3 filtration steps and 99,99% filtration efficiency
- Very compact and silent, it was tested with viruses and bacteria and has an ECARF certification

TECHNICAL DATA	NV50I	NV100I	NV150I	NV200I	NV300I
<b>Electric supply [V]</b>	220 - 240	220 - 240	220 - 240	220 - 240	220 - 240
<b>Power [W]</b>	88	88	88	160	160
<b>Flow rate [m³/h]</b>	300	350	500	700	1250
<b>Noise level [db(a)]</b>	Min. 19 - Max 45	Min. 29 - Max 45	Min. 29 - Max 43	Min. 29 - Max 47	Min. 29 - Max 51
<b>Dimensions [cm]</b>	31 x 31 x 69	41 x 41 x 81	41 x 41 x 110	41 x 41 x 110	55 x 55 x 140
<b>Weight [kg]</b>	22	32	43	44	69
<b>Intelligent Display Size [in]</b>	4.3	4.3	4.3	4.3	4.3
<b>Max Size Room [m²]</b>	90	120	150	200	300

Scan the QR-Code

and watch the demonstration video



← NEW NV50i



**FOCUS**

# **NIVEUS - Air purifiers**

The perfect solution for excellent air purification

The new NIVEUS Air Purifier is the perfect solution to achieve excellent air purification and create a healthy environment, increasing people's protection. Thanks to its compact size, this product can be easily installed in different rooms. The RUPES air purifier can cover an area of 120m<sup>2</sup> or a volume of 300m<sup>3</sup>.

This purification device improves indoor air quality by reducing and capturing micro-dust, allergens, bacteria and viruses with the aim of safeguarding the health of workers and people.

People can be exposed to a variety of particulate matter and biological contaminants in congregation and workplaces that can lead to adverse health effects.


Pollution in these environments is defined by the presence of harmful visible and invisible particles such as micro-dust, bacteria, viruses, allergens, vapours and fumes.

Exposure to these microorganisms occurs through inhalation, direct contact and swallowing.

## **INSTALLATION SITES:**

RUPES Niveus Air Purifier can cover several environments up to 120 [m<sup>2</sup>] or 300 [m<sup>3</sup>]. This purifying product increases indoor air quality, reducing and capturing micro dust, allergens, bacteria and virus with the purpose of improving peoples' health. Thanks to its compact dimensions, can be easily installed in several sites.





### FILTRATION STEPS

  
**ULPA FILTER**  
**GRADE-U15**

  
**UV-C**  
**STERILIZER CHAMBER**  
 (optional)

  
**ACTIVADED**  
**CARBON FILTER**

## 4.3 Mobile units standard



## Supplied:

- Antistatic hose  $\varnothing 29\text{mm}$  - 5m (cod. 9.1264/5/AS)
- Dust bag (cod. 130.1108)
- Rotating sleeve (cod. 040.1108)
- Threaded rubber hose fitting (cod. 663.55/AS) x2



## Supplied:

- Antistatic hose  $\varnothing 29\text{mm}$  - 5m (cod. 9.1264/5/AS)
- Dust bag (cod. 130.1108)
- Rotating sleeve (cod. 040.1108)
- Threaded rubber hose fitting (cod. 663.55/AS) x2

**S130L - S130EL**

Professional vacuum cleaners 30L for electric tools

- 30 liter professional vacuum cleaner for extracting sanding dust and other types of industrial work residues. Protection class L
- It can be connected to electric tools. The S130EL version features automatic filter cleaning and liquid sensor

TECHNICAL DATA	S130L	S130EL
Power [W]	1 x 1200	1 x 1200
Weight [kg]	10,5	10,5
Max power socket [W]	1 x 2400	1 x 2400
Vacuum [mmH <sub>2</sub> O]	2000	2000
Noise [dB(A)]	70	70
Tank capacity [l]	30	30
Airflow capacity [l/min]	3400	3400
Suitable for dust class	L	L
Filter surface [m <sup>2</sup> ]	1	1
Tools [nr]	1	1
Electric tools socket [nr]	1	1
Automatic filter cleaning	-	•
$\varnothing$ ID vacuum nozzle [mm]	50	50
Liquids sensor	-	•
Filter	Polyester	Polyester

**S130PL - S130EPL**

Professional vacuum cleaners 30L for electric/pneumatic tools

- 30 liter professional vacuum cleaner for extracting sanding dust and other types of industrial work residues. Protection class L
- It can be connected to electric and pneumatic tools. The S130EPL version features automatic filter cleaning and liquid sensor

TECHNICAL DATA	S130PL	S130EPL
Power [W]	1 x 1200	1 x 1200
Weight [kg]	10,5	10,5
Max power socket [W]	1 x 2400	1 x 2400
Vacuum [mmH <sub>2</sub> O]	2000	2000
Noise [dB(A)]	70	70
Tank capacity [l]	30	30
Airflow capacity [l/min]	3400	3400
Suitable for dust class	L	L
Filter surface [m <sup>2</sup> ]	1	1
Tools [nr]	1	1
Electric tools socket [nr]	1	1
Air quick coupling tools [nr]	1	1
Working pressure [Bar]	6	6
Max comp. air cap.ty [l/min.]	1450	1450
Automatic filter cleaning	-	•
$\varnothing$ ID vacuum nozzle [mm]	50	50
Liquids sensor	-	•
Filter	Paper	Paper



## 4.3 Mobile units standard



## Supplied:

- Antistatic hose  $\varnothing$ 29mm - 5m (cod. 9.1264/5/AS)
- Dust bag (cod. 130.1108)
- Rotating sleeve (cod. 040.1108)
- Threaded rubber hose fitting (cod. 663.55/AS) x2

**S145L - S145EL**

Professional vacuum cleaners 45L for electric tools

- 45 liter professional vacuum cleaner for extracting sanding dust and other types of industrial work residues. Protection class L
- It can be connected to electric tools. The S145EL version features automatic filter cleaning and liquid sensor

TECHNICAL DATA	S145L	S145EL
Power [W]	1 x 1200	1 x 1200
Weight [kg]	13,5	13,5
Max power socket [W]	1 x 2400	1 x 2400
Vacuum [mmH <sub>2</sub> O]	2000	2000
Noise [dB(A)]	67	67
Tank capacity [l]	45	45
Airflow capacity [l/min]	3400	3400
Suitable for dust class	L	L
Filter surface [m <sup>2</sup> ]	1	1
Tools [nr]	1	1
Electric tools socket [nr]	1	1
Automatic filter cleaning	-	•
$\varnothing$ ID vacuum nozzle [mm]	50	50
Liquids sensor	-	•
Filter	Polyester	Polyester



## Supplied:

- Antistatic hose  $\varnothing$ 29mm - 5m (cod. 9.1264/5/AS)
- Dust bag (cod. 130.1108)
- 2-way with one clapet valve (cod. 68.092/X)
- Threaded rubber hose fitting (cod. 663.55/AS) x2

**S145PL - S145EPL**

Professional vacuum cleaners 45L for electric/pneumatic tools

- 45 liter professional vacuum cleaner for extracting sanding dust and other types of industrial work residues. Protection class L
- It can be connected to electric and pneumatic tools. The S145EPL version features automatic filter cleaning and liquid sensor

TECHNICAL DATA	S145PL	S145EPL
Power [W]	1 x 1200	1 x 1200
Weight [kg]	13,5	13,5
Max power socket [W]	1 x 2400	1 x 2400
Vacuum [mmH <sub>2</sub> O]	2000	2000
Noise [dB(A)]	67	67
Tank capacity [l]	45	45
Airflow capacity [l/min]	3400	3400
Suitable for dust class	L	L
Filter surface [m <sup>2</sup> ]	1	1
Tools [nr]	2	2
Electric tools socket [nr]	1	1
Air quick coupling tools [nr]	2	2
Working pressure [Bar]	6	6
Max comp. air cap.ty [l/min.]	1450	1450
Automatic filter cleaning	-	•
$\varnothing$ ID vacuum nozzle [mm]	50	50
Liquids sensor	-	•
Filter	Paper	Paper

**Supplied:**

- Antistatic hose  $\varnothing 29\text{mm}$  - 5m (cod. 9.1264/5/AS)
- Dust bag (cod. 130.1108)
- Rotating sleeve (cod. 040.1108)
- Threaded rubber hose fitting (cod. 663.55/AS) x2

**Supplied:**

- Antistatic hose  $\varnothing 29\text{mm}$  - 5m (cod. 9.1264/5/AS)
- Dust bag (cod. 130.1108)
- Rotating sleeve (cod. 040.1108)
- Threaded rubber hose fitting (cod. 663.55/AS) x2

**S130EM**

Professional vacuum cleaners 30L for electric tools

- 30 liter professional vacuum cleaner for extracting sanding dust and other types of industrial work residues. Protection class M
- It can be connected to electric tools and features automatic filter cleaning and liquid sensor

TECHNICAL DATA	S130EM
Power [W]	1 X 1200
Weight [kg]	10,5
Max power socket [W]	1 x 2400
Vacuum [mmH <sub>2</sub> O]	2000
Noise [dB(A)]	70
Tank capacity [l]	30
Airflow capacity [l/min]	3400
Suitable for dust class	M
Filter surface [m <sup>2</sup> ]	1
Tools [nr]	1
Electric tools socket [nr]	1
Hose $\varnothing$ selector	•
Automatic filter cleaning	•
$\varnothing$ ID vacuum nozzle [mm]	50
Liquids sensor	•
Filter	Paper

**S130EPM**

Professional vacuum cleaners 30L for electric/pneumatic tools

- 30 liter professional vacuum cleaner for extracting sanding dust and other types of industrial work residues. Protection class M
- It can be connected to electric and pneumatic tools and features automatic filter cleaning and liquid sensor

TECHNICAL DATA	S130EPM
Power [W]	1 x 1200
Weight [kg]	10,5
Max power socket [W]	1 x 2400
Vacuum [mmH <sub>2</sub> O]	2000
Noise [dB(A)]	70
Tank capacity [l]	30
Airflow capacity [l/min]	3400
Suitable for dust class	M
Filter surface [m <sup>2</sup> ]	1
Tools [nr]	1
Electric tools socket [nr]	1
Hose $\varnothing$ selector	•
Air quick coupling tools [nr]	1
Working pressure [Bar]	6
Max comp. air capacity [l/min.]	1450
Automatic filter cleaning	•
$\varnothing$ ID vacuum nozzle [mm]	50
Liquids sensor	•
Filter	Paper

## 4.3 Mobile units standard



## Supplied:

- Antistatic hose  $\varnothing 29\text{mm}$  - 5m (cod. 9.1264/5/AS)
- Dust bag (cod. 130.1108)
- Rotating sleeve (cod. 040.1108)
- Threaded rubber hose fitting (cod. 663.55/AS) x2

## S145EM

Professional vacuum cleaners 45L for electric tools

- 45 liter professional vacuum cleaner for extracting sanding dust and other types of industrial work residues. Protection class M
- It can be connected to electric tools and features automatic filter cleaning and liquid sensor

TECHNICAL DATA	S145EM
Power [W]	1 x 1200
Weight [kg]	13,5
Max power socket [W]	1 x 2400
Vacuum [mmH <sub>2</sub> O]	2000
Noise [dB(A)]	67
Tank capacity [l]	45
Airflow capacity [l/min]	3400
Suitable for dust class	M
Filter surface [m <sup>2</sup> ]	1
Tools [nr]	1
Electric tools socket [nr]	1
Hose $\varnothing$ selector	•
Automatic filter cleaning	•
$\varnothing$ ID vacuum nozzle [mm]	50
Liquids sensor	•
Filter	Paper



## Supplied:

- Antistatic hose  $\varnothing 29\text{mm}$  - 5m (cod. 9.1264/5/AS)
- Dust bag (cod. 130.1108)
- Rotating sleeve (cod. 040.1108)
- Threaded rubber hose fitting (cod. 663.55/AS) x2

## S145EPM

Professional vacuum cleaners 45L for electric/pneumatic tools

- 45 liter professional vacuum cleaner for extracting sanding dust and other types of industrial work residues. Protection class M
- It can be connected to electric and pneumatic tools and features automatic filter cleaning and liquid sensor

TECHNICAL DATA	S145EPM
Power [W]	1 x 1200
Weight [kg]	13,5
Max power socket [W]	1 x 2400
Vacuum [mmH <sub>2</sub> O]	2000
Noise [dB(A)]	67
Tank capacity [l]	45
Airflow capacity [l/min]	3400
Suitable for dust class	M
Filter surface [m <sup>2</sup> ]	1
Tools [nr]	1
Electric tools socket [nr]	1
Hose $\varnothing$ selector	1
Air quick coupling tools [nr]	6
Working pressure [Bar]	1450
Max comp. air capacity [l/min.]	•
Automatic filter cleaning	•
$\varnothing$ ID vacuum nozzle [mm]	50
Liquids sensor	•
Filter	Paper

## 4.3 Mobile units standard



### Supplied:

- Antistatic hose  $\varnothing$ 29mm - 5m (cod. 9.1264/5/AS)
- Dust bag (cod. 130.1108/5)
- Rotating sleeve (cod. 040.1108)
- Threaded rubber hose fitting (cod. 663.55/AS) x2



### Supplied:

- Dust bag (cod. 130.1108/5)
- Rotating sleeve (cod. 040.1108)

### S230L - S230EL

Professional vacuum cleaners 30L for electric tools

- 30 liter professional vacuum cleaner with support for Systainer T-Loc modular systems. Protection class L
- It can be connected to electric tools. The S230EL version features automatic filter cleaning and liquid sensor

TECHNICAL DATA	S230L	S230EL
Power [W]	1 x 1200	1 x 1200
Weight [kg]	10,5	10,5
Max power socket [W]	1 x 2400	1 x 2400
Vacuum [mmH <sub>2</sub> O]	2000	2000
Noise [dB(A)]	70	70
Tank capacity [l]	30	30
Airflow capacity [l/min]	3400	3400
Suitable for dust class	L	L
Filter surface [m <sup>2</sup> ]	1	1
Tools [nr]	1	1
Electric tools socket [nr]	1	1
Automatic filter cleaning	-	•
$\varnothing$ ID vacuum nozzle [mm]	50	50
Liquids sensor	-	•
Filter	Polyester	Polyester

### S230PL - S230EPL

Professional vacuum cleaners 30L for electric/pneumatic tools

- 30 liter professional vacuum cleaner for extracting sanding dust and other types of industrial work residues. Protection class L
- It can be connected to electric and pneumatic tools. The S230EPL version features automatic filter cleaning and liquid sensor

TECHNICAL DATA	S230PL	S230EPL
Power [W]	1 x 1200	1 x 1200
Weight [kg]	10,5	10,5
Max power socket [W]	1 x 2400	1 x 2400
Vacuum [mmH <sub>2</sub> O]	2000	2000
Noise [dB(A)]	70	70
Tank capacity [l]	30	30
Airflow capacity [l/min]	3400	3400
Suitable for dust class	L	L
Filter surface [m <sup>2</sup> ]	1	1
Tools [nr]	1	1
Electric tools socket [nr]	1	1
Air quick coupling tools [nr]	1	1
Working pressure [Bar]	6	6
Max comp. air cap.ty [l/min.]	1450	1450
Automatic filter cleaning	-	•
$\varnothing$ ID vacuum nozzle [mm]	50	50
Liquids sensor	-	•
Filter	Paper	Paper

### 4.3 Mobile units standard


**Supplied:**

- **Antistatic hose**  $\varnothing$ 29mm - 5m (cod. 9.1264/5/AS)
- **Soft Grip Handle** 157.1108
- **Dust bags** (cod. 130.1108/5 Set 5 pieces)
- **Rotating sleeve** (cod. 040.1108)
- **Threaded rubber hose fitting** (cod. 663.55/AS) x2

#### S245L - S245EL

Professional vacuum cleaners 45L for electric tools

- 45 liter professional vacuum cleaner for extracting sanding dust and other types of industrial work residues. Protection class L
- It can be connected to electric tools. The S245EL version features automatic filter cleaning and liquid sensor

TECHNICAL DATA	S245L	S245EL
<b>Power [W]</b>	1 x 1200	1 x 1200
<b>Weight [kg]</b>	13,5	13,5
<b>Max power socket [W]</b>	1 x 2400	1 x 2400
<b>Vacuum [mmH<sub>2</sub>O]</b>	2000	2000
<b>Noise [dB(A)]</b>	67	67
<b>Tank capacity [l]</b>	45	45
<b>Airflow capacity [l/min]</b>	3400	3400
<b>Suitable for dust class</b>	L	L
<b>Filter surface [m<sup>2</sup>]</b>	1	1
<b>Tools [nr]</b>	1	1
<b>Electric tools socket [nr]</b>	1	1
<b>Automatic filter cleaning</b>	-	•
<b>Ø ID vacuum nozzle [mm]</b>	50	50
<b>Liquids sensor</b>	-	•
<b>Filter</b>	Polyester	Polyester


**Supplied:**

- **Soft Grip Handle** 157.1108
- **Dust bags** (cod. 130.1108/5 Set 5 pieces)
- **2-way with one clapet valve** (cod. 68.092/X)

#### S245PL - S245EPL

Professional vacuum cleaners 45L for electric/pneumatic tools

- 45 liter professional vacuum cleaner for extracting sanding dust and other types of industrial work residues. Protection class L
- It can be connected to electric and pneumatic tools. The S245EPL version features automatic filter cleaning and liquid sensor"

TECHNICAL DATA	S245PL	S245EPL
<b>Power [W]</b>	1 x 1200	1 x 1200
<b>Weight [kg]</b>	13,5	13,5
<b>Max power socket [W]</b>	1 x 2400	1 x 2400
<b>Vacuum [mmH<sub>2</sub>O]</b>	2000	2000
<b>Noise [dB(A)]</b>	67	67
<b>Tank capacity [l]</b>	45	45
<b>Airflow capacity [l/min]</b>	3400	3400
<b>Suitable for dust class</b>	L	L
<b>Filter surface [m<sup>2</sup>]</b>	1	1
<b>Tools [nr]</b>	2	2
<b>Electric tools socket [nr]</b>	1	1
<b>Air quick coupling tools [nr]</b>	2	2
<b>Working pressure [Bar]</b>	6	6
<b>Max comp. air cap.ty [l/min.]</b>	1450	1450
<b>Automatic filter cleaning</b>	-	•
<b>Ø ID vacuum nozzle [mm]</b>	50	50
<b>Liquids sensor</b>	-	•
<b>Filter</b>	Paper	Paper

## 4.3 Mobile units standard

**Supplied:**

- Antistatic hose Ø29mm - 5m (cod. 9.1264/5/AS)
- Dust bag (cod. 130.1108/5)
- Rotating sleeve (cod. 040.1108)
- Threaded rubber hose fitting (663.55/AS) x2

**Supplied:**

- Dust bag (cod. 130.1108/5)
- Rotating sleeve (cod. 040.1108)

**S230EM**

Professional vacuum cleaners 30L for electric tools

- 30 liter professional vacuum cleaner for extracting sanding dust and other types of industrial work residues. Protection class M
- It can be connected to electric tools and features automatic filter cleaning and liquid sensor

TECHNICAL DATA	S230EM
Power [W]	1 X 1200
Weight [kg]	10,5
Max power socket [W]	1 x 2400
Vacuum [mmH <sub>2</sub> O]	2000
Noise [dB(A)]	70
Tank capacity [l]	30
Airflow capacity [l/min]	3400
Suitable for dust class	M
Filter surface [m <sup>2</sup> ]	1
Tools [nr]	1
Electric tools socket [nr]	1
Hose Ø selector	•
Automatic filter cleaning	•
Ø ID vacuum nozzle [mm]	50
Liquids sensor	•
Filter	Paper

**S230EPM**

Professional vacuum cleaners 30L for electric/pneumatic tools

- 30 liter professional vacuum cleaner for extracting sanding dust and other types of industrial work residues. Protection class M
- It can be connected to electric and pneumatic tools and features automatic filter cleaning and liquid sensor

TECHNICAL DATA	S230EPM
Power [W]	1 x 1200
Weight [kg]	10,5
Max power socket [W]	1 x 2400
Vacuum [mmH <sub>2</sub> O]	2000
Noise [dB(A)]	70
Tank capacity [l]	30
Airflow capacity [l/min]	3400
Suitable for dust class	M
Filter surface [m <sup>2</sup> ]	1
Tools [nr]	1
Electric tools socket [nr]	1
Hose Ø selector	•
Air quick coupling tools [nr]	1
Working pressure [Bar]	6
Max comp. air capacity [l/min.]	1450
Automatic filter cleaning	•
Ø ID vacuum nozzle [mm]	50
Liquids sensor	•
Filter	Paper

## 4.3 Mobile units standard



## Supplied:

- **Antistatic hose**  $\varnothing$ 29mm - 5m (cod. 9.1264/5/AS)
- **Soft Grip Handle** 157.1108
- **Dust bags** (cod. 130.1108/5 Set 5 pieces)
- **Rotating sleeve** (cod. 040.1108)
- **Threaded rubber hose fitting** (663.55/AS) x2



## Supplied:

- **Soft Grip Handle** 157.1108
- **Dust bags** (cod. 130.1108/5 Set 5 pieces)
- **Rotating sleeve** (cod. 040.1108)

## S245EM

Professional vacuum cleaners 45L for electric tools

- 45 liter professional vacuum cleaner for extracting sanding dust and other types of industrial work residues. Protection class M
- It can be connected to electric tools and features automatic filter cleaning and liquid sensor

TECHNICAL DATA	S245EM
Power [W]	1 x 1200
Weight [kg]	13,5
Max power socket [W]	1 x 2400
Vacuum [mmH <sub>2</sub> O]	2000
Noise [dB(A)]	67
Tank capacity [l]	45
Airflow capacity [l/min]	3400
Suitable for dust class	M
Filter surface [m <sup>2</sup> ]	1
Tools [nr]	1
Electric tools socket [nr]	1
Hose $\varnothing$ selector	•
Automatic filter cleaning	•
$\varnothing$ ID vacuum nozzle [mm]	50
Liquids sensor	•
Filter	Paper

## S245EPM

Professional vacuum cleaners 45L for electric/pneumatic tools

- 45 liter professional vacuum cleaner for extracting sanding dust and other types of industrial work residues. Protection class M
- It can be connected to electric and pneumatic tools and features automatic filter cleaning and liquid sensor

TECHNICAL DATA	S245EPM
Power [W]	1 x 1200
Weight [kg]	13,5
Max power socket [W]	1 x 2400
Vacuum [mmH <sub>2</sub> O]	2000
Noise [dB(A)]	67
Tank capacity [l]	45
Airflow capacity [l/min]	3400
Suitable for dust class	M
Filter surface [m <sup>2</sup> ]	1
Tools [nr]	1
Electric tools socket [nr]	1
Hose $\varnothing$ selector	1
Air quick coupling tools [nr]	6
Working pressure [Bar]	1450
Max comp. air capacity [l/min.]	•
Automatic filter cleaning	•
$\varnothing$ ID vacuum nozzle [mm]	50
Liquids sensor	•
Filter	Paper



### KR2A

Mobile Turbine 1,5 kW - 2 HP with integrated work station and cabinets

- Mobile workstation turbine with 1.5 kW power and automatic filter cleaning system
- Flexible, compact and ready to go (no installation).

TECHNICAL DATA	KR2A
Side channel pump	•
Electric supply	230V 1ph
Power [W/HP]	1500/2
Weight [kg]	115
Vacuum max. [mmH <sub>2</sub> O]	2400
Noise [dB(A)]	65
Tank capacity [l]	23
Flow capacity [m <sup>3</sup> /h]	250
Filter surface [m <sup>2</sup> ]	1
Tools [nr]	2
Working pressure [Bar]	6
Automatic filter cleaning	•
Ø ID vacuum nozzle [mm]	50
Dimensions (AxLxP) [cm]	136 x 98 x 62

#### Equipment

#### Art. Nr.

Antistatic hose assembly 5m Ø29 mm electric	9GAT02001/AS
Swing arm	054.1613/C
Hose/Cable holder	038.1306
Storage bay	023.1613/C
Complete antistatic y connection with 1 cover	68.092/X
Perforated board with hooks set 10 pcs included	021.1613/C
Reel holder	036.1613/C
Set 3 pieces fleece bag dust container	045.1612/3
Air pressure regulator	9GP01002

#### Accessory KR2A

#### Q.ty

#### Art. Nr.

H14 FILTER FOR KR2-KR2A	1	106.1613
-------------------------	---	----------







**Patent**

Integrated Work Station

**Patent**

Long Life Motors Technology

**Scan the QR-Code**

and watch the demonstration video

**KS300EP - KS300EPH**

Professional mobile vacuum cleaners with work station

- Professional vacuum cleaner with integrated workstation, Dual Motor Technology (two 1200W brush motors each) and 5m<sup>2</sup> filter area with three filtration steps (KS300EPH version also includes a Hepa filter). Alternating motor activation, one motor can support up to two pneumatic and/or electric tools simultaneously.
- Patent: Long-life motor technology (motors run in alternating mode-double lifetime/life compared to single-motor vacuum cleaner)
- Patent: Integrated workstation

TECHNICAL DATA	KS300EP	KS300EPH
<b>Motor power [W]</b>	2 x 1200	2 x 1200
<b>Motor max. power [W]</b>	2000	2000
<b>Tool socket max. power [W]</b>	2 X 800 1 X 1600	2 X 800 1 X 1600
<b>Total maximum power [W]</b>	3600max	3600max
<b>Max. vacuum flow rate [m<sup>3</sup>/h]</b>	300	300
<b>Maximum vacuum [mmH<sub>2</sub>O]</b>	2000	2000
<b>Filter surface [m<sup>2</sup>]</b>	2	2 + 2
<b>Filter category</b>	M (EN 60335-2-69)	M (EN 60335-2-69) HEPA-H14 (EN 1822)
<b>Tank capacity [l]</b>	65	65
<b>Maximum bag capacity [kg]</b>	10	10
<b>Noise [dB(A)]</b>	68 ± 2	68 ± 2
<b>Tools [nr]</b>	2	2
<b>Air quick coupling tools [nr]</b>	2	2
<b>Electric tools socket [nr]</b>	2	2
<b>Ø ID vacuum nozzle [mm]</b>	50	50
<b>Working pressure [Bar]</b>	6	6
<b>Max. comp air flow rate [l/min]</b>	1450	1450
<b>Start - up mode</b>	M - 0 - A	M - 0 - A
<b>Dimensions (AxLxP) [cm]</b>	73 x 52 x 89	73 x 52 x 89
<b>Weight [kg]</b>	33	33

**Equipment KS300EP****Code**

Dust bag TNT	063.1106/C
Evaflex hose Ø29/5m	9GAT02001/AS
Two-way union complete with 1 clapet valve	68.092/X

**Equipment KS300EPH****Code**

Dust bag TNT	063.1106/C
Evaflex hose Ø29/5m	9GAT02001/AS
Two-way union complete with 1 clapet valve	68.092/X
HEPA filter H14	071.1106

## 4.4 Mobile units 4.0



INDUSTRY 4.0

**Patent**

Integrated Work Station

**Brushless Motor****Scan the QR-Code**

and watch the demonstration video

**KS300ECS - KS300ECHS**

Professional mobile vacuum cleaners with work station

- Professional vacuum cleaner with integrated workstation, with 1100W brushless motor 5m<sup>2</sup> filter surface area with three steps of filtration (KS300ECHS version also includes a Hepa filter). Can support up to two pneumatic and/or electric tools simultaneously.
- Patent: Integrated workstation
- The vacuum cleaner is equipped with a new electronic touch screen display with customized dashboard that allows you to remotely monitor its operation, power, filter status, and schedule maintenance work. In addition, the vacuum cleaner can be connected via Wi-Fi for complete control of processes and workings with the innovative cloud portal to optimize time, reduce consumption, and improve reliability and efficiency.

TECHNICAL DATA	KS300ECS	KS300ECHS
<b>Power [W]</b>	1100	1100
<b>Motor max. power [W]</b>	1 X 1100	1 X 1100
<b>Tool socket max. power [W]</b>	2 X 800 1 X 1600	2 X 800 1 X 1600
<b>Total maximum power [W]</b>	3600max	3600max
<b>Max. vacuum flow rate [m<sup>3</sup>/h]</b>	250	250
<b>Maximum vacuum [mmH<sub>2</sub>O]</b>	2000	2000
<b>Filter surface [m<sup>2</sup>]</b>	2	2 + 2
<b>Filter category</b>	M (EN 60335 - 2 - 69)	M (EN 60335 - 2 - 69) HEPA - H14 (EN 1822)
<b>Tank capacity [l]</b>	65	65
<b>Maximum bag capacity [kg]</b>	10	10
<b>Noise [dB(A)]</b>	68 ± 2	68 ± 2
<b>Tools [nr]</b>	2	2
<b>Air quick coupling tools [nr]</b>	2	2
<b>Electric tools socket [nr]</b>	2	2
<b>Ø ID vacuum nozzle [mm]</b>	50	50
<b>Working pressure [Bar]</b>	6	6
<b>Max. comp air flow rate [l/min]</b>	1450	1450
<b>Start - up mode</b>	M - 0 - A	M - 0 - A
<b>Dimensions (AxLxP) [cm]</b>	73 x 52 x 89	73 x 52 x 89
<b>Weight [kg]</b>	33	33
<b>Intelligent Display Size [in]</b>	4.3	4.3

**Equipment KS300ECS****Code**

Dust bag TNT	063.1106/C
Evaflex hose Ø29/5m	9GAT02001/AS
Two-way union complete with 1 clapet valve	68.092/X

**Equipment KS300ECHS****Code**

Dust bag TNT	063.1106/C
Evaflex hose Ø29/5m	9GAT02001/AS
Two-way union complete with 1 clapet valve	68.092/X
HEPA filter H14	071.1106

**Patent**

Integrated Work Station

**Scan the QR-Code**

and watch the demonstration video



INDUSTRY 4.0 BI-MOTOR

NEW

**KS300EPS - KS300EPSH**

Professional mobile vacuum cleaners with work station

- Professional vacuum cleaner with integrated workstation, dual brush motors of 1200W each and 5m<sup>2</sup> filter area with three steps of filtration (KS300EPSH version also includes a Hepa filter). Simultaneous motor activation, can support up to two pneumatic and/or electric tools simultaneously.
- Patent: Integrated workstation
- The vacuum cleaner is equipped with a new electronic touch screen display with customized dashboard that allows you to remotely monitor its operation, power, filter status, and schedule maintenance work. In addition, the vacuum cleaner can be connected via Wi-Fi for complete control of processes and workings with the innovative cloud portal to optimize time, reduce consumption, and improve reliability and efficiency.

TECHNICAL DATA	KS300EPS	KS300EPSH
<b>Motor power [W]</b>	2 x 1200	2 x 1200
<b>Motor max. power [W]</b>	2000	2000
<b>Tool socket max. power [W]</b>	2 X 800 1 X 1600	2 X 800 1 X 1600
<b>Total maximum power [W]</b>	3600max	3600max
<b>Max. vacuum flow rate [m<sup>3</sup>/h]</b>	300	300
<b>Maximum vacuum [mmH<sub>2</sub>O]</b>	2000	2000
<b>Filter surface [m<sup>2</sup>]</b>	2	2 + 2
<b>Filter category</b>	M (EN 60335 - 2 - 69)	M (EN 60335 - 2 - 69) HEPA - H14 (EN 1822)
<b>Tank capacity [l]</b>	65	65
<b>Maximum bag capacity [kg]</b>	10	10
<b>Noise [dB(A)]</b>	68 ± 2	68 ± 2
<b>Tools [nr]</b>	2	2
<b>Air quick coupling tools [nr]</b>	2	2
<b>Electric tools socket [nr]</b>	2	2
<b>Ø ID vacuum nozzle [mm]</b>	50	50
<b>Working pressure [Bar]</b>	6	6
<b>Max. comp air flow rate [l/min]</b>	1450	1450
<b>Start - up mode</b>	M - 0 - A	M - 0 - A
<b>Dimensions (AxLxP) [cm]</b>	73 x 52 x 89	73 x 52 x 89
<b>Weight [kg]</b>	33	33

**Equipment KS300EPS****Code**

Dust bag TNT	063.1106/C
Evaflex hose Ø29/5m	9GAT02001/AS
Two-way union complete with 1 clapet valve	68.092/X

**Equipment KS300EPSH****Code**

Dust bag TNT	063.1106/C
Evaflex hose Ø29/5m	9GAT02001/AS
Two-way union complete with 1 clapet valve	68.092/X
HEPA filter H14	071.1106

**4.4 Mobile units 4.0**



**Workstation KS300**

**Q.ty**

**Code**

Workstation extension kit  
(not included with the vacuum cleaner)

1

161.1106/C



## 4.5 Matic Systems



### Supplied:

- Evaflex hose  $\varnothing$ 29mm - 5m (cod. 9GAT02001/AS)
- Dust bag TNT (cod. 063.1106/C)
- 2-way union complete with 1 clapet valve (cod. 68.092/X)

### MK3300

Matic system kit (KS 300EP + HB 3000 + EP 3M)

- Matic vacuum system (3m arm) to extract micro-dust generated during a sanding or different industrial processes, which includes KS300EN, B3000 and EP3M

TECHNICAL DATA	MK3300
Power [W]	2 x 1000
Vacuum [mmH <sub>2</sub> O]	2000
Noise [dB(A)]	72
Tank capacity [l]	65
Airflow capacity [l/min]	4350
Filter surface [m <sup>2</sup> ]	2,1
Tools [nr]	2
Working pressure [Bar]	6
Max arm extension [m]	3
Working angle [°]	180
Max installation height [m]	4,5
Air quick coupling tools [nr]	2
Electric tool socket [nr]	2
Service air quick coupling [nr]	1
$\varnothing$ ID vacuum nozzle [mm]	50



### Supplied:

- Evaflex hose  $\varnothing$ 29mm - 5m (cod. 9GAT02001/AS)
- Dust bag TNT (cod. 063.1106/C)
- 2-way union complete with 1 clapet valve (cod. 68.092/X)

### MK3300F

Matic system kit (KS 300EP + HF 3000)

- Matic vacuum system (3m arm) to extract micro-dust generated during a sanding or different industrial processes, which includes KS300EN and HF3000

TECHNICAL DATA	MK3300F
Power [W]	2 x 1000
Vacuum [mmH <sub>2</sub> O]	2000
Noise [dB(A)]	72
Tank capacity [l]	65
Airflow capacity [l/min]	4350
Filter surface [m <sup>2</sup> ]	2,1
Tools [nr]	2
Working pressure [Bar]	6
Max arm extension [m]	3
Working angle [°]	180
Max installation height [m]	2
Air quick coupling tools [nr]	2
Electric tool socket [nr]	2
Service air quick coupling [nr]	1
$\varnothing$ ID vacuum nozzle [mm]	50

## 4.5 Matic Systems



### Supplied:

- **Evaflex hose** Ø29mm - 5m (cod. 9GAT02001/AS)
- **Dust bag TNT** (cod. 063.1106/C)
- **2-way union** complete with 1 clapet valve (cod. 68.092/X)

### MK6300

Matic system kit (KS 300EP + HB 6000 + EP 3M)

- Matic vacuum system (6m arm) to extract micro-dust generated during a sanding or different industrial processes, which includes KS300EN, HB3000 and EP3M

TECHNICAL DATA	MK6300
Power [W]	2 x 1000
Vacuum [mmH <sub>2</sub> O]	2000
Noise [dB(A)]	72
Tank capacity [l]	65
Airflow capacity [l/min]	4350
Filter surface [m <sup>2</sup> ]	2,1
Tools [nr]	2
Working pressure [Bar]	6
Max arm extension [m]	6
Working angle [°]	180
Max installation height [m]	4,5
Electric tools socket [nr]	2
Air quick coupling tools [nr]	2
Electric tool socket [nr]	-
Service air quick coupling [nr]	1
Ø ID vacuum nozzle [mm]	50
Spot light	-



### Supplied:

- **Evaflex hose** Ø29mm - 5m (cod. 9GAT02001/AS)
- **Dust bag TNT** (cod. 063.1106/C)
- **2-way union** complete with 1 clapet valve (cod. 68.092/X)

### MK6300F

Matic system kit (KS 300EP + HF 6000)

- Matic vacuum system (6m arm) to extract micro-dust generated during a sanding or different industrial processes, which includes KS300EN and HF3000

TECHNICAL DATA	MK6300F
Power [W]	2 x 1000
Vacuum [mmH <sub>2</sub> O]	2000
Noise [dB(A)]	72
Tank capacity [l]	65
Airflow capacity [l/min]	4350
Filter surface [m <sup>2</sup> ]	2,1
Tools [nr]	2
Working pressure [Bar]	6
Max arm extension [m]	6
Working angle [°]	180
Max installation height [m]	2
Electric tools socket [nr]	2
Air quick coupling tools [nr]	2
Electric tool socket [nr]	1
Service air quick coupling [nr]	1
Ø ID vacuum nozzle [mm]	50
Spot light	•

## 4.5 Matic Systems



### Supplied:

- **Evaflex hose** Ø29mm - 5m (cod. 9GAT02001/AS)
- **2-way union** complete with 1 clapet valve (cod. 68.092/X)
- **Set 3 pieces** fleece bag dust container (cod. 045.1612/3)

### MKR3000

Matic system kit (KR 2A + HB 3000 + EP 3M)

- Matic vacuum system (3m arm) to extract micro-dust generated during a sanding or different industrial processes, which includes KR2A, HB3000 and EP3M

TECHNICAL DATA	MKR3000
Side channel pump	•
Power [W]	1500/2
Vacuum [mmH <sub>2</sub> O]	2400
Noise [dB(A)]	65
Tank capacity [l]	23
Flow capacity [m <sup>3</sup> /h]	250
Tools [nr]	2
Working pressure [Bar]	6
Max arm extension [m]	3
Working angle [°]	180
Max installation height [m]	4,5
Air quick coupling tools [nr]	2
Electric tool socket [nr]	2
Regulated air quick coupling [nr]	1
Ø ID vacuum nozzle [mm]	50
Automatic filter cleaning	•



### Supplied:

- **Evaflex hose** Ø29mm - 5m (cod. 9GAT02001/AS)
- **2-way union** complete with 1 clapet valve (cod. 68.092/X)
- **Set 3 pieces** fleece bag dust container (cod. 045.1612/3)

### MKR3000F

Matic system kit (KR 2A + HF 3000)

- Matic vacuum system (3m arm) to extract micro-dust generated during a sanding or different industrial processes, which includes KR2A and HF3000

TECHNICAL DATA	MKR3000F
Side channel pump	•
Power [W]	1500/2
Vacuum [mmH <sub>2</sub> O]	2400
Noise [dB(A)]	65
Tank capacity [l]	23
Flow capacity [m <sup>3</sup> /h]	250
Tools [nr]	2
Working pressure [Bar]	6
Max arm extension [m]	3
Working angle [°]	180
Max installation height [m]	2
Air quick coupling tools [nr]	2
Electric tool socket [nr]	2
Regulated air quick coupling [nr]	1
Ø ID vacuum nozzle [mm]	50
Automatic filter cleaning	•



## 4.5 Matic Systems



### Supplied:

- **Evaflex hose** Ø29mm - 5m (cod. 9GAT02001/AS)
- **2-way union** complete with 1 clapet valve (cod. 68.092/X)
- **Set 3 pieces** fleece bag dust container (cod. 045.1612/3)



### Supplied:

- **Evaflex hose** Ø29mm - 5m (cod. 9GAT02001/AS)
- **2-way union** complete with 1 clapet valve (cod. 68.092/X)
- **Set 3 pieces** fleece bag dust container (cod. 045.1612/3)

### MKR6000

Matic system kit (KR 2A + HB 6000 + EP 3M)

- Matic vacuum system (6m arm) to extract micro-dust generated during a sanding or different industrial processes, which includes KR2A, HB6000 and EP3M

TECHNICAL DATA	MKR6000
Side channel pump	•
Power [W]	1500/2
Vacuum [mmH <sub>2</sub> O]	2400
Noise [dB(A)]	65
Tank capacity [l]	23
Flow capacity [m <sup>3</sup> /h]	250
Filter surface [m <sup>2</sup> ]	1
Tool	2
Working pressure [Bar]	6
Max arm extension [m]	6
Working angle [°]	180
Max installation height [m]	4,5
Electric tool socket [nr]	2
Air quick coupling tools [nr]	2
Electric tool socket [nr]	-
Regulated air quick coupling [nr]	1
Ø ID vacuum nozzle [mm]	50
Spot light	-
Automatic filter cleaning	•

### MKR6000F

Matic system kit (KR 2A + HF 6000)

- Matic vacuum system (6m arm) to extract micro-dust generated during a sanding or different industrial processes, which includes KR2A, HF6000 and EP3M

TECHNICAL DATA	MKR6000F
Side channel pump	•
Power [W]	1500/2
Vacuum [mmH <sub>2</sub> O]	2400
Noise [dB(A)]	65
Tank capacity [l]	23
Flow capacity [m <sup>3</sup> /h]	250
Filter surface [m <sup>2</sup> ]	1
Tool	2
Working pressure [Bar]	6
Max arm extension [m]	6
Working angle [°]	180
Max installation height [m]	2
Electric tool socket [nr]	2
Air quick coupling tools [nr]	2
Electric tool socket [nr]	1
Regulated air quick coupling [nr]	1
Ø ID vacuum nozzle [mm]	50
Spot light	•
Automatic filter cleaning	•

## 4.6 Vacuum towers



### HTE300

Vacuum Tower 2,2 kW - 3 HP with integrated cupboard

- Vacuum tower to extract micro-dust generated during sanding and other processes, designed to support two electric and or pneumatic tools simultaneously

TECHNICAL DATA	HTE300
Side channel pump	•
Electric supply	380V 3ph + N
Power [W]	2200/3
Weight [kg]	163
Max power socket [W]	3600
Vacuum max. [mmH <sub>2</sub> O]	2900
Noise [dB(A)]	68
Tank capacity [l]	26
Flow capacity [m <sup>3</sup> /h]	360
Filter surface [m <sup>2</sup> ]	3
Tools [nr]	2
Working pressure [Bar]	6
Electric tools socket [nr]	2
Air quick coupling tools [nr]	2
Electric tool socket [nr]	2
Regulated air quick coupling [nr]	2
Automatic filter cleaning	•
Multifunctional display	•
Ø ID vacuum nozzle [mm]	34
Dimensions (AxLxP) [cm]	180 x 90 x 47

#### Supplied:

- Set 3 pieces fleece bag dust container (cod. 045.1612/3)
- Air pressure regulator (cod. 9GP01002)



## 4.6 Vacuum towers



### Supplied:

- **Set 3 pieces** fleece bag dust container (cod. 045.1612/3)
- **Air pressure regulator** (cod. 9GP01002)

### HTE100

Vacuum Tower 1,5 kW - 2 HP

- Vacuum tower to extract micro-dust generated during sanding and other processes, designed to support two electric and or pneumatic tools simultaneously

TECHNICAL DATA	HTE100
Side channel pump	•
Electric supply	230V 1ph
Power [W]	1500/2
Weight [kg]	120
Max power socket [W]	3600
Vacuum max. [mmH <sub>2</sub> O]	2400
Noise [dB(A)]	65
Tank capacity [l]	23
Flow capacity [m <sup>3</sup> /h]	250
Filter surface [m <sup>2</sup> ]	1
Tools [nr]	2
Working pressure [Bar]	6
Electric tools socket [nr]	1
Air quick coupling tools [nr]	2
Electric tool socket [nr]	1
Regulated air quick coupling [nr]	2
Automatic filter cleaning	•
Multifunctional display	1 x 50 / 2 x 34
Ø ID vacuum nozzle [mm]	140 x 58 x 45
Dimensions (AxLxP) [cm]	180 x 90 x 47

### PF50

Prefilter (for Vacuum unit)

TECHNICAL DATA	PF50
Weight [kg]	10
Tank capacity [l]	50
Ø ID vacuum nozzle [mm]	50
Dimensions (AxLxP) [cm]	77 x 58 x 58



## 4.6 Vacuum towers



### PF92

Prefilter (Cyclonic filter for Turbines)

- Filter units for centralised systems prepared for connection to turbines
- Front door for easy removal of the dust container

TECHNICAL DATA	PF92
Weight [kg]	85
Tank capacity [l]	90
Working pressure [Bar]	6
Filter cleaning	•
Ø ID vacuum nozzle [mm]	75
Dimensions (AxLxP) [cm]	165 x 72 x 66

## 4.7 Turbines centralized units standard



### HE201 - HE501 - HE901

Single pump

- Central vacuum units to extract micro-dust generated during sanding and other processes, with Rotor Jet System automatic filter cleaning

TECHNICAL DATA	HE201	HE501	HE901
Side channel pump	•	•	•
Electric supply	380V 3ph	380V 3ph	380V 3ph
Power [W]	2200/3	3000/4	5500/7.5
Weight [kg]	130	135	170
Vacuum max. [mmH <sub>2</sub> O]	2900	2900	2900
Noise [dB(A)]	65	65	70
Tank capacity [l]	50	50	50
Flow capacity [m <sup>3</sup> /h]	320	390	550
Filter surface [m <sup>2</sup> ]	4	4	8
Tools [nr]	2	3	5
Working pressure [Bar]	6	6	6
Automatic filter cleaning	•	•	•
Manual filter cleaning	•	•	•
Multifunctional display	-	•	•
Multifunctional display	-	•	•
Ø ID vacuum nozzle [mm]	75	75	75
Dimensions (AxLxP) [cm]	138 x 98 x 55	138 x 98 x 55	138 x 98 x 55

#### Supplied:

- Set 3 pieces fleece bag for dust container turbine. (cod. 121.500/3)
- Air pressure regulator (cod. 9GP01002)

## 4.7 Turbines centralized units standard



### Supplied:

- **Set 3 pieces** fleece bag for dust container turbine. (cod. 121.500/3)
- **Air pressure regulator** (cod. 9GP01002)

For HE1901i - HE2001i turbines

- **Turbine silencer** (cod. 9GT03119/C)

### HE501i - HE901i - HE1301i - HE1801i - HE1901i - HE2001i

Turbine and inverter system

- Ideal solution for central vacuum systems requiring maximum vacuum performance and energy efficiency


TECHNICAL DATA	HE501i	HE901i	HE1301i
Side channel pump	•	•	•
Electric supply	380V 3ph	380V 3ph	380V 3ph
Power [W]	3000/4	5500/7.5	7500/10
Weight [kg]	140	200	230
Vacuum max. [mmH <sub>2</sub> O]	2900	2900	2900
Noise [dB(A)]	68	73	75
Tank capacity [l]	50	50	50
Flow capacity [m <sup>3</sup> /h]	420	600	750
Filter surface [m <sup>2</sup> ]	4	8	8
Tools [nr]	4	6	8
Working pressure [Bar]	6	6	6
Automatic filter cleaning	•	•	•
Manual filter cleaning	•	•	•
Multifunctional display	•	•	•
Multifunctional display	•	•	•
Energy saving	Inverter	Inverter	iInverter
Ø ID vacuum nozzle [mm]	75	75	75
Dimensions (AxLxP) [cm]	138 x 98 x 55	138 x 136 x 55	138 x 136 x 55

### TURBINES WITH INVERTER SYSTEM

The inverter system is the Ideal solution for centralized extraction systems that demand maximum extraction performance and energy efficiency.



### MAXIMUM POWER



### NUMBER OF TOOLS

TECHNICAL DATA	HE1801i	HE1901i	HE2001i
Side channel pump	•	•	•
Electric supply	380V 3ph	380V 3ph	380V 3ph
Power [W]	15000/20	11000/15	15000/20
Weight [kg]	270	290	385
Vacuum max. [mmH <sub>2</sub> O]	3500	3200	3500
Noise [dB(A)]	80	80	80
Tank capacity [l]	50	50	50
Flow capacity [m <sup>3</sup> /h]	1000	1100	1300
Filter surface [m <sup>2</sup> ]	8	10	10
Tools [nr]	12	14	16
Working pressure [Bar]	6	6	6
Automatic filter cleaning	•	•	•
Manual filter cleaning	•	•	•
Multifunctional display	•	•	•
Multifunctional display	•	•	•
Energy saving	Inverter	Inverter	Inverter
Ø ID vacuum nozzle [mm]	75	100	100
Dimensions (AxLxP) [cm]	138 x 136 x 55	138 x 136 x 80	138 x 136 x 80



**Direct Technical Support**



**Real Time Performance Monitoring**



**Worldwide Engineering support**



**Digital Technical Documents**



**Technical Info Section**



## 4.8 Turbines centralized units 4.0



INDUSTRY 4.0

**KR2AS**

Mobile Turbine 1,5 kW - 2 HP with integrated work station and cabinets

- Mobile workstation turbine with 1.5 kW power and automatic filter cleaning system
- Flexible, compact and ready to go (no installation).

TECHNICAL DATA	KR2AS
Side channel pump	•
Electric supply	230V 1ph
Power [W/Hp]	1500/2
Weight [kg]	115
Vacuum max. [mmH <sub>2</sub> O]	2400
Noise [dB(A)]	65
Tank capacity [l]	23
Flow capacity [m <sup>3</sup> /h]	250
Filter surface [m <sup>2</sup> ]	1
Tools [nr]	2
Working pressure [Bar]	6
Ø ID vacuum nozzle [mm]	50
Dimensions (AxLxP) [cm]	136 x 98 x 62
Intelligent display [in]	4.3
Automatic filter cleaning	•
Manual filter cleaning	•
Motor control section	•
Filter control section	•
Technical info section	•
Remote diagnostics	•
Remote control	•
Wifi connection	•

**Scan the QR-Code**

and watch the demonstration video



Equipment	Art. Nr.
Antistatic hose assembly 5m Ø29 mm electric	9GAT02001/AS
Swing arm	054.1613/C
Hose/Cable holder	038.1306
Storage bay	023.1613/C
Complete antistatic y connection with 1 cover	68.092/X
Perforated board with hooks set 10 pcs included	021.1613/C
Reel holder	036.1613/C
Set 3 pieces fleece bag dust container	045.1612/3
Air pressure regulator	9GP01002

Accessory KR2A	Q.ty	Art. Nr.
H14 FILTER FOR KR2-KR2A	1	106.1613

**Supplied:**

- **Set 3 pieces** fleece bag for dust container turbine. (cod. 121.500/3)
- **Air pressure regulator** (cod. 9GP01002)

**HE201S - HE501S - HE901S**

Single pump

- Central vacuum units to extract micro-dust generated during sanding and other processes, with Rotor Jet System automatic filter cleaning

TECHNICAL DATA	HE201S	HE501S	HE901S
<b>Side channel pump</b>	•	•	•
<b>Electric supply</b>	380V 3ph	380V 3ph	380V 3ph
<b>Power [W]</b>	2200/3	3000/4	5500/7.5
<b>Weight [kg]</b>	130	135	170
<b>Vacuum max. [mmH<sub>2</sub>O]</b>	2900	2900	2900
<b>Noise [dB(A)]</b>	65	65	70
<b>Tank capacity [l]</b>	50	50	50
<b>Flow capacity [m<sup>3</sup>/h]</b>	320	390	550
<b>Filter surface [m<sup>2</sup>]</b>	4	4	8
<b>Tools [nr]</b>	2	3	5
<b>Working pressure [Bar]</b>	6	6	6
<b>Intelligent Display Size [in]</b>	4.3	4.3	4.3
<b>Automatic filter cleaning</b>	•	•	•
<b>Manual filter cleaning</b>	•	•	•
<b>∅ ID vacuum nozzle [mm]</b>	75	75	75
<b>Dimensions (AxLxP) [cm]</b>	138 x 98 x 55	138 x 98 x 55	138 x 98 x 55
<b>Motor control section</b>	•	•	•
<b>Filter control section</b>	•	•	•
<b>Technical info section</b>	•	•	•
<b>Remote diagnostics</b>	•	•	•
<b>Remote control</b>	•	•	•
<b>LAN connection</b>	•	•	•



## 4.8 Turbines centralized units 4.0



INDUSTRY 4.0



## HE501iS - HE901iS - HE1301iS

Turbine with inverter system

- Ideal solution for central vacuum systems requiring maximum vacuum performance and energy efficiency


TECHNICAL DATA	HE501iS	HE901iS	HE1301iS
<b>Side channel pump</b>	•	•	•
<b>Electric supply</b>	380V 3ph	380V 3ph	380V 3ph
<b>Power [W]</b>	3000/4	5500/7.5	7500/10
<b>Weight [kg]</b>	140	200	230
<b>Vacuum max. [mmH<sub>2</sub>O]</b>	2900	2900	2900
<b>Noise [dB(A)]</b>	68	73	75
<b>Tank capacity [l]</b>	50	50	50
<b>Flow capacity [m<sup>3</sup>/h]</b>	420	600	750
<b>Filter surface [m<sup>2</sup>]</b>	4	8	8
<b>Tools [nr]</b>	4	6	8
<b>Working pressure [Bar]</b>	6	6	6
<b>Intelligent Display Size [in]</b>	4.3	4.3	4.3
<b>Automatic filter cleaning</b>	•	•	•
<b>Manual filter cleaning</b>	•	•	•
<b>Energy saving</b>	Inverter	Inverter	Inverter
<b>Ø ID vacuum nozzle [mm]</b>	75	75	75
<b>Dimensions (AxLxP) [cm]</b>	138 x 98 x 55	138 x 136 x 55	138 x 136 x 55
<b>Motor control section</b>	•	•	•
<b>Filter control section</b>	•	•	•
<b>Technical info section</b>	•	•	•
<b>Remote diagnostics</b>	•	•	•
<b>Remote control</b>	•	•	•
<b>LAN connection</b>	•	•	•

## Supplied:

- **Set 3 pieces** fleece bag for dust container turbine. (cod. 121.500/3)
- **Air pressure regulator** (cod. 9GP01002)

## TURBINES WITH INVERTER SYSTEM

The inverter system is the Ideal solution for centralized extraction systems that demand maximum extraction performance and energy efficiency.



**Supplied:**

- **Set 3 pieces** fleece bag for dust container turbine. (cod. 121.500/3)
- **Air pressure regulator** (cod. 9GP01002)

For HE1901iS - HE2001iS turbines

- **Turbine silencer** (cod. 9GT03119/C)

**TURBINES WITH INVERTER SYSTEM**


The inverter system is the Ideal solution for centralized extraction systems that demand maximum extraction performance and energy efficiency.

**HE1801iS - HE1901iS - HE2001iS**

Turbine with inverter system

- Ideal solution for central vacuum systems requiring maximum vacuum performance and energy efficiency

TECHNICAL DATA	HE1801iS	HE1901iS	HE2001iS
<b>Side channel pump</b>	•	•	•
<b>Electric supply</b>	380V 3ph	380V 3ph	380V 3ph
<b>Power [W]</b>	15000/20	11000/15	15000/20
<b>Weight [kg]</b>	270	290	385
<b>Vacuum max. [mmH<sub>2</sub>O]</b>	3500	3200	3500
<b>Noise [dB(A)]</b>	80	80	80
<b>Tank capacity [l]</b>	50	50	50
<b>Flow capacity [m<sup>3</sup>/h]</b>	1000	1100	1300
<b>Filter surface [m<sup>2</sup>]</b>	8	10	10
<b>Tools [nr]</b>	12	14	16
<b>Working pressure [Bar]</b>	6	6	6
<b>Intelligent Display Size [in]</b>	4.3	4.3	4.3
<b>Automatic filter cleaning</b>	•	•	•
<b>Manual filter cleaning</b>	•	•	•
<b>Energy saving</b>	Inverter	Inverter	Inverter
<b>∅ ID vacuum nozzle [mm]</b>	75	100	100
<b>Dimensions (AxLxP) [cm]</b>	138 x 136 x 55	138 x 136 x 80	138 x 136 x 80
<b>Motor control section</b>	•	•	•
<b>Filter control section</b>	•	•	•
<b>Technical info section</b>	•	•	•
<b>Remote diagnostics</b>	•	•	•
<b>Remote control</b>	•	•	•
<b>LAN connection</b>	•	•	•

**MAXIMUM POWER****NUMBER OF TOOLS**

## 4.8 Turbines centralized units 4.0


**INDUSTRY 4.0**


### HE2301i - HE3001i - HE4001i

Turbine with inverter system

- 4.0 intelligent turbines with Inverter Technology, which features a 7" touch panel that allows for direct remote assistance and support


TECHNICAL DATA	HE2301i	HE3001i	HE4001i
Side channel pump	•	•	•
Electric supply	380V 3ph	380V 3ph	380V 3ph
Power [W]	7500/10	11000/15	15000/20
Weight [kg]	230	290	400
Vacuum max. [mmH <sub>2</sub> O]	2900	3200	3500
Noise [dB(A)]	75	80	80
Tank capacity [l]	50	50	50
Flow capacity max [m <sup>3</sup> /h]	800	1100	1300
Filter surface [m <sup>2</sup> ]	8	10	10
Tools [nr]	9	14	18
Working pressure [Bar]	6	6	6
Intelligent Display Size [in]	7	7	15
Automatic filter cleaning	•	•	•
Manual filter cleaning	•	•	•
Motor Control Section	•	•	•
Filter Control Section	•	•	•
Technical Video Section	•	•	•
Technical Info Section	•	•	•
Remote Diag. Technology	•	•	•
Remote Control	•	•	•
LAN connection	•	•	•
Energy saving	•	•	•
∅ ID vacuum nozzle [mm]	100	100	100
Dimensions (AxLxP) [cm]	138 x 136 x 90	138 x 136 x 90	138 x 136 x 90

#### Supplied:

- **Set 3 pieces** fleece bag for dust container turbine. (cod. 121.500/3)
- **Air pressure regulator** (cod. 9GP01002)

#### TURBINES WITH INVERTER SYSTEM

The inverter system is the Ideal solution for centralized extraction systems that demand maximum extraction performance and energy efficiency.


**MAXIMUM POWER**

**NUMBER OF TOOLS**

#### Scan the QR-Code

and watch the demonstration video



## 4.9 Terminals



### Supplied:

- Tool holder for control unit (cod. 9.E228)



### Supplied:

- Tool holder for control unit (cod. 9.E228)



### Supplied:

- Tool holder (cod. 9.E226)
- 2-way union complete with 2 clapet valve (cod. 68.091/X)

### HB3000

Swing arm for drop control unit - 3m

- 3m swing arm reinforced with painted steel and wall support. Terminal not included
- Suitable for all areas where sanding and painting preparation work is done, allows you to work without pipes and cables trailing across the ground

TECHNICAL DATA	HB3000
Weight [kg]	47
Max arm extension [m]	3
Working angle [°]	180
Max installation height [m]	4,5

### HB6000

Swing arm for drop control unit - 6m

- 6m swing arm reinforced with painted steel and wall support. Terminal not included
- Suitable for all areas where sanding and painting preparation work is done, allows you to work without pipes and cables trailing across the ground

TECHNICAL DATA	HB6000
Weight [kg]	80
Max arm extension [m]	6
Working angle [°]	180
Max installation height [m]	4,5


### HF3000 - HF3000A

Swing arm with integrated control unit - 3m

- 6m swing arm reinforced with painted steel and wall support. Terminal not included
- Suitable for all areas where sanding and painting preparation work is done, allows you to work without pipes and cables trailing across the ground

TECHNICAL DATA	HF3000	HF3000A
Weight [kg]	47	47
Max arm extension [m]	3	3
Working angle [°]	180	180
Max installation height [m]	2	2
Electric tools socket [nr]	2	2
Air quick coupling tools [nr]	2	2
Reg. air quick coupling [nr]	1	1
Ø ID vacuum nozzle [mm]	1x50/2x34	1x50/2x34
Tools [mm]	2	2
Automatic start - up	-	•

## 4.9 Terminals



### Supplied:

- **Tool holder** (cod. 9.E226)
- **2-way union** complete with 2 clapet valve (cod. 68.091/X)

### HF6000 - HF6000A

Swing arm with integrated control unit and light - 6m

- 6m swing arm reinforced with painted steel and wall support. Integrated terminal and light
- Suitable for all areas where sanding and painting preparation work is done, allows you to work without pipes and cables trailing across the ground

TECHNICAL DATA	HF6000	HF6000A
<b>Weight [kg]</b>	80	80
<b>Max arm extension [m]</b>	6	6
<b>Working angle [°]</b>	180	180
<b>Max installation height [m]</b>	2	2
<b>Electric tools socket [nr]</b>	2	2
<b>Air quick coupling tools [nr]</b>	2	2
<b>Electric tool socket [nr]</b>	1	1
<b>Reg. air quick coupling [nr]</b>	1	1
<b>Ø ID vacuum nozzle [mm]</b>	1 x 50 / 2 x 34	1 x 50 / 2 x 34
<b>Tools [mm]</b>	2	2
<b>Automatic start - up</b>	-	•
<b>Spot light</b>	•	•



### EP1AC - EP1P

Drop control unit 1 user

- Service terminal for extracting micro-dust generated during sanding or other processes and for connecting pneumatic and electric tools
- One user, automatic electric and pneumatic sockets, manual and automatic remote start-up, manual cut-off system

TECHNICAL DATA	EP1AC	EP1P
<b>Weight [kg]</b>	4	4
<b>Dimensions (AxLxP) [cm]</b>	30x20x20	30x20x20
<b>Electric tools socket [nr]</b>	1	-
<b>Air quick coupling tools [nr]</b>	1	1
<b>Reg. air quick coupling [nr]</b>	1	1
<b>Ø ID vacuum nozzle [mm]</b>	1 x 50 / 1 x 34	1 x 50 / 1 x 34
<b>Tools [nr]</b>	1	1
<b>Automatic start - up</b>	EP*	P**
<b>Manual Cut - Off</b>	•	•

\*EP: electro - pneumatic

\*\*P: pneumatic

## 4.9 Terminals



### Supplied:

- 2-way union complete with 2 clapet valve (cod. 68.091/X)

### EP3 - EP3A - EP3C

Drop control unit - 2 users

- Service terminal for extracting micro-dust generated during sanding or other processes and for connecting pneumatic and electric tools
- Two users, automatic electric and pneumatic sockets, manual and automatic remote start-up (EP3A & EP3C), manual cut-off system (EP3C)

TECHNICAL DATA	EP3	EP3A	EP3C
<b>Weight [kg]</b>	6	6	6
<b>Dimensions (AxLxP) [cm]</b>	44x44x20	44x44x20	44x44x20
<b>Electric tools socket [nr]</b>	2	2	2
<b>Air quick coupling tools [nr]</b>	2	2	2
<b>Reg. air quick coupling [nr]</b>	1	1	1
<b>Ø ID vacuum nozzle [mm]</b>	1x50/2x34	1x50/2x34	1x50/2x34
<b>Tools [nr]</b>	2	2	2
<b>Automatic start - up</b>	-	EP*	EP*
<b>Automatic Cut - Off</b>	-	-	•

\*EP: electro - pneumatic

\*\*P: pneumatic



### PE1 - PE1A - PE1C - PE1S

Flush - mounted multifunctional terminals

- The PE series terminals can be either built-in or wall-mounted in work areas where it is desirable to optimise available space
- The PE1 series can support one user and features manual cut-off (PE1 - PE1A - PE1C), automatic start (PE1A - PE1C), automatic cut-off (PE1C)

TECHNICAL DATA	PE1	PE1A	PE1C	PE1S
<b>Weight [kg]</b>	5	5	9	5
<b>Dim. (AxLxP) [cm]</b>	60 x 25 x 18	60 x 25 x 18	52 x 48 x 18	60 x 25 x 18
<b>Electric tools socket [nr]</b>	1	1	1	-
<b>Air quick coupling tools [nr]</b>	1	1	1	-
<b>Electric service sockets [nr]</b>	-	-	1	3
<b>Reg. air quick coup. [nr]</b>	1	1	1	1
<b>Ø ID vacuum nozzle [mm]</b>	1x50/1x34	1x50/1x34	1x50/1x34	-
<b>Tools [nr]</b>	1	1	1	-
<b>Automatic start - up</b>	-	•	•	-
<b>Manual Cut - Off</b>	•	•	•	-
<b>Automatic Cut - Off</b>	-	-	•	-

## 4.9 Terminals



### PE2 - PE2A

Flush - mounted multifunctional terminals

- The PE series terminals can be either built-in or wall-mounted in work areas where it is desirable to optimise available space
- The PE2 series can support two users and features manual cut-off and automatic start (PE2A)

TECHNICAL DATA	PE2	PE2A
<b>Weight [kg]</b>	9	9
<b>Dimensions (AxLxP) [cm]</b>	52 x 48 x 18	52 x 48 x 18
<b>Electric tools socket [nr]</b>	2	2
<b>Air quick coupling tools [nr]</b>	2	2
<b>Electric tool socket [nr]</b>	1	1
<b>Reg. air quick coupling [nr]</b>	1	1
<b>Ø ID vacuum nozzle [mm]</b>	2 x 50 / 2 x 34	2 x 50 / 2 x 34
<b>Tools [nr]</b>	2	2
<b>Automatic start - up</b>	-	•
<b>Manual Cut - Off</b>	•	•



### PT102A - PT102C

Control unit tower

- Service terminal for extracting micro-dust generated during sanding or other processes and for connecting pneumatic and electric tools
- They both feature automatic start and manual cut-off. Only the PT102C features the automatic cut-off

TECHNICAL DATA	PT102A	PT102C
<b>Weight [kg]</b>	22	22
<b>Dimensions (AxLxP) [cm]</b>	93 x 60 x 22	93 x 60 x 22
<b>Tools [nr]</b>	2	2
<b>Air quick coupling tools [nr]</b>	2	2
<b>Reg. air quick coupling [nr]</b>	1	1
<b>Ø ID vacuum nozzle [mm]</b>	2 x 50 / 2 x 34	2 x 50 / 2 x 34
<b>Automatic start - up</b>	•	•
<b>Automatic Cut - Off</b>	-	•
<b>Manual Cut - Off</b>	•	•

## 4.9 Terminals



### PT202A - PT202C

Control unit tower

- Service terminal for extracting micro-dust generated during sanding or other processes and for connecting pneumatic and electric tools
- They both feature automatic start and manual cut-off as well as a cabinet storage. Only the PT202C features the automatic cut-off

TECHNICAL DATA	PT202A	PT202C
Weight [kg]	33	33
Dimensions (AxLxP) [cm]	180 x 60 x 22	180 x 60 x 22
Tools [nr]	2	2
Air quick coupling tools [nr]	2	2
Reg. air quick coupling [nr]	1	1
Ø ID vacuum nozzle [mm]	2 x 50 / 2 x 34	2 x 50 / 2 x 34
Automatic start - up	•	•
Automatic Cut - Off	-	•
Manual Cut - Off	•	•

## 4.10 ATEX

Turbines units



### ATEX HE201 - HE501 - HE901

Single pump

- ATEX Zone 22 central vacuum units to extract micro-dust generated during sanding and other processes, with Rotor Jet System automatic filter cleaning
- Excellent vacuum performance, high reliability, high filtering efficiency (99.5%), cyclonic pre-filtration system and electronic control panel

TECHNICAL DATA	HE201	HE501	HE901
Side channel pump	•	•	•
Electric supply	380V 3ph	380V 3ph	380V 3ph
Power [W]	2200/3	3000/4	5500/7.5
Weight [kg]	130	135	170
Vacuum max. [mmH <sub>2</sub> O]	2900	2900	2900
Noise [dB(A)]	65	65	70
Tank capacity [l]	50	50	50
Flow capacity [m <sup>3</sup> /h]	320	390	550
Filter surface [m <sup>2</sup> ]	4	4	8
Tools [nr]	2	3/4	5
Working pressure [Bar]	6	6	6
Automatic filter cleaning	•	•	•
Manual filter cleaning	•	•	•
Multifunctional display	-	•	•
Ø ID vacuum nozzle [mm]	75	75	75
Dimensions (AxLxP) [cm]	138 x 98 x 55	138 x 98 x 55	138 x 98 x 55
Atex Zone 22	•	•	•



Supplied:

- Set 3 pieces fleece bag for dust container turbine. (cod. 121.500/3)
- Air pressure regulator (cod. 9GP01002)



**4.10 ATEX**

Turbines units

**ATEX KR2A**

Mobile Turbine 1,5 kW - 2 HP with integrated work station

- Atex Zone 22 mobile workstation turbine with 1.5 kW power and automatic filter cleaning system.
- Flexible, compact and ready to go (no installation). Possibility to connect two pneumatic tools simultaneously

TECHNICAL DATA	KR2A ATEX
<b>Side channel pump</b>	•
<b>Electric supply</b>	400V 3ph
<b>Power [W/Hp]</b>	1500/2
<b>Weight [kg]</b>	115
<b>Vacuum max. [mmH<sub>2</sub>O]</b>	2400
<b>Noise [dB(A)]</b>	65
<b>Tank capacity [l]</b>	23
<b>Flow capacity [m<sup>3</sup>/h]</b>	250
<b>Filter surface [m<sup>2</sup>]</b>	1
<b>Tools [nr]</b>	2
<b>Working pressure [Bar]</b>	6
<b>Automatic filter cleaning</b>	•
<b>Ø ID vacuum nozzle [mm]</b>	1 x 50 / 2 x 34
<b>Dimensions (AxLxP) [cm]</b>	136 x 98 x 62
<b>Atex Zone 22</b>	•

**Equipment****Art. Nr.**

Antistatic hose assembly 5m Ø29 mm electric	9GAT02001/AS
Swing arm	054.1613/C
Hose/Cable holder	038.1306
Storage bay	023.1613/C
Complete antistatic y connection with 1 cover	68.092/X
Perforated board with hooks set 10 pcs included	021.1613/C
Reel holder	036.1613/C
Set 3 pieces fleece bag dust container	045.1612/3
Air pressure regulator	9GP01002

## 4.10 ATEX

Turbines centralized units



### Supplied:


- Set 3 pieces fleece bag for dust container turbine. (cod. 121.500/3)
- Air pressure regulator (cod. 9GP01002)

For HE1901i - HE2001i turbines

- Turbine silencer (cod. 9GT03119/C)

### TURBINES WITH INVERTER SYSTEM

The inverter system is the Ideal solution for centralized extraction systems that demand maximum extraction performance and energy efficiency.



### ATEX HE501i - HE901i - HE1301i - HE1801i HE1901i - HE2001i

Turbine with inverter system

- Ideal solution for central vacuum systems requiring maximum vacuum performance and energy efficiency

TECHNICAL DATA	HE501i	HE901i	HE1301i
Side channel pump	•	•	•
Electric supply	380V 3ph	380V 3ph	380V 3ph
Power [W]	3000/4	5500/7.5	7500/10
Weight [kg]	140	200	230
Vacuum max. [mmH <sub>2</sub> O]	2900	2900	2900
Noise [dB(A)]	68	73	75
Tank capacity [l]	50	50	50
Flow capacity [m <sup>3</sup> /h]	420	600	750
Filter surface [m <sup>2</sup> ]	4	8	8
Tools [nr]	4	6/7	8
Working pressure [Bar]	6	6	6
Automatic filter cleaning	•	•	•
Manual filter cleaning	•	•	•
Multifunctional display	•	•	•
Filter performance display	•	-	-
Energy saving	Inverter	Inverter	Inverter
Ø ID vacuum nozzle [mm]	75	75	75
Dimensions (AxLxP) [cm]	138 x 98 x 55	138 x 136 x 55	138 x 136 x 55
ATEX Zone 22	•	•	•

TECHNICAL DATA	HE1801i	HE1901i	HE2001i
Side channel pump	•	•	•
Electric supply	380V 3ph	380V 3ph	380V 3ph
Power [W]	15000/20	11000/15	15000/20
Weight [kg]	270	290	385
Vacuum max. [mmH <sub>2</sub> O]	3500	3200	3500
Noise [dB(A)]	80	80	80
Tank capacity [l]	50	50	50
Flow capacity [m <sup>3</sup> /h]	1000	1100	1300
Filter surface [m <sup>2</sup> ]	8	10	10
Tools [nr]	12	14	16
Working pressure [Bar]	6	6	6
Automatic filter cleaning	•	•	•
Manual filter cleaning	•	•	•
Multifunctional display	•	•	•
Multifunctional display	•	•	•
Energy saving	Inverter	Inverter	Inverter
Ø ID vacuum nozzle [mm]	75	100	100
Dimensions (AxLxP) [cm]	138 x 136 x 55	138 x 136 x 80	138 x 136 x 80
ATEX Zone 22	•	•	•

## 4.10 ATEX

Turbines centralized units



### Supplied:


- **Set 3 pieces** fleece bag for dust container turbine. (cod. 121.500/3)
- **Air pressure regulator** (cod. 9GP01002)

### TURBINES WITH INVERTER SYSTEM

The inverter system is the Ideal solution for centralized extraction systems that demand maximum extraction performance and energy efficiency.



### MAXIMUM POWER



### NUMBER OF TOOLS

## ATEX HE2301i - HE3001i - HE4001i

Single pump

- Ideal solution for central vacuum systems requiring maximum vacuum performance and energy efficiency

TECHNICAL DATA	HE2301i	HE3001i	HE4001i
Side channel pump	•	•	•
Electric supply	380V 3ph	380V 3ph	380V 3ph
Power [W]	7500/10	11000/15	15000/20
Weight [kg]	230	290	400
Vacuum max. [mmH <sub>2</sub> O]	2900	3200	3500
Noise [dB(A)]	75	80	80
Tank capacity [l]	50	50	50
Flow capacity [m <sup>3</sup> /h]	800	1100	1300
Filter surface [m <sup>2</sup> ]	8	10	10
Tools [nr]	9	14	18
Working pressure [Bar]	6	6	6
Intelligent Display Size	7"	7"	15"
Automatic filter cleaning	•	•	•
Manual filter cleaning	•	•	•
Motor Control Section	•	•	•
Filter Control Section	•	•	•
Technical Video Section	•	•	•
Technical Info Section	•	•	•
Remote Diag. Technology	•	•	•
Remote Control	•	•	•
LAN connection	•	•	•
Energy saving	•	•	•
∅ ID vacuum nozzle [mm]	100	100	100
Dimensions (AxLxP) [cm]	138 x 136 x 90	138 x 136 x 90	138 x 136 x 90
ATEX zone 22	•	•	•

**4.11 ATEX 4.0**

Vacuum cleaners and prefilters

**INDUSTRY 4.0****NEW****Scan the QR-Code**

and watch the demonstration video

**ATEX KR2AS**

Mobile Turbine 1,5 kW - 2 HP with integrated work station and cabinets

- Mobile workstation turbine with 1.5 kW power and automatic filter cleaning system
- Flexible, compact and ready to go (no installation).

TECHNICAL DATA	KR2AS ATEX
Side channel pump	•
Electric supply	230V 1ph
Power [W/Hp]	1500/2
Weight [kg]	115
Vacuum max. [mmH <sub>2</sub> O]	2400
Noise [dB(A)]	65
Tank capacity [l]	23
Flow capacity [m <sup>3</sup> /h]	250
Filter surface [m <sup>2</sup> ]	1
Tools [nr]	2
Working pressure [Bar]	6
Ø ID vacuum nozzle [mm]	50
Dimensions (AxLxP) [cm]	136 x 98 x 62
Intelligent display [in]	4.3
Automatic filter cleaning	•
Manual filter cleaning	•
Motor control section	•
Filter control section	•
Technical info section	•
Remote diagnostics	•
Remote control	•
Wifi connection	•

**Equipment****Art. Nr.**

Antistatic hose assembly 5m Ø29 mm electric	9GAT02001/AS
Swing arm	054.1613/C
Hose/Cable holder	038.1306
Storage bay	023.1613/C
Complete antistatic y connection with 1 cover	68.092/X
Perforated board with hooks set 10 pcs included	021.1613/C
Reel holder	036.1613/C
Set 3 pieces fleece bag dust container	045.1612/3
Air pressure regulator	9GP01002

**Accessory KR2A****Q.ty****Art. Nr.**

H14 FILTER FOR KR2-KR2A	1	106.1613
-------------------------	---	----------

**4.11 ATEX 4.0**

Turbines



INDUSTRY 4.0

NEW

**Supplied:**

- **Set 3 pieces** fleece bag for dust container turbine. (cod. 121.500/3)
- **Air pressure regulator** (cod. 9GP01002)

**ATEX HE201S - HE501S - HE901S**

Single pump

- Central vacuum units to extract micro-dust generated during sanding and other processes, with Rotor Jet System automatic filter cleaning

TECHNICAL DATA	HE201S	HE501S	HE901S
<b>Side channel pump</b>	•	•	•
<b>Electric supply</b>	380V 3ph	380V 3ph	380V 3ph
<b>Power [W]</b>	2200/3	3000/4	5500/7.5
<b>Weight [kg]</b>	130	135	170
<b>Vacuum max. [mmH<sub>2</sub>O]</b>	2900	2900	2900
<b>Noise [dB(A)]</b>	65	65	70
<b>Tank capacity [l]</b>	50	50	50
<b>Flow capacity [m<sup>3</sup>/h]</b>	320	390	550
<b>Filter surface [m<sup>2</sup>]</b>	4	4	8
<b>Tools [nr]</b>	2	3	5
<b>Working pressure [Bar]</b>	6	6	6
<b>Intelligent Display Size [in]</b>	4.3	4.3	4.3
<b>Automatic filter cleaning</b>	•	•	•
<b>Manual filter cleaning</b>	•	•	•
<b>Ø ID vacuum nozzle [mm]</b>	75	75	75
<b>Dimensions (AxLxP) [cm]</b>	138 x 98 x 55	138 x 98 x 55	138 x 98 x 55
<b>Motor control section</b>	•	•	•
<b>Filter control section</b>	•	•	•
<b>Technical info section</b>	•	•	•
<b>Remote diagnostics</b>	•	•	•
<b>Remote control</b>	•	•	•
<b>LAN connection</b>	•	•	•

## 4.11 ATEX 4.0

Turbines



INDUSTRY 4.0

NEW



## Supplied:

- Set 3 pieces fleece bag for dust container turbine. (cod. 121.500/3)
- Air pressure regulator (cod. 9GP01002)

## TURBINES WITH INVERTER SYSTEM

The inverter system is the Ideal solution for centralized extraction systems that demand maximum extraction performance and energy efficiency.

## HE501iS - HE901iS - HE1301iS


Turbine with inverter system

- Ideal solution for central vacuum systems requiring maximum vacuum performance and energy efficiency

TECHNICAL DATA	HE501iS	HE901iS	HE1301iS
Side channel pump	•	•	•
Electric supply	380V 3ph	380V 3ph	380V 3ph
Power [W]	3000/4	5500/7.5	7500/10
Weight [kg]	140	200	230
Vacuum max. [mmH <sub>2</sub> O]	2900	2900	2900
Noise [dB(A)]	68	73	75
Tank capacity [l]	50	50	50
Flow capacity [m <sup>3</sup> /h]	420	600	750
Filter surface [m <sup>2</sup> ]	4	8	8
Tools [nr]	4	6	8
Working pressure [Bar]	6	6	6
Intelligent Display Size [in]	4.3	4.3	4.3
Automatic filter cleaning	•	•	•
Manual filter cleaning	•	•	•
Energy saving	Inverter	Inverter	Inverter
∅ ID vacuum nozzle [mm]	75	75	75
Dimensions (AxLxP) [cm]	138 x 98 x 55	138 x 136 x 55	138 x 136 x 55
Motor control section	•	•	•
Filter control section	•	•	•
Technical info section	•	•	•
Remote diagnostics	•	•	•
Remote control	•	•	•
LAN connection	•	•	•



## MAXIMUM POWER



NUMBER OF TOOLS

## 4.11 ATEX 4.0

Turbines



INDUSTRY 4.0

NEW



## Supplied:

- **Set 3 pieces** fleece bag for dust container turbine. (cod. 121.500/3)
- **Air pressure regulator** (cod. 9GP01002)

For HE1901i - HE2001i turbines

- **Turbine silencer** (cod. 9GT03119/C)

## TURBINES WITH INVERTER SYSTEM

The inverter system is the Ideal solution for centralized extraction systems that demand maximum extraction performance and energy efficiency.

## ATEX HE1801iS - HE1901iS - HE2001iS


Turbine with inverter system

- Ideal solution for central vacuum systems requiring maximum vacuum performance and energy efficiency

TECHNICAL DATA	HE1801iS	HE1901iS	HE2001iS
Side channel pump	•	•	•
Electric supply	380V 3ph	380V 3ph	380V 3ph
Power [W]	15000/20	11000/15	15000/20
Weight [kg]	270	290	385
Vacuum max. [mmH <sub>2</sub> O]	3500	3200	3500
Noise [dB(A)]	80	80	80
Tank capacity [l]	50	50	50
Flow capacity [m <sup>3</sup> /h]	1000	1100	1300
Filter surface [m <sup>2</sup> ]	8	10	10
Tools [nr]	12	14	16
Working pressure [Bar]	6	6	6
Intelligent Display Size [in]	4.3	4.3	4.3
Automatic filter cleaning	•	•	•
Manual filter cleaning	•	•	•
Energy saving	Inverter	Inverter	Inverter
∅ ID vacuum nozzle [mm]	75	100	100
Dimensions (AxLxP) [cm]	138 x 136 x 55	138 x 136 x 80	138 x 136 x 80
Motor control section	•	•	•
Filter control section	•	•	•
Technical info section	•	•	•
Remote diagnostics	•	•	•
Remote control	•	•	•
LAN connection	•	•	•



## MAXIMUM POWER



NUMBER OF TOOLS

## 4.12 Vacuum cleaners, prefilters and terminals ATEX



Vacuum cleaners and prefilters



### Supplied:

- Antistatic hose assembly Ø29mm - 5m (cod. 9GAT02004/AS)
- Dust bag (cod. 130.1108/C)
- Rotating sleeve (cod. 040.1108)

### ATEX KX135MN - KX135AN

Pneumatic Automatic ATEX vacuum cleaner

- ATEX Zone 22 pneumatic vacuum cleaner, designed to have low consumption of compressed air, still keeping an optimal vacuum performance
- Both versions feature an integrated soundproofing system, a pneumatic Venturi system and a workstation. The KX135AN features automatic start up and switch off

TECHNICAL DATA	KX135MN	KX135AN
Weight [kg]	20	20
Vacuum [mmH <sub>2</sub> O]	1900	1900
Noise [dB(A)]	68	68
Tank capacity [l]	30	30
Flow capacity [m <sup>3</sup> /h]	140	140
Filter surface [m <sup>2</sup> ]	1	1
Tools [nr]	1	1
Air quick coupling tools [nr]	1	1
Working pressure [Bar]	6	6
Air consumption [l/min]	700	700
Ø ID vacuum nozzle [mm]	34	34
Automatic start - up	-	•
ATEX - Zone 22	•	•



### PFX50

Prefilter (for Vacuum unit)

TECHNICAL DATA	PFX50
Weight [kg]	14
Tank capacity [l]	50
Filter surface [m <sup>2</sup> ]	1
Working pressure [Bar]	6
Automatic filter cleaning	-
Ø ID vacuum nozzle [mm]	50
Dimensions (AxLxP) [cm]	80 x 58 x 58
ATEX - Zone 22	•





## 4.12 Vacuum cleaners, prefilters and terminals ATEX

Terminals and prefilter



### Supplied:

- 2-way union complete with 2 clapet valve (cod. 68.091/X)

### ATEX EP3X - EP3CX

ATEX drop control sunit - 2 users

- ATEX Zone 22 service terminal for extracting micro-dust generated during sanding or other processes and for connecting pneumatic and electric tools
- Two users, automatic electric and pneumatic sockets, manual start-up (EP3X), automatic start up (EP3CX), and automatic cut-off system (EP3CX)

TECHNICAL DATA	EP3X	EP3CX*
Weight [kg]	6	8
Dimensions (AxLxP) [cm]	44 x 44 x 20	44 x 44 x 20
Air quick coupling tools [nr]	2	2
Reg. air quick coupling [nr]	1	1
Ø ID vacuum nozzle [mm]	1 x 50 / 2 x 34	1 x 50 / 2 x 34
Tools [nr]	2	2
Automatic start - up	-	•
Automatic Cut - Off	-	•
Manual start - up	•	-
ATEX Zone 22	•	•

\*With KR704X - box

### ATEX PE1CX

ATEX flush - mounted terminal with automatic CUT - OFF system - 1 user

- The PE series terminals can be either built-in or wall-mounted in work areas where it is desirable to optimise available space
- It can support one user and features automatic start and automatic cut-off

TECHNICAL DATA	PE1CX
Weight [kg]	9
Dimensions (AxLxP) [cm]	60 x 25 x 18
Air quick coupling tools [nr]	1
Regulated air quick coupling [nr]	1
Ø ID vacuum nozzle [mm]	1 X 50 / 1 X 34
Tools [nr]	1
Automatic start - up*	•
Automatic Cut - Off	•

\*With KR704X - BOX

### ATEX PFX92

Prefilter (for Turbines)

TECHNICAL DATA	PFX92
Weight [kg]	70
Tank capacity [l]	35
Filter surface [m <sup>2</sup> ]	8
Working pressure [Bar]	6
Filter cleaning	•
Ø ID vacuum nozzle [mm]	75
Dimensions (AxLxP) [cm]	148 x 63 x 55
ATEX Zone 22	•




**NEW**
**Supplied:**

- **Set 3 pieces** fleece bag dust container (cod. 045.1612/3)
- **Air pressure regulator** (cod. 9GP01002)

**ATEX HTE100**

Vacuum Tower 1,5 kW - 2 HP

- Vacuum tower to extract micro-dust generated during sanding and other processes, designed to support two pneumatic tools simultaneously

TECHNICAL DATA	HTE100
Power [kW/HP]	1,5/2 Trifase
Power supply [V]	400
Network frequency [Hz]	50
Feeding pressure [bar]	6
Maximum vacuum [mmh2o]	2400
Air flow rate [m <sup>3</sup> /h]	250
Filter surface area [m <sup>2</sup> ]	1
Dust container capacity [l]	20
Noise level [dB]	68
Supported operators [n]	2
Dimension suction connection [n]	1xD50 [mm] or 2xD34 [mm]
Power tool sockets [n]	2
Dimensions [WxHxD]	580x1400x450 [mm]
ATEX - Zone 22	•
Weight [Kg]	120

## 4.13 Cleaning machines



### Supplied:

- **Hose** 2in1  $\varnothing$  29mm - 5m (cod. 9GAT02004/CK)
- **Complete hand lance** (cod. 051.1607)
- **Injection - suction hose** 5m (cod. 050.1607)
- **Foaming brush** (cod. 056.1607)
- **Curved plastic nozzle** (cod. 056.1607)

### CK31 - CK31F

Injection - extraction cleaning machines

- Machine for the direct injection/extraction of water and foaming (CK31F) or non foaming (CK31) agents used to clean fabric and padded material
- Two separate tanks: one for water and detergent, the other for liquid recovery with transparent lid for constant monitoring

TECHNICAL DATA	CK31	CK31F
<b>Interface</b>	Water/ Detergent	Foam
<b>Power [W]</b>	1500	1500
<b>Detergent tank capacity [l]</b>	14	14
<b>Tank capacity [l]</b>	14	14
<b>Vacuum [mmH<sub>2</sub>O]</b>	3000	3000
<b>Noise [dB(A)]</b>	70	70
<b>Weight [kg]</b>	12	20
<b>Vibration by-pass pump</b>	•	•
<b>Foam technology</b>	-	•



### CK31FC

Injection - extraction cleaning machine with built - in compressor

- Machine for the direct injection/extraction of water and foaming agents used to clean fabric and padded material
- Built-in compressor

TECHNICAL DATA	CK31FC
<b>Power [W]</b>	1500
<b>Detergent tank capacity [l]</b>	14
<b>Tank capacity [l]</b>	14
<b>Vacuum [mmH<sub>2</sub>O]</b>	3000
<b>Noise [dB(A)]</b>	70
<b>Weight [kg]</b>	43
<b>Vibration by-pass pump</b>	•
<b>Foam technology</b>	•
<b>Compressor power [W]</b>	350

**4.14 Accessories**



**KC28**

Multi-purpose trolley for professional vacuum cleaners, 4 holders included

**TECHNICAL DATA KC28/STD**

<b>Weight [kg]</b>	32
<b>Dimensions (AxLxP) [cm]</b>	50 x 86,12 x 91,07

**KC28 Extension kit (optional)**

**Q.ty**

016.1110/C - Panels with hooks

1

Accessories included in kit 016.1110/C

Code

1x Kit with 5 long double hooks

039.1612/5

1x Kit with 5 long and straight hooks

041.1612/5

1x Kit with 5 short hooks

040.1612/5





**Large shelf**

For station system KS260 061.1106/C

**CODE** 056.1106/C

**Description** Large shelf 37x35cm



**Small shelf**

For station system KS260 061.1106/C

**CODE** 057.1106/C

**Description** Small shelf 37x20cm



**Complete arm for station system KS 300**

**CODE** 054.1106/C 9GC02006/5

**Description** Fully equipped arm Plastic clips with rivets KIT (5pz)



**Station system for KS 300**

**CODE** 161.1106/C

**Description** Station system for KS300 vacuum units



**Transport handle**

For mobile harpers

**CODE** 157.1108

**Models** For vacuum units series S245/S145



### Long double hooks for station system KS

<b>CODE</b>	<b>039.1612/5</b>
-------------	-------------------

<b>Description</b>	Kit with 5 long double hooks
--------------------	------------------------------



### Long straight hooks for station system KS

<b>CODE</b>	<b>041.1612/5</b>
-------------	-------------------

<b>Description</b>	Kit with 5 long and straight hooks
--------------------	------------------------------------



### Short hooks for station system KS

<b>CODE</b>	<b>040.1612/5</b>
-------------	-------------------

<b>Description</b>	Kit with 5 short hooks
--------------------	------------------------

**4.14 Accessories**



**Polystyrene filter bag**

<b>CODE</b>	<b>063.1106/5</b>	<b>121.500/3</b>
<b>Description</b>	Fleece bag	Fleece bag
<b>Models</b>	KS260EN/EPN KS935E - AS50M KS250E/EP	TURBINE
<b>Unit</b>	5	3



**TNT filter bag**

<b>CODE</b>	<b>130.1108/5</b>
<b>Description</b>	Fleece bag
<b>Models</b>	S1 - S2
<b>Unit</b>	5



**Paper filter bag**

<b>CODE</b>	<b>023.1107/5</b>
<b>Description</b>	Dust bag
<b>Models</b>	SV10E
<b>Unit</b>	5



**Filter**

<b>CODE</b>	<b>021.1106/C</b>	<b>065.1108/2</b>	<b>038.1609</b>	<b>036.1108/2</b>
<b>Description</b>	Paper filter	Polyester filter	Filter for liquid suction	Paper filter
<b>Models</b>	KS	S1 - S2	S235	S1 - S2
<b>Unit</b>	1	2	1	2



### Accessories for dust extraction systems

CODE	Description
<b>9GT03013/C</b>	Ø75/38mm complete union
<b>KR 700</b>	Turbine remote start - up for Matic swing arm
<b>KR 701</b>	Turbine remote start - up (activated by electric or pneumatic tool)
<b>KR 702</b>	Box with pneumatic autostart for n.2 terminals
<b>KR 704X</b>	Box with pneumatic autostart for n.4 atex terminal ep3cx
<b>008.1307/C</b>	Wall support for pe1
<b>009.1307/C</b>	Wall support for pe2
<b>9GT03042</b>	2 - way union adapter (Festool series VT system)
<b>9GT03048/C</b>	Service control units adapter
<b>9GT03076</b>	58/34mm - Ø58/34mm swivel adapter
<b>037.1306</b>	pt tools support
<b>038.1306</b>	pt hose support
<b>9.E228</b>	ep3 tools support
<b>9.E226</b>	Swing arm hf tools support





## 4.14 Accessories



### Antistatic conic hose assembly

For pneumatic and electric tools

CODE	Len. [m]	Ømm	Tools
<b>9GAT02001/X</b>	5	25 - 29	Electric
<b>9GAT02004/X</b>	5	25 - 29	Pneumatic
<b>9GAT02025/X</b>	5	29 - 38	Electric
<b>9GAT02019/X</b>	5	29 - 38	Pneumatic
<b>9GAT02003/X</b>	8	25 - 29	Electric
<b>9GAT02002/X</b>	8	25 - 29	Pneumatic
<b>9GAT02026/X</b>	8	29 - 38	Electric
<b>9GAT02023/X</b>	8	29 - 38	Pneumatic
<b>9GAT02022/X</b>	15	29 - 38	Pneumatic



### Antistatic hose assembly

For pneumatic and electric tools

CODE	Len. [m]	Ømm	Tools
<b>9GAT02014/AS</b>	5	25	Electric
<b>9GAT02001/AS</b>	5	29	Electric
<b>9GAT02004/AS</b>	5	29	Pneumatic
<b>9GAT02003/AS</b>	8	29	Electric
<b>9GAT02002/AS</b>	8	29	Pneumatic
<b>9.1264/30/AS</b>	30	29	-
<b>9GAT02021/AS</b>	10	29	Pneumatic



### Hose assembly

For pneumatic and electric tools

CODE	Len. [m]	Ømm	Tools
<b>9GAT02014/C</b>	5	25	Electric
<b>9GAT02001/C</b>	5	29	Electric
<b>9GAT02004/C</b>	5	29	Pneumatic
<b>9GAT02019/C</b>	5	38	Pneumatic
<b>9GAT02003/C</b>	8	29	Electric
<b>9GAT02002/C</b>	8	29	Pneumatic
<b>9GAT02021/C</b>	10	29	Pneumatic
<b>9GT03047/30</b>	30	25	-
<b>9.1264/30</b>	30	29	-
<b>9GT02022/C</b>	15	38	Pneumatic



### Rubber fittings

CODE	Description	Ømm
106.502	Terminale in gomma filettato	25
663.55/AS	Terminale antistatico in gomma filettato	29
107.502/C	Terminale in gomma filettato con regolatore di flusso	25
110.502/C	Terminale in gomma filettato con regolatore di flusso	29
9.E395/AS	Terminale antistatico in gomma filettato	38



### 2 - way fittings

CODE	Description
68.092/X	2 - way union complete with 1 clapet valve
68.091/X	2 - way union complete with 2 clapet valves
077.1108	Rubber cap Ø 50 mm - S145M



### Swivel connector


CODE	Description
040.1108	Rotating sleeve for Ø25/29/38mm pipes
041.1108	Threaded rubber hose fitting Ø38mm
9GT03076	Ø58/34mm swivel adapter



### Black elastolan tube 10x8

CODE	Description	Length
9GT03057/25	Polyurethane hose	25 mt (Roll)

## 4.14 Accessories



### Joints and sleeves

CODE	Description	Ømm
<b>112.502</b>	Threaded rubber hose branch "2in1"	29 - 29
<b>113.502</b>	Threaded rubber hose branch "2in1"	25 - 29
<b>9GP10003</b>	Quick coupling - valve - Euro profile	8 - 10
<b>9GP08037</b>	Quick coupling - plug - Euro profile	8 - 10
<b>104.502</b>	Quick coupling - plug - Euro profile (thread 1/4"M)	



### Hoses

CODE	Description	Len. [m]	Ømm
<b>9.1255</b>	Evaflex hose X25mm	-	20
<b>9GT03047/30</b>	Evaflex hose (30m Roll)	30	25
<b>9.1264/30</b>	Evaflex hose (30m Roll)	30	29
<b>9.1264/30/AS</b>	Antistatic conductive evaflex hose (30m Roll)	30	29
<b>319.500/30</b>	Evaflex hose (30m Roll)	30	38
<b>319.500/5</b>	Evaflex hose (5m Roll)	5	38
<b>319.500/5/AS</b>	Antistatic conductive evaflex hose (5m Roll)	5	38
<b>319.500/30/AS</b>	Antistatic conductive evaflex hose (30m Roll)	30	38
<b>9GT02014/AS</b>	Oregon antistatic hose	-	50
<b>9GT03027/5</b>	Evaflex hose (5m Roll)	5	50
<b>9GT03027/30</b>	Evaflex hose (30m Roll)	30	50



## Junction BOX

CODE	Description
<b>118.700/G</b>	Junction box
<b>KIT10M</b>	Vacuum line kit 10m
<b>KIT20M</b>	Vacuum line kit 20m
<b>118.700/KIT</b>	Complete junction box with 3m drop
<b>117.700/G</b>	Box for 9GAT02005/C

## Hoses and threaded

CODE	Description
<b>9GE06002</b>	Ø40mm IMQ pipe 3 m
<b>9GE06001</b>	Ø40mm hose linear meter
<b>9GE06003</b>	Ø40mm hose - box union
<b>9GE06005</b>	Ø75mm hose - box union
<b>9GE06004</b>	Ø40mm pipe union
<b>9GE06006</b>	Ø40mm pipe clip

## Fittings

CODE	Description
<b>9GT03026/1</b>	Aluminium pipe Ø50mm 3m
<b>323.500/1</b>	Aluminium pipe Ø75mm 3m
<b>301.700/C</b>	PE complete screw union Ø75mm
<b>308.700/C</b>	PE 90° bend Ø75mm
<b>305.700/C</b>	PE 45° bend Ø75mm
<b>9GAT02005/C</b>	PE 3 - way coupling Ø75 - 75 - 75mm
<b>304.700/C</b>	PE 3 - way coupling 45°, Ø75 - 75 - 75mm
<b>9GT03025/C</b>	PE reduced shunt Ø75 - 38/50 - 75mm
<b>308.700</b>	PE cap Ø75mm
<b>9GT03013/C</b>	Ø75/38mm complete union
<b>312.700/C</b>	90° wide radius bend Ø75mm

## DC2 - DC2W

Manual terminals

TECHNICAL DATA	DC2	DC2W
<b>Dimensions (AxLxP) [cm]</b>	22 x 12,5 x 12	19 x 21 x 12
<b>Air quick coupling tools [nr]</b>	-	2
<b>Ø ID vacuum nozzle [mm]</b>	2 x 34	2 x 34
<b>Manual Cut - Off</b>	•	•



### Air pressure

CODE	Description
318.500	10x19 Rubber hose linear meter
9GT02001	10x12 Rilsan hose linear meter
9GP07004/C	3/8" non return (one - way) valve kit
9.E069	Air treatment group
9GP08001	Straight threaded 3/8M hose 12
9GP08095	"T" Threaded 12 - 12 - 12
9GP08002	90° Threaded 3/8M hose 12



### Holder for suction hose

CODE	Description
9GC02005	Double pipe clip Ø75mm - Ø40mm
9GC02004	Ø50mm collar with plug
9GC02001	Ø75mm collar with plug
9.1739	Ø8mm expansion plug
9.1740/C	Insert 8 with washer
9GM04001	M10 threaded bar
9.1809	1 m chain
023.1301/C	Wall plate for EP3
9.Z808	Lubricant for thread



### Hose clamps

CODE	Description
9.4002	Ø38mm clamp
9.4053	Ø75mm clamp
9.4001	Ø90mm clamp
9.E161	13x20 rubber hose clamp

### Cable

CODE	Description
9C3x2,5A000	3x2.5 cable linear meter
9C2x1,5A000	2x1.5 cable linear meter

**Swivel sleeve**

CODE	Description
<b>051.1606</b>	Rotating sleeve for Ø38mm hose S235E - EP
<b>050.1609</b>	Rotating sleeve for Ø29mm hose S235E - EP

**Liquid brush insert**

CODE	Description
<b>007.1606</b>	Wet pickup nozzle

**Lance grip**

CODE	Description
<b>003.1606</b>	Bend for suction hose

**Dust brush insert**

CODE	Description
<b>008.1606</b>	Carpet/hard floor nozzle

**Tube extension**

CODE	Description
<b>005.1606</b>	50cm extension tube for bend

## 4.14 Accessories



### Straight lance

CODE	Description
048.1606	Large nozzle



### Brush holder

CODE	Description
006.1606	Nozzle holder



### Circular brush

CODE	Description
049.1606	Suction round brush



### Suction accessories

CODE	Description
9GT03056	Brush - SV10E
9GT03034	D5 outlet D5 - SV10E
9GT03032	Nozzle - SV10E
038.1107	Shoulder strap - SV10E



### Industrial cleaning kit

CODE	Description
001.1609/C	Complete cleaning kit S235E - EP/S130/S145/KS260



**Intake lance w/Filter CK31**

CODE	Description
052.1607	Nozzle for suction hose equipped with round brush, small crevice nozzle, upholstery nozzle and 1 dust bag



**Large carpet - floor lance CK31**

CODE	Description
053.1607	Carpet/hard floor nozzle



**Straight intake lance CK31/CK31F**

CODE	Description
057.1607	Vacuum nozzle for hard to reach areas



**Curved plastic nozzle CK31/CK31F**

CODE	Equipment	Description
055.1607	CK31 - CK31F - CK31FC	Standard vacuum nozzle



**Foaming brush CK31F**

CODE	Equipment	Description
056.1607	CK31F - CK31FC	Complete foam brush



**Filter bag CK31**

CODE	Unit	Description
<b>054.1607</b>	10	Filter bag

**Complete manual lance CK31**

CODE	Description
<b>051.1607</b>	Complete injection - extraction gun

**Foam gun with brush CK31F - FC**

CODE	Equipment	Description
<b>072.1607</b>	CK31F - CK31FC	Foam gun with brush

CODE	Equipment	Description
<b>9GT03032</b>	CK31F - CK31FC	Vacuum nozzle for corner
<b>9GAT02004/CK</b>	-	Complete hose CK 31 without nozzle
<b>050.1607</b>	-	Complete hose CK 31
<b>9GT03052</b>	-	Rubber sleeve Ø48 - 29mm
<b>071.1607</b>	CK31F	Hard bristle brush







**[WWW.RUPES.COM](http://WWW.RUPES.COM)**

**RUPES®**

**Scan the QR-Code**

to download the app (Android)  
and access the catalogue in digital format



**Scan the QR-Code**

to download the app (iOS)  
and access the catalogue in digital format



---

**RUPES S.p.A a socio unico**

Via Marconi, 3A, loc. Vermezzo, 20071  
Vermezzo con Zelo (MI) - Italy

**T** +39 - 02.94.69.41

**F** +39 - 02.94.94.10.40

**E** info\_RUPES@RUPES.it

**W** www.RUPES.com

---

**RUPES USA, Inc.**

531 South Taylor Ave  
Louisville, CO 80027

**T** +1- 877-224-5750

**E** info@RUPESusa.com

**W** www.RUPESusa.com

Follow us on:



Due to its constant desire to improve its products, RUPES S.p.A. reserves the right to make any technical or design modification to its products without prior notice. The manufacturer shall not be responsible for printing errors. This document voids and replaces previous ones.