



PEERLESS PRODUCTS PETROL DRIVEN AIR COMPRESSORS

We supply genuine Honda engines through Honda Australia on all our petrol assembled Air Compressors, which means your product is warrantied Australia wide and has of been built for Australian environmental conditions.

All Honda motors built for the Australian market will have a Green and Gold sticker (as pictured) on the fuel cap to prove you have a genuine motor. Also every engine has a serial number located on the motor just like a cars VIN number, which has been registered to Honda Australia so you get your warranty registered without having to do a thing!

All Honda motors supplied on the Peerless Products Air Compressors come with a 3 Year Honda Motor Warranty.

HONDA





TUBE TANK DESIGN FEATURES & BENEFITS

The tube tank will get to full pressure in 7 seconds!

This is one of the best petrol driven compressors on todays market. With the performance of the 2" tube tank there is no down time on waiting for a receiver to fill, just instant pressure. If you lose pressure just take your finger off the trigger and then you're back to full pressure again in less than 2 seconds. Being such a unique design, this frees up valuable space on or in the service truck/van which can help with any space or weight issues you may currently have.

REMOTE START ADD ON OPTIONAL EXTRA

Peerless Products have developed a remote start control that allows you to start and stop your key start Honda or diesel engine within a 22 meter radius. This will increase your productivity by not going back and forward to start/stop your compressor. With also the extra benefit of low fuel costs by your compressor not running continuously.

Reduce Your Worksite Noise

Turn your compressor off & on when air is required!

Eliminate Fuel Wastage

When you're not using your air compressor turn it off! Save your fuel!

· Increase Work Productivity

Start the Air Compressor when you get to the job site and have air ready when you snap on your tool!

| COMPRESSOR MODEL | SPRAY GUN LOW PRESSURE | SPRAY GUN HIGH PRESSURE | CAR TYRE INFLATOR | TRUCK TYRE INFLATOR | STAPLING GUN FITTING GUN | FRAMING NAIL GUN | GREASE GUN | CHALKING GUN | RIVETER GUN | AIR DUSTER | 4" ANGLE AIR GRINDER | 6" ORBITAL SANDER |
|-------------------------------------|---------------------------|----------------------------|----------------------|------------------------|-----------------------------|---------------------|------------|--------------|-------------|------------|-------------------------|----------------------|
| P17P P17PU0 P17PTT P17P2TT | √ | ✓ | √ | √ | √ | ✓ | √ | √ | √ | √ | √ | ✓ |







HONDA **POWERED BY**



P17P 350LPM - F.A.D



| CODE | MODEL | CYLINDER | MAX PSI | MOTOR | PUMP TYPE | PUMP RPM | TANK LITRES |
|-------|-------|----------|---------|-------------|-----------|----------|-------------|
| 00128 | P17P | 2 | 145 | GX200 - 6HP | N75 | 1061 | 55 |

STATIONARY:

ALSO AVAILABLE:

SINGLE PHASE

DIESEL

SPECIAL BUILD

KEY START

5 YEAR PUMP 3 YEAR MOTOR WARRANTY

REMOTE START





350LPM - F.A.D

| CODE | MODEL | CYLINDER | MAX PSI | MOTOR | PUMP TYPE | PUMP RPM | TANK LITRES |
|----------|--------|----------|---------|-------------|-----------|----------|-------------|
| 00128-UO | P17PU0 | 2 | 145 | GX200 - 6HP | N75 | 1061 | 5 |

ALSO AVAILABLE:

DIESEL

SPECIAL BUILD

KEY START

REMOTE START

SMART START FILTER



P17PTT

350LPM - F.A.D

| CODE | MODEL | CYLINDER | MAX PSI | MOTOR | PUMP TYPE | PUMP RPM | TANK LITRES |
|-------|--------|----------|---------|-------------|-----------|----------|-------------|
| 00228 | P17PTT | 2 | 145 | GX200 - 6HP | N75 | 1061 | 32 |

PUMP UP TIME TO 100PSI - 0.55-1 MIN

ALSO AVAILABLE:

SINGLE PHASE

DIESEL

SPECIAL BUILD



5 YEAR PUMP 3 YEAR MOTOR WARRANTY

5 YEAR PUMP 3 YEAR MOTOR

WARRANTY

KEY START

REMOTE START

SMART START FILTER INCLUDED



350LPM - F.A.D

| CODE | MODEL | CYLINDER | MAX PSI | MOTOR | PUMP TYPE | PUMP RPM | TANK LITRES |
|-----------|----------|----------|---------|-------------|-----------|----------|-------------|
| 00128-2TT | P17P-2TT | 2 | 145 | GX200 - 6HP | N75 | 1061 | 5 |

ALSO AVAILABLE:

DIESEL

SPECIAL BUILD

KEY START

| AIR DRILL | ENGINE CLEAN GUN | SAND BLAST GUN | AIR HAMMER | SCREW DRIVER | 1/2" RATCHET WRENCH | 1/2" IMPACT GUN | HI TORQUE 1/2" IMAPCT GUN | HI TORQUE 3/4" IMAPCT GUN | 1/4" DIE GRINDER | POST HOLE DRIVER | AIR GAUGING TOOL | PLASMA CUTTER |
|-----------|---------------------|-------------------|------------|--------------|------------------------|--------------------|------------------------------|------------------------------|---------------------|---------------------|---------------------|------------------|
| √ | ✓ | √ | ✓ | √ | √ | ✓ | √ | • | \checkmark | • | • | √ |





POWERED BY HONDA



PHP15P **HIGH PRESSURE**

320LPM - F.A.D



| CODE | MODEL | CYLINDER | MAX PSI | MOTOR | PUMP TYPE | PUMP RPM | TANK LITRES |
|-------|--------|----------|---------|-------------|-----------|----------|-------------|
| 00101 | PHP15P | 3 | 175 | GX200 - 6HP | 2065T | 1236 | 68 |

PUMP UP TIME TO 100PSI - 1.15-1.25 MIN

ALSO AVAILABLE:

SINGLE **PHASE**

PHASE

DIESEL


SPECIAL BUILD

KEY START

5 YEAR PUMP 3 YEAR MOTOR WARRANTY

REMOTE START

SMART START FILTER INCLUDED



HIGH PRESSURE - UNDER & OVER

| CODE | MODEL | CYLINDER | MAX PSI | MOTOR | PUMP TYPE | PUMP RPM | TANK LITRES |
|----------|----------|----------|---------|-------------|-----------|----------|-------------|
| 00101-UO | PHP15PU0 | 3 | 175 | GX200 - 6HP | 2065T | 1236 | 5 |

ALSO AVAILABLE:

DIESEL

SPECIAL BUILD

KEY START

REMOTE START





| CODE | MODEL | CYLINDER | MAX PSI | MOTOR | PUMP TYPE | PUMP RPM | TANK LITRES |
|-------|----------|----------|---------|-------------|-----------|----------|-------------|
| 00107 | PHP15PTT | 3 | 175 | GX200 - 6HP | 2065T | 1236 | 32 |

ALSO AVAILABLE:

DIESEL

SPECIAL BUILD

KEY START

REMOTE START



320LPM - F.A.D



| CODE | MODEL CYLINDER M | | MAX PSI | IAX PSI MOTOR | | PUMP RPM | TANK LITRES |
|-----------|------------------|---|---------|---------------|-------|----------|-------------|
| 00101-2TT | PHP15P2TT | 3 | 175 | GX200 - 6HP | 2065T | 1236 | 5 |

PUMP UP TIME TO 100PSI - 1.15-1.25 MIN

ALSO AVAILABLE:

DIESEL

SPECIAL BUILD

KEY START

| COMPRESSOR MODEL | SPRAY GUN LOW PRESSURE | SPRAY GUN HIGH PRESSURE | CAR TYRE INFLATOR | TRUCK TYRE INFLATOR | STAPLING GUN FITTING GUN | FRAMING NAIL GUN | GREASE GUN | CHALKING GUN | RIVETER GUN | AIR DUSTER | 4" ANGLE AIR GRINDER | 6" ORBITAL SANDER |
|---|---------------------------|----------------------------|----------------------|------------------------|-----------------------------|---------------------|------------|--------------|-------------|------------|-------------------------|----------------------|
| PHP15P PHP15PU0 PHP15PTT PHP15P2TT | √ | ✓ | √ | √ | √ | √ | √ | ✓ | √ | √ | ✓ | √ |
| P21P | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | ✓ | ✓ |







POWERED BY HONDA



P21P 420LPM - F.A.D



| CODE | MODEL | CYLINDER | MAX PSI | MOTOR | PUMP TYPE | PUMP RPM | TANK LITRES |
|-------|-------|----------|---------|------------|-----------|----------|-------------|
| 00560 | P21P | 2 | 145 | GX200- 6HP | 2080V | 900 | 68 |

ALSO AVAILABLE:

DIESEL SPECIAL BUILD

KEY START

REMOTE START




PEERLESS PROTECTION WATER & DUST RESISTANT

Protect your investment with this heavy duty canvas cover that's water and dust resistant. Most Petrol and Diesel units are exposed on the back of service utes/trucks making it vulnerable to the elements, now you can cover them up.

PLEASE NOTE: DO NOT use while compressor is in operation.

| CODE | COVER SIZE | COMPRESSOR |
|-------|------------|-----------------------|
| 00430 | SMALL | P13, P14, P17, & P17P |
| 00431 | MEDIUM | FATBOYS & 68L TANKS |
| 00432 | LARGE | UNDER & OVERS |



ANTI VIBRATION TOP PLATES OPTIONAL EXTRA

At Peerless Products we are always improving designs to meet the market demands and with this we have created the AVTP (Anti Vibration Top Plates) that will reduce the vibration up to 80%.

The AVTP isn't welded to the pressure vessel like the normal compressor units, instead it's on a floating top plate with strategically placed high density rubber which absorbs the vibrations.

As we advance into new technologies we're able to implement these great ideas into our products, so move into the future with Peerless Products and let's create an easier world to work in.

| AIR DRILL | ENGINE CLEAN GUN | SAND BLAST GUN | AIR HAMMER | SCREW DRIVER | 1/2" RATCHET WRENCH | 1/2" IMPACT GUN | HI TORQUE 1/2" IMAPCT GUN | HI TORQUE 3/4" IMAPCT GUN | 1/4" DIE GRINDER | POST HOLE DRIVER | AIR GAUGING TOOL | PLASMA CUTTER |
|-----------|---------------------|-------------------|------------|--------------|------------------------|--------------------|------------------------------|------------------------------|---------------------|---------------------|---------------------|------------------|
| ✓ | √ | √ | √ | √ | √ | √ | ✓ | • | √ | • | • | √ |
| ✓ | √ | √ | √ | √ | √ | √ | √ | ✓ | √ | • | √ | √ |







HONDA **POWERED BY**



PV25P 545LPM - F.A.D



The PV25 models are one of the most popular units we have, manufactured in 3 Phase, Petrol, Diesel and in special builds.

Producing 545 litres per minute of free air delivery on a GX270 Honda engine (9HP) this out performs most of our competitors.

Great for truck tyre inflation, blowing headers down, running a 34" impact gun, this machine will do what you demand from it within reason.

Great for the solo farmer driving posts in with a pneumatic post hole driver but for the contractors we recommend the PHP30P at the least for post hole driving, as they work faster in a team driving posts.



PV25PFB FATBOY

545LPM - F.A.D

PUMP UP TIME TO 150PSI - 0.43-1-0.48 MIN

The PV25 Fatboy is always a popular choice for the back of the ute or truck.

Producing 545LPM (20 CFM) of Free Air Delivery this handles the 3/4" impact gun with ease. It's also suitable for post hole applications in soft to moderate grounds. For contractors we recommend the PHP30P models at the least.

Water trap filter regulators are not provided with the petrol units so if your going to run air tools you will require one. Refer to page 23 and part number 00520 as this is suited for this model.

Comes standard as a pull start, if you require key start please ask our sales team.

| CODE | MODEL | CYLINDER | MAX PSI | MOTOR | PUMP TYPE | PUMP RPM | TANK LITRES |
|-------|---------|----------|---------|-------------|-----------|----------|-------------|
| 00561 | PV25P | 2 | 145 | GX270 - 9HP | V90 | 1050 | 68 |
| 00564 | PV25PFB | 2 | 145 | GX270 - 9HP | V90 | 1050 | 110 |

STATIONARY: PUMP UP TIME TO 150PSI - 0.43--0.48 MIN

FATBOY: PUMP UP TIME TO 150PSI - 0.43--0.48 MIN

3 YEAR PUMP 3 YEAR MOTO

WARRANTY

REGULATOR NOT INCLUDED

ALSO AVAILABLE:

THREE PHASE

DIESEL

SPECIAL BUILD

KEY START

| COMPRESSOR MODEL | SPRAY GUN LOW PRESSURE | SPRAY GUN HIGH PRESSURE | CAR TYRE INFLATOR | TRUCK TYRE INFLATOR | STAPLING GUN FITTING GUN | FRAMING NAIL GUN | GREASE GUN | CHALKING GUN | RIVETER GUN | AIR DUSTER | 4" ANGLE AIR GRINDER | 6" ORBITAL SANDER |
|--------------------------------|---------------------------|----------------------------|----------------------|------------------------|-----------------------------|---------------------|------------|--------------|-------------|------------|-------------------------|----------------------|
| PV25P PV25PFB | √ | ✓ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ |
| PV25PU0 PV25PTT PV25P2TT | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ |






REGULATOR NOT INCLUDED

REGULATOR NOT INCLUDED

POWERED BY HONDA



PV25PU0 UNDER & OVER

545LPM - F.A.D



3 YEAR PUMP 3 YEAR MOTOR

WARRANTY

3 YEAR PUMP 3 YEAR MOTOR

WARRANTY

| CODE | MODEL | MODEL CYLINDER | | MOTOR | PUMP TYPE | PUMP RPM | TANK LITRES |
|----------|---------|----------------|-----|-------------|-----------|----------|-------------|
| 00561-UC | PV25PU0 | 2 | 145 | GX270 - 9HP | V90 | 1050 | 5 |

ALSO AVAILABLE:



REMOTE START



PV25PTT

545LPM - F.A.D

| CODE | MODEL | CYLINDER | MAX PSI | MOTOR | PUMP TYPE | PUMP RPM | TANK LITRES |
|-------|---------|----------|---------|-------------|-----------|----------|-------------|
| 00563 | PV25PTT | 2 | 145 | GX270 - 9HP | V90 | 1050 | 65 |

PUMP UP TIME TO 150PSI - 0.34--0.38 MIN

ALSO AVAILABLE:

KEY START

REMOTE START



PV25P2TT

545LPM - F.A.D



ALSO AVAILABLE:



| AIR DRILL | ENGINE CLEAN GUN | SAND BLAST GUN | AIR HAMMER | SCREW DRIVER | 1/2" RATCHET WRENCH | 1/2" IMPACT GUN | HI TORQUE 1/2" IMAPCT GUN | HI TORQUE 3/4" IMAPCT GUN | 1/4" DIE GRINDER | POST HOLE DRIVER | AIR GAUGING TOOL | PLASMA CUTTER |
|-----------|---------------------|-------------------|------------|--------------|------------------------|--------------------|------------------------------|------------------------------|---------------------|---------------------|---------------------|------------------|
| ✓ | √ | √ | ✓ | √ | √ | √ | ✓ | ✓ | √ | • | √ | √ |
| ✓ | √ | √ | √ | √ | √ | √ | √ | ✓ | √ | • | √ | √ |





POWERED BY



620LPM - F.A.D



| CODE | MODEL | CYLINDER | MAX PSI | MOTOR | PUMP TYPE | PUMP RPM | TANK LITRES |
|-------|----------|----------|---------|-------------|-----------|----------|-------------|
| 00088 | PHP30PFB | 3 | 175 | GX270 - 9HP | W90II | 1190 | 110 |

ALSO AVAILABLE:

THREE PHASE

DIESEL

KEY START

REMOTE START





720LPM - F.A.D

KEY START



| CODE | MODEL | CYLINDER | MAX PSI | MOTOR | PUMP TYPE | PUMP RPM | TANK LITRES |
|-------|--------|----------|---------|--------------|-----------|----------|-------------|
| 00095 | PHP35P | 3 | 175 | GX390 - 13HP | W90II | 790 | 150 |

PUMP UP TIME TO 150PSI - 2.05 MIN


ALSO AVAILABLE:

THREE PHASE

DIESEL

SPECIAL BUILD

REMOTE START



720LPM - F.A.D





| C | ODE | MODEL | CYLINDER | MAX PSI | MOTOR | PUMP TYPE | PUMP RPM | TANK LITRES |
|-----|--------|----------|----------|---------|--------------|-----------|----------|-------------|
| 000 | 095-UO | PHP35PU0 | 3 | 175 | GX390 - 13HP | W90II | 790 | 5 |

*ALSO AVAILABLE WITH TWO 11L TANKS **450мм х 1000мм х 1000мм (150кg)**

ALSO AVAILABLE:

DIESEL

SPECIAL BUILD

| COMPRESSOR MODEL | SPRAY GUN LOW PRESSURE | SPRAY GUN HIGH PRESSURE | CAR TYRE INFLATOR | TRUCK TYRE INFLATOR | STAPLING GUN FITTING GUN | FRAMING NAIL GUN | GREASE GUN | CHALKING GUN | RIVETER GUN | AIR DUSTER | 4" ANGLE AIR GRINDER | 6" ORBITAL SANDER |
|---------------------|---------------------------|----------------------------|----------------------|------------------------|-----------------------------|---------------------|------------|--------------|--------------|------------|-------------------------|----------------------|
| PHP30P | √ | √ | ✓ | √ | √ | √ | √ | ✓ | \checkmark | √ | ✓ | ✓ |
| PHP35P PHP35PU0 | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ |
| PHP52P | √ | √ | √ | √ | √ | √ | √ | ✓ | √ | √ | √ | √ |







POWERED BY HONDA









| CODE | MODEL | CYLINDER | MAX PSI | MOTOR | PUMP TYPE | PUMP RPM | TANK LITRES |
|-------|--------|----------|---------|--------------|-----------|----------|-------------|
| 00099 | PHP52P | 3 | 175 | GX390 - 13HP | W95II | 1020 | 150 |

PUMP UP TIME TO 150PSI - 1.35 MIN

ALSO AVAILABLE:

THREE PHASE

DIESEL

SPECIAL BUILD

REMOTE START

HONDA

BEWARE OF SERIAL OFFENDERS WE USE GENUINE AUSTRALIAN APPROVED HONDAS



When selecting your product, be sure you're buying a genuine Honda, which is made for the Australian conditions.


All Honda motors have a serial number located on the motor, which you can check as pictured below and if it doesn't look right it probably isn't.

All Honda approved power equipment should have a Green and Gold sticker on it which means the motor has been checked and will receive warranty throughout Australia without any issues.

If you have any concerns or questions you can contact Peerless Products or Honda Australia directly on http://poweredby.honda.com.au/









Fraudulent Honda badge

As of mid-2016, the State and Federal Environment Ministers are introducing emissions standards for new non-road spark ignition engines. Non-road spark engines are a significant contributor to air pollution. The introduction of new standards will bring Australia into line with existing international standards, particularly those in USA who lead the world in emissions standards for petrol engine equipment.



| AIR DRILL | ENGINE CLEAN GUN | SAND BLAST GUN | AIR HAMMER | SCREW DRIVER | 1/2" RATCHET WRENCH | 1/2" IMPACT GUN | HI TORQUE 1/2" IMAPCT GUN | HI TORQUE 3/4" IMAPCT GUN | 1/4" DIE GRINDER | POST HOLE DRIVER | AIR GAUGING TOOL | PLASMA CUTTER |
|-----------|---------------------|-------------------|------------|--------------|------------------------|--------------------|------------------------------|------------------------------|---------------------|---------------------|---------------------|------------------|
| ✓ | ✓ | √ | √ | ✓ | ✓ | √ | √ | √ | √ | √ | ✓ | ✓ |
| ✓ | ✓ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ |
| ✓ | ✓ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ |