



Whether storing 1 litre or 1000 litres, the general rule for determining sump size is the same. The sump must be large enough to contain the greater of 110% of the largest container or 25% of the total volume stored.



TSSBP4L 4-Drum Spill Pallet

- Designed for safe and compliant storage of 4x205L drums.
- Made from 100% corrosion free polyethylene.
- Two-way forklift access for loaded Spill Pallets.
- EPA compliant sumps in all Spill Pallets.
- Rain covers and ezy-load ramps are also available.

Length	Width	Height	Weight	Sump	Max Load
1280mm	1280mm	275mm	35kg	230 Litre	1250kg



TSSBP4 4-Drum XL Spill Pallet

- Huge 410 litre sump for storage of containers up to 372L.
- Solid polyethylene construction for heavy loads.
- Suitable for up to 4 x 205L drums.
- Drain plugs come standard with all spill pallets
- Forkliftable when fully loaded

Length	Width	Height	Weight	Sump	Max Load
1310mm	1310mm	370mm	44kg	410 Litre	1250kg



TSSBP3 3-Drum Spill Pallet

- Designed for safe and compliant storage of 3x205L drums.
- Seamless construction eliminates leaks.
- Meets EPA sump requirements.
- Broadband chemical resistance including acids & caustics.

Length	Width	Height	Weight	Sump	Max Load
1785mm	780mm	240mm	35kg	228 Litre	900kg



TSSPB2 2-Drum Spill Pallet

- Designed for safe and compliant storage of 2x205L drums.
- Made from 100% corrosion free seamless polyethylene.
- Two-way forklift access for loaded Spill Pallets.
- EPA compliant sumps in all Spill Pallets.
- Rain covers and ezy-load ramps are also available.

Length	Width	Height	Weight	Sump	Max Load
1220mm	820mm	330mm	26kg	240 Litre	650kg



TSSBP1 1-Drum Spill Pallet

- Designed for storage of 1 x 205L drum.
- Small footprint for compliant storage in small areas.
- Removable grate makes decontamination easy
- Drainplugs are a standard feature.
- Polyethylene construction for extra durability.

Length	Width	Height	Weight	Sump	Max Load
900mm	700mm	525mm	22kg	225 Litre	300kg



TSSBP4RT 4-Drum Roll-Top Spill Pallet

- Protect your load from weather and theft.
- Key lockable ezy-lift Roll Top Cover large 410 litre sump
- suitable for holding 4 x 205L (44gal) drums
- Can be moved with a forklift when loaded
- removable non-slip grates
- raised lip helps to keep your load secure fitted with threaded drain plug
- Ramp available separately

Length	Width	Height	Weight	Sump	Max Load
1470mm	1420mm	2070mm	115kg	410 Litre	1450kg



TSSCP2 Hardcover 2-Drum Spill Pallet

- Lockable handle and side latches for secure storage.
- Gas struts for easy lowering and opening of the lid.
- Move with pallet jack or forklift when fully loaded.
- EPA compliant sumps in all Spill Pallets.
- Seamless polyethylene construction for extra strength.
- Excellent broadband chemical resistance.

Length	Width	Height	Weight	Sump	Max Load
1630mm	940mm	1420mm	95kg	260 Litre	600kg



Easy forklift access to stored pallets



TSSRB1 Pallet Racking Bund

- Turn standard pallet racking into banded racking.
 - Prevent contamination of goods stored below.
 - Drain plug fitted for easy removal of spilled liquids.
 - Utilises the “dead space” between the beams.
 - Designed to provide easy access to pallets.
 - 100% polyethylene for broadband chemical resistance.
- Racking not included

Length	Width	Height	Weight	Sump	Max Load
1280mm	1280mm	245mm	25kg	220 Litre	1450kg

Spill Pallet Covers

- Protect the sump and the load from rainwater.
- Available for all sizes of Spill Pallets
- Welded seams and heavy-duty PVC prevents leakage.
- Shockcord elastic keeps the cover in place
- Fast and easy to remove and replace the cover.

Item Code	Used With Item
TSSBP4LC	TSSBP4L - 4-Drum Spill Pallet
TSSBP4SC	TSSBF4S - 4-Drum Inline Spill Deck
TSSBP3C	TSSBP3 - 3-Drum Spill Pallet
TSSBP2C	TSSBP3 - 3-Drum Spill Pallet
TSSBP1C	TSSBP1 - 1-Drum Spill Pallet

Spill Pallet Ramps

These spill pallet ramps are made from tough polyethylene and are suitable to use with 2-Drum, 4-Drum and Roll Top Spill Pallets.

Item Code	Length	Width	Height	Weight	Max Load
TSSBP2R	1740mm	1000mm	330mm	36kg	400kg
TSSBP4R	1740mm	1000mm	270mm	33kg	400kg
TSSBPTR	1740mm	1000mm	370mm	38kg	400kg