



GRACO



Gas Airless Sprayers

Graco's Complete Line of Professional Gas Airless Sprayers




PROVEN QUALITY. LEADING TECHNOLOGY.

There is nothing like a Graco® sprayer.

Quality. Performance.
Durability. Productivity.

Graco gas airless sprayers deliver on all counts. Whether you're a contractor focused on small residential or a large contractor tackling the biggest projects every day, Graco offers you the best, most extensive line of painting equipment to meet your needs. Most importantly, when you choose Graco, you know that you are choosing the highest quality product in the industry. You can take pride in the fact that Graco gas sprayers are designed, manufactured, and assembled right here in the USA with imported Honda® gas engines and Kohler® diesel engines.

We do!



What is the G4 Difference? Simply put, it's Graco's commitment to provide you with the very best gas airless sprayers, backed by a solid reputation for proven quality, maximum performance, reliable warranty coverage and unmatched on-the-job productivity. Graco sprayers are designed to exceed the professional painting contractor's standards for quality and performance. Graco is the name to turn to today and as your business grows.

PROVEN **QUALITY**

100% factory-tested and field-proven design, coupled with cutting-edge technology, keep Graco sprayers performing reliably on the job for years.

MAXIMUM **PERFORMANCE**

Higher output with superior control ensures the highest quality finish for every job.

INDUSTRY-LEADING **WARRANTY**

Every Graco gas sprayer is backed by our full warranty coverage and more than 80 years of proven commitment to the professional contractor.

UNMATCHED **PRODUCTIVITY**

Exclusive Endurance™ pumps deliver long life and reliable performance, while the Endurance Advantage Program eliminates downtime by enabling you to always have a spare pump on hand or quick job site change-out.

For patent information see www.graco.com/patents.

Graco: the Leader in Gas Airless Sprayers

As a world leader in fluid handling technology, Graco builds the very best, most reliable gas airless sprayer available. Whether you prefer the efficiency and money-saving features of a direct-drive GMAX™ or GMAX II sprayer, or you need a hydraulic GH™ sprayer that handles the heaviest materials, Graco has the **Total Job Solution** for you.



*IronMan model shown.
ProContractor, Lo-Boy, Standard, and
Convertible models are available.*



*ProContractor model shown.
Standard models also available.*

GMAX Direct Drive Technology

With a direct drive sprayer, a gas engine is connected directly to a pump via a geared drive train. These units are the most energy efficient gas powered sprayers.

See page 5 to learn more about Graco's direct drive GMAX and GMAX II sprayers.

Hydraulic Technology

With a hydraulic sprayer, an engine or electric motor powers a hydraulic system that then drives a pump.

See pages 19-20 to learn more about Graco's hydraulic GH sprayers.

Why Gas?

- ✓ Extremely portable
- ✓ Frees you from the limits of jobsite power
- ✓ Gives you the ability to spray heavier coatings at higher production rates
- ✓ More power for the purchase price

Choose the RIGHT SPRAYER

As a painting contractor, you need an airless sprayer that will deliver the best in performance and reliability. Graco's mission is to offer you the perfect sprayer that's sized for the work you do and will give you the results you expect. Use the Painting Solutions Guide below to help you choose which of Graco's gas or diesel sprayers is right for you. Whatever size you need, Graco has the absolute best airless sprayers in the industry.

- What types of material do you spray? In the future?
- How many gallons per week will you spray?
- How many guns do you now need? In the future?
- What hose lengths will you use?
- What tip sizes do you need?
- What power sources do you have available?
- What types of jobs will you bid?
- On what types of surfaces will you spray (drywall, wood, concrete, steel, etc.)?

PAINTING SOLUTIONS GUIDE

CLASSIFICATION:	GMAX 3400	GMAX II 3900 GH 130	GMAX II 5900 GH 200	GMAX II 7900 GH 230/DH 230 GH 300
TYPICAL MATERIALS:	Latex Paints and Primers Acrylic Paints and Primers Oil-Based Paints and Primers	Latex Paints and Primers Acrylic Paints and Primers Oil-Based Paints and Primers	Latex Paints and Primers Acrylic Paints and Primers Oil-Based Paints and Primers Elastomerics Block Fillers and Gypsum Drywall Mud Dry Fall	Latex Paints and Primers Acrylic Paints and Primers Oil-Based Paints and Primers Elastomerics Block Fillers and Gypsum Drywall Mud Dry Fall
PRODUCTION RATE:	Medium 1 gun up to 0.027 tip up to 0.75 gpm	High up to 2 guns up to 0.037 tip up to 1.3 gpm	Very High up to 4 guns up to 0.047 tip up to 2.15 gpm	Maximum up to 5 guns up to 0.057 tip up to 3.0 gpm

Note: All sprayers are capable of spraying with up to 300 ft of hose, but maximum length will change depending on material thickness, hose diameter, and tip size.



Choose the **RIGHT SERIES** for all your painting applications.



m.graco.com/cedseriesvid



Only Graco goes beyond size and offers three different series of airless sprayers that have features designed to make your work easier, faster and more productive. Whether you need the everyday reliability of our **Standard Series**, the increased speed and productivity of the **ProContractor Series**, or the extreme ruggedness of the **IronMan Series**, Graco offers the perfect sprayer that's designed from the ground up to meet your needs.

If You're a **Small Residential and Repainting Contractor**

- ▶ You're painting multiple days a week
- ▶ Your jobs are typically on the smaller side
- ▶ You demand everyday reliability
- ▶ You don't need a lot of extra features



You need a **Standard Series** sprayer.

EVERYDAY RELIABILITY

If You're a **Large Residential and Commercial Contractor**

- ▶ You're painting every day
- ▶ You tackle medium to large projects
- ▶ You're moving frequently from job to job
- ▶ You need features that save you time and get you in, out, and on to the next job site



You need a **ProContractor Series** sprayer.

WORK SMARTER, FINISH MORE JOBS

If You're a **Large Commercial and Industrial Contractor**

- ▶ You're painting continuously in less than ideal conditions
- ▶ You handle large, long-duration projects that require large volumes of material
- ▶ You keep your equipment on-site in paint
- ▶ You require extreme durability and reliability



You need an **IronMan Series** sprayer.

BEYOND JOBSITE TOUGH



GMAX Direct Drive Technology

When it comes to spraying, it's all about efficiency. But what exactly does efficiency mean? Simply put, it means getting more work done with less effort, and spending less money in the process. And Graco's GMAX and GMAX II gas airless sprayers enable you to do just that. Direct drive technology—where a gas engine is connected directly to a pump via a geared drive train—is the most efficient technology available for airless sprayers. And Graco's GMAX and GMAX II sprayers use that technology to save you time and money, enabling you to get more work done in a day.

Save up to \$640 per year!

Work Easier

- ▶ Direct drive units are 20% lighter on average than hydraulic units
- ▶ Smaller footprint for easier movement around the job site
- ▶ Lighter weight means easier loading and unloading



Less Maintenance

- ▶ No hydraulic fluid or filter changes (up to \$140 savings per year)
- ▶ No hydraulic fluid = **Less maintenance!**

Burn Less Fuel

- ▶ Use up to 30% less gas than hydraulic units
- ▶ For every gallon of gas burned by a hydraulic unit, direct drive units use approximately 3/4 gallon
- ▶ Save up to \$500 a year per unit on fuel costs over hydraulic

Incredible Durability

- ▶ Gear train and pinion housing guaranteed for life
- ▶ MaxLife Pump lasts up to **6X longer** between repacks





GMAX Standard Series

EVERYDAY RELIABILITY

When you're tackling painting projects multiple days a week, you demand reliability. Graco's Standard Series sprayers deliver durability and performance time after time. They handle the widest range of tip sizes, longer hose lengths and heavier coatings with ease.

All Standard Series sprayers come with these "Only On A Graco" features:

Honda® Engine

Compact, lightweight, and powerful, Honda engines are reliable, technologically advanced, and easy to start.

- ▶ Oil Alert shuts down engine if oil level drops too low, preventing damage
- ▶ Contractor preferred



POWERED by HONDA™

SmartControl™ 3.0 Graco's advanced SmartControl 3.0 pressure control system offers precision pressure control that delivers a consistent spray fan.

- ▶ Lowest dead band at any pressure



Rugged, Durable Cart Design

With a Graco sprayer, it's not just the mechanical parts that are built to last. Our carts are built to deliver years of performance.

- ▶ Thick chrome over steel withstands rugged environments
- ▶ Full pneumatic wheels absorb impacts and vibrations
- ▶ Retractable handle doubles as coiled hose storage

Ready To Work Everything you need to get spraying—RAC X™ SwitchTip™, Contractor™ gun and 50 feet of BlueMax™ II hose is included.



Easy Out™ Pump Filter The Easy Out pump filter is designed to filter from the inside out so filters won't get stuck or collapse when filled with dirt or debris.

- ▶ Large 19.5 square inch filtering area reduces tip clogs and ensures a quality finish
- ▶ Vertical filter removes with the cap for less mess



Advantage Drive™ The drive is the critical link between the engine and the pump. Graco doesn't leave the manufacturing of our Advantage Drive System to others; rather, we design and manufacture them at our world-class manufacturing facility in the United States.

- ▶ Hardened steel gears run extremely quiet
- ▶ The most durable, longest lasting drive in the industry
- ▶ Lifetime warranty



Endurance™ Pump

Graco's Endurance Pump is the most rugged and reliable pump on the market today.

- ▶ Long-life V-Max Blue™ packings
- ▶ Chromex™ rod and stainless steel sleeve deliver superior reliability and life



See page 31 for more information.

Heavy-Duty Prime Valve

Maintenance-free design withstands high-pressure dumping.



LARGE RESIDENTIAL AND COMMERCIAL

GMAX ProContractor Series

WORK SMARTER, FINISH MORE JOBS

When it comes to getting the most work done in a day, it's all about speed and high performance. And that's where Graco delivers. With features that enable you to work more efficiently, the ProContractor series of airless sprayers help you get in, out, and on to the next job site faster, saving you time and money.

ProContractor Series sprayers have all the Features of the Standard Series, *Plus:*



SmartControl 3.0 with LED Display Graco's advanced SmartControl 3.0 pressure control system delivers a consistent spray fan without pressure fluctuations at all spraying pressures.

- ▶ Bright, easy-to-read LED display shows pressure read-out, job/lifetime/gallon counter and self-diagnostics

WatchDog™ The WatchDog Pump Protection System automatically shuts down the pump when paint runs out or if the hose is damaged.



- ▶ Prevents dry pumping damage



Ready To Spray Everything you need—RAC® SwitchTip, Contractor gun and 100 feet of BlueMax II hose is already assembled and ready to use right out of the box, getting you working that much faster.



QuikReel™ With the integrated QuikReel you can deploy and rewind up to 300 feet of hose in seconds, letting you put the sprayer where you want it and the gun where you need it.



- ▶ Hose guide eliminates twisting, kinking, and coiling for one-person operation
- ▶ Hose is always connected and weight balanced to not tip over
- ▶ Use only the hose you need—the rest stays on the reel
- ▶ Hand crank folds away for storage and one man loading



On-Board Toolbox

Convenient storage container keeps tools, tips, filters and accessories where you need them most.



ProConnect™ 2 This next-generation pinless design of Graco's ProConnect Pump Removal and Installation System makes it easier and faster than ever to replace the pump in seconds.

- ▶ Eliminates costly job site downtime
- ▶ Quickly and easily swap out the pump for a spare
- ▶ Pinless design needs no tools



GMAX IronMan Series

BEYOND JOBSITE TOUGH

Power, Durability and Capability are what make an IronMan. With its rugged roll cage frame and mechanical components that are designed for continuous, hard use, the IronMan sprayers are built for the serious contractor who routinely handles large commercial and industrial jobs in less than ideal conditions.

IronMan Series sprayers have all the Features of the Standard Series, Plus:



SmartControl 3.0 with LED Display

Graco's advanced SmartControl 3.0 pressure control system delivers a consistent spray fan without pressure fluctuations at all spraying pressures.

- ▶ Bright, easy-to-read LED display shows pressure read-out, job/lifetime/gallon counter and self-diagnostics

WatchDog The WatchDog Pump Protection System automatically shuts down the pump when paint runs out or if the hose is damaged.

- ▶ Prevents dry pumping damage





Roll Cage Frame Design

All IronMan sprayers are built for the most brutal and demanding job sites.

- ▶ Heavy-duty roll cage frame withstands the most extreme abuse from industrial job sites



- ▶ Crush-proof intake screen stands up to harsh impacts



ProConnect 2

This next-generation pinless design of Graco's ProConnect Pump Removal and Installation System makes it easier and faster than ever to replace the pump in seconds.

- ▶ Eliminates costly jobsite downtime
- ▶ Quickly and easily swap out the pump for a spare
- ▶ Pinless design needs no tools




Extreme-Duty MaxLife® Pump

Built for the most demanding jobs, Graco's Extreme-Duty MaxLife Pump delivers unmatched durability and life.

- ▶ Lasts **6X longer** between repacks
- ▶ Exclusive MaxLife sleeve and rod
- ▶ Oversized clearances ensure minimal pressure drop and increased performance



- ▶ Both long-life ceramic and stainless steel ball sets included for maximum versatility no matter what you're spraying



Flat-Proof Tires

These tires can't be punctured by nails, screws or other sharp debris. They will **never** go flat, leaving the sprayer stranded on a jobsite.



Heavy-Duty Hose and Gun

100 feet of high-performance BlueMax II airless hose and a Silver Plus gun that can handle spraying heavier materials are included with every IronMan sprayer.

Gas Direct Drive

GMAX 3400

SERIES
STANDARD

PART #
16W863

SPECIFICATIONS

MAX TIP SIZE: 0.027-1 Gun
MAX GPM (LPM): 0.75 (2.8)
MAX PSI (BAR): 3300 (227)
ENGINE CC (HP): Honda 120 (4.0)

INCLUDES

- Contractor Gun
- RAC X 517 SwitchTip and Guard
- 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless Hose



With a 120 cc Honda engine, the **GMAX 3400** is the perfect sprayer for the entry-level contractor who is looking for maximum power in a lightweight, portable package.



Standard model shown.



Producing 65% more performance than the GMAX 3400, the **GMAX II 3900** can handle up to two guns and is ideal for the professional contractor who sprays a wide variety of coatings.

STANDARD
SERIES



Standard model shown.

PRO
Contractor
SERIES



ProContractor model shown.

Gas Direct Drive

GMAX II 3900

SERIES	PART #
LO-BOY	16W866
STANDARD	16W865
PROCONTRACTOR	16W867

SPECIFICATIONS

MAX TIP SIZE:	0.036–1 Gun 0.023–2 Guns
MAX GPM (LPM):	1.25 (4.7)
MAX PSI (BAR):	3300 (227)
ENGINE CC (HP):	Honda 120 (4.0)

INCLUDES

STANDARD SERIES AND LO-BOY UNITS:

- Contractor Gun
- RAC X 517 SwitchTip and Guard
- 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless Hose

PROCONTRACTOR SERIES UNIT:

- Contractor Gun
- RAC X 517 SwitchTip and Guard
- 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless Hose
- AND
- 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless Hose



Lo-Boy model shown.

Gas Direct Drive

GMAX II 5900

SERIES	PART #
LO-BOY	16W870
CONVERTIBLE	16W873
STANDARD	16W869
PROCONTRACTOR	16W871
IRONMAN	16W881

SPECIFICATIONS

MAX TIP SIZE:	0.043-1 Gun 0.029-2 Guns 0.023-3 Guns
MAX GPM (LPM):	1.60 (6.0)
MAX PSI (BAR):	3300 (227)
ENGINE CC (HP):	Honda 200 (6.5)

INCLUDES

STANDARD SERIES, CONVERTIBLE AND LO-BOY UNITS:

- Contractor Gun
- RAC X 517 SwitchTip and Guard
- 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless Hose

PROCONTRACTOR SERIES UNIT:

- Contractor Gun
 - RAC X 517 SwitchTip and Guard
 - 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless Hose
- AND
- 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless Hose

IRONMAN SERIES UNIT:

- Silver Plus Gun
 - RAC X 517 SwitchTip and Guard
 - RAC X Wide RAC 1231 SwitchTip
 - 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless Hose
- AND
- 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless Hose



Lo-Boy model shown.

With a 200 cc Honda engine and the ability to spray up to 1.6 gallons per minute, the **GMAX II 5900** is the industry standard for the professional contractor who sprays a wide variety of coatings on residential, commercial, and industrial jobs.



Standard model shown. Lo-Boy and Convertible models also available.



ProContractor model shown.



IronMan model shown.

STANDARD
SERIES



Standard model shown. Lo-Boy and Convertible models also available.

Offering 35% more performance than the GMAX II 5900, the **GMAX II 7900** is Graco's largest gas mechanical sprayer. All 7900 sprayers come equipped with Graco's Extreme-Duty MaxLife pump, and they can handle the widest range of tip sizes, multiple guns, longer hose lengths and heavier coatings with ease.

Gas Direct Drive

GMAX II 7900

SERIES	PART #
LO-BOY	16W884
STANDARD	16W883
PROCONTRACTOR	16W885
IRONMAN	16W887

SPECIFICATIONS

MAX TIP SIZE:	0.048–1 Gun 0.035–2 Guns 0.027–3 Guns 0.023–4 Guns
MAX GPM (LPM):	2.20 (8.3)
MAX PSI (BAR):	3300 (227)
ENGINE CC (HP):	Honda 200 (6.5)

INCLUDES

STANDARD SERIES AND LO-BOY UNITS:

- Contractor Gun
- RAC X 517 SwitchTip and Guard
- 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless Hose
- 1/4 in x 3 ft (6.4 mm x 0.9 m) BlueMax II Whip

PROCONTRACTOR SERIES UNIT:

- Contractor Gun
- RAC X 517 SwitchTip and Guard
- 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless Hose
- AND
- 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless Hose

IRONMAN SERIES UNIT:

- Silver Plus Gun
- RAC X 517 SwitchTip and Guard
- RAC X Wide RAC 1231 SwitchTip
- 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless Hose
- AND
- 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless Hose



All GMAX II 7900 sprayers feature Graco's extreme-duty MaxLife Pump

- ▶ Lasts 6x longer between repacks
- ▶ Features exclusive hardened MaxLife sleeve and rod
- ▶ Oversized clearances ensure minimal pressure drop

PRO
Contractor
SERIES



ProContractor model shown.



IRONMAN
SERIES

IronMan model shown.



Lo-Boy model shown.

TexSpray™ HD Airless Texture Sprayers

The gas-powered heavy material solution

When the job requires you to spray the heaviest materials, turn to the TexSpray HD line of gas airless sprayers to get the job done. Configured with direct immersion pumps, oversized hoses, and guns with huge fluid passages, these sprayers are designed to deliver maximum flow and pressure from pump to gun. Whether you need to spray skim coat in a Level 5 finish, fire stop, intumescent, elastomeric, or any other high viscosity coating, TexSpray HD sprayers have you covered.

**TexSpray HD
Texture Sprayers**

TexSpray 5900 HD
TexSpray 7900 HD



*TexSpray 7900 HD
Standard model shown.*



*TexSpray 7900 HD
ProContractor model shown.*



*TexSpray 7900 HD
IronMan model shown.*

Check out the full line of TexSpray HD Direct Drive sprayers in the Texture brochure (Part #300581), or go online today to see the complete family!



Hydraulic Technology

Graco's GH family of sprayers are powerful hydraulic units for high production contractors who spray a wide range of material from latex and acrylics to elastomerics and block fillers on large commercial jobs. With a hydraulic sprayer, a gas engine or an electric motor powers a hydraulic system that then drives the fluid pump.

Incredible Durability

- ▶ Exclusive crush-proof rock catcher
- ▶ Heavy-duty frame can be tilted on its nose for quick service in the field
- ▶ Shroud support protects belt from jobsite damage



Less Maintenance

- ▶ Flow-through Easy Out pump filter has an oversized surface and flows from the inside out, keeping the filter from collapsing
- ▶ 4-bolt hydraulic head stabilizer keeps pump parts from prematurely loosening
- ▶ Isolation-mounted engine cuts down on vibration
- ▶ O-ring high pressure hydraulic fittings and form-fitted hydraulic lines eliminate leaks
- ▶ High efficiency hydraulic motor runs quiet and has a lifetime warranty





Endurance Pump

At the heart of every Graco Gas airless sprayer is the Endurance pump, the most rugged and reliable pump on the market today.

- ▶ High-density polyethylene V-Max Blue packings are more efficient, withstand heat better, and deliver more spraying performance
- ▶ Knock-off foot valve allows for quick access to the inlet ball for fast clearing of debris
- ▶ Reversible seats reduce repair costs and keep you on the jobsite longer
- ▶ Extremely hard Chromex rod and stainless steel sleeve delivers more performance by resisting abrasion from material *(Standard Series)*
- ▶ MaxLife pump Lasts 6X longer between repacks *(ProContractor Series only)*



Endurance Pump

MaxLife Pump



Reduced Downtime

- ▶ Exclusive ProConnect system allows for jobsite pump removal and replacement *(ProContractor Series only)*
- ▶ Uses standard hydraulic fluid that only needs to be changed once a year
- ▶ Hydraulic fluid tank design promotes efficient cooling



Built for How You Work

- ▶ GH sprayers feature a flexible material hose for versatility
- ▶ QuikReel allows for deploying and rewinding up to 300 feet of hose in seconds
- ▶ Heavy-duty prime valve withstands high pressure dumps



GH Standard Series

EVERYDAY RELIABILITY

When you're tackling painting projects multiple days a week, you demand reliability. Graco's Standard Series sprayers deliver durability and performance time after time. They handle the widest range of tip sizes, longer hose lengths and heavier coatings with ease.

All Standard Series sprayers come with these "Only On A Graco" features:

Honda® Engine Compact, lightweight, and powerful, Honda engines are reliable, technologically advanced, and easy to start.

- ▶ Oil Alert shuts down engine if oil level drops too low, preventing damage
- ▶ Contractor preferred



POWERED by **HONDA**™

High-Capacity Cooling System

A hydraulic pump is only as good as its cooling system, and Graco's innovative design allows the pump to run cooler and more efficiently.

- ▶ Innovative hydraulic reservoir is tapered on the bottom, allowing easier and more thorough fluid changes
- ▶ Cooling fins on reservoir deflect heat away from sprayer
- ▶ No special hydraulic fluid needed



Rugged, Durable Cart Design

With a Graco sprayer, it's not just the mechanical parts that are built to last. Our carts are built to deliver years of performance.


- ▶ Thick chrome over welded steel withstands rugged environments
- ▶ Full pneumatic wheels absorb impacts and vibrations
- ▶ Retractable handle doubles as coiled hose storage
- ▶ Tilts on its nose for service in the field



STANDARD
SERIES

Easy Out™ Pump Filter The Easy Out pump filter is designed to filter from the inside out so filters won't get stuck or collapse when filled with dirt or debris.

- ▶ Large 19.5 square inch filtering area reduces tip clogs and ensures a quality finish
- ▶ Vertical filter removes with the cap for less mess



High-Efficiency Hydraulic Motor

Graco's hydraulic pump delivers rock-solid performance time after time and keeps you up and running.

- ▶ Faster, more responsive changeover
- ▶ O-ring sealed fittings and form fitted hydraulic lines prevent leaks
- ▶ Fewer moving parts mean less maintenance and longer life



Endurance Pump

Graco's Endurance Pump is the most rugged and reliable pump on the market today.

- ▶ Long-life V-Max Blue™ packings
- ▶ Chromex™ rod and hardened stainless steel sleeve deliver superior reliability and life
- ▶ Knock-off foot valve allows for quick access



Heavy-Duty Prime Valve

Maintenance-free design withstands high-pressure dumping.



Indoor & Outdoor Use Quickly swap the gas engine for an electric motor in seconds—without tools!

Ready To Work Everything you need to get spraying—RAC X™ SwitchTip™, spray gun and 50 feet of BlueMax™ II hose is included.




LARGE RESIDENTIAL AND COMMERCIAL

GH ProContractor Series

WORK SMARTER, FINISH MORE JOBS

When it comes to getting the most work done in a day, it's all about speed and high performance. And that's where Graco delivers. With features that enable you to work more efficiently, the ProContractor series of hydraulic airless sprayers help you get in, out, and on to the next job site faster, saving you time and money.

ProContractor Series sprayers have all the Features of the Standard Series, *Plus:*



QuikReel™ With the integrated QuikReel you can deploy and rewind up to 300 feet of hose in seconds, letting you put the sprayer where you want it and the gun where you need it.

- ▶ Hose guide eliminates twisting, kinking, and coiling for one-person operation
- ▶ Hose is always connected and weight balanced to not tip over
- ▶ Use only the hose you need—the rest stays on the reel
- ▶ Hand crank folds away for storage and one man loading



Crushproof Rock Catcher

Internal design stands up to harsh impacts.

Extreme-Duty MaxLife® Pump

Built for the most demanding jobs, Graco's Extreme-Duty MaxLife Pump delivers unmatched durability and life.

- ▶ Lasts *6X longer* between repacks
- ▶ Exclusive MaxLife sleeve and rod
- ▶ Oversized clearances ensure minimal pressure drop and increased performance
- ▶ Both long-life ceramic and stainless steel ball sets included for maximum versatility no matter what you're spraying



ProConnect™

Graco's ProConnect Pump Removal and Installation System makes it easy and fast to replace the pump.

- ▶ Eliminates costly job site downtime
- ▶ Quickly and easily swap out the pump for a spare
- ▶ Pinless design needs no tools



Ready To Spray Everything you need—RAC X SwitchTips, Graco spray gun and 100 feet of BlueMax II hose is already assembled and ready to use right out of the box, getting you working that much faster.



Gas Hydraulic

GH 130 Convertible

GAS MODELS **PART #**
STANDARD 24W923

STANDARD
with Electric Motor
Kit (non CSA) 24W924

SPECIFICATIONS (with Gas Engine)
MAX TIP SIZE: 0.037-1 Gun
 0.023-2 Guns

MAX GPM (LPM): 1.30 (4.9)
MAX PSI (BAR): 3300 (227)
ENGINE CC (HP): Honda 120
(4.0)

SPECIFICATIONS (with Electric Motor)
MAX TIP SIZE: 0.031
MAX GPM (LPM): 1.10 (4.2)

INCLUDES

STANDARD SERIES UNIT:

- Contractor Gun
- RAC X 517, SwitchTips and Guard
- 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless Hose



Graco's **GH 130 Convertible** sprayer is a powerful hydraulic unit for the contractor who sprays a wide range of material. With the ability to change out the pump lower and convert to electric power without tools, you can be assured that you have the most versatile sprayer on the market today.



**STANDARD
SERIES**

Standard model shown. The ability to convert from gas to electric in seconds without any tools!



Outfitted with a reliable Honda 160 cc (5.5 hp) engine, Graco's **GH 200 Convertible** sprayer is the hydraulic solution for medium to large jobs where proven hydraulic power is demanded to get the job done every time. And like the GH 130 Convertible, you'll have the ability to change out the pump lower and convert to electric power without tools on the job site.



Standard model shown.



ProContractor model shown.



Convert from gas to electric in seconds without any tools with the electric motor kit



Gas Hydraulic

GH 200 Convertible

GAS MODELS	PART #
STANDARD	24W925

STANDARD with Electric Motor Kit (non CSA)	24W926
--	--------

PROCONTRACTOR	24W927
---------------	--------

PROCONTRACTOR with Electric Motor Kit (non CSA)	24W928
---	--------

SPECIFICATIONS (with Gas Engine)

MAX TIP SIZE: 0.047–1 Gun
0.034–2 Guns
0.027–3 Guns
0.023–4 Guns

MAX GPM (LPM): 2.15 (8.14)

MAX PSI (BAR): 3300 (227)

ENGINE CC (HP): Honda 160 (5.5)

SPECIFICATIONS (with Electric Motor)

MAX TIP SIZE: 0.031

MAX GPM (LPM): 1.10 (4.2)

INCLUDES

STANDARD SERIES UNIT:

- Contractor Gun
- RAC X 517, 1231 SwitchTips and Guard
- 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless Hose

PROCONTRACTOR SERIES UNIT:

- Contractor Gun
 - RAC X 517, 1231 SwitchTips and Guard
 - 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless Hose
- AND
- 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless Hose



Gas Hydraulic

GH/DH 230 Convertible

GAS MODELS	PART #
STANDARD	24W929
STANDARD with Electric Motor Kit (non CSA)	24W930
STANDARD with Electric Motor Kit (CSA)	24W931
PROCONTRACTOR	24W932
PROCONTRACTOR with Electric Motor Kit (non CSA)	24W933
PROCONTRACTOR with Electric Motor Kit (CSA)	24W934
DIESEL MODEL	PART #
PROCONTRACTOR	176591

SPECIFICATIONS (with Gas or Diesel Engine)
MAX TIP SIZE: 0.053-1 Gun
 0.038-2 Guns
 0.032-3 Guns
 0.028-4 Guns
 0.024-5 Guns

MAX GPM (LPM): 2.35 (8.9)
MAX PSI (BAR): 3300 (227)
GAS ENGINE CC (HP): Honda 220 (6.5)
DIESEL ENGINE CC (HP): Kohler 349 (6.1)

SPECIFICATIONS (with Electric Motor)
MAX TIP SIZE: 0.031
MAX GPM (LPM): 1.10 (4.2)

INCLUDES

STANDARD SERIES UNIT:

- Silver Plus Gun
- RAC X 517, 1231 SwitchTips and Guard
- 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless Hose
- 1/4 in x 3 ft (6.4 mm x 0.9 m) BlueMax II Whip Hose

PROCONTRACTOR SERIES UNIT:

- Silver Plus Gun
- RAC X 517, 1231 SwitchTips and Guard
- 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless Hose
- AND
- 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless Hose

Built with a proven Honda 220 cc (6.5 HP) gas or Kohler 349 cc (6.1 HP) diesel engine, Graco's **GH 230** and **DH 230 Convertible** sprayers are ideal for the contractor looking to spray heavier materials in demanding applications. Both sprayers are capable of handling elastomerics, block fillers, gypsum, and dry fall. And with the ability to change out the pump lower and convert to electric power without tools, you can be assured that you'll have the ability to tackle any job regardless of the location or conditions.



Standard model shown.



Convert from gas to electric in seconds without any tools with the electric motor kit



ProContractor model shown.



DH 230 ProContractor model shown.

Now Available with Kohler Diesel Engine!

Graco's **GH 300** is the largest of the GH family of sprayers. Built with a rugged and durable Honda 270 cc (9.0 hp) engine, it's ideal for the high-production contractor who sprays the heaviest materials including elastomerics, block fillers, gypsum, and dry fall.



Standard model shown.



ProContractor model shown.



Gas Hydraulic

GH 300

GAS MODELS	PART #
STANDARD	24W935
PROCONTRACTOR	24W936

SPECIFICATIONS	
MAX TIP SIZE:	0.057-1 Gun 0.039-2 Guns 0.033-3 Guns 0.029-4 Guns 0.025-5 Guns

MAX GPM (LPM):	3.0 (11.4)
MAX PSI (BAR):	3300 (227)
ENGINE CC (HP):	Honda 270 (9.0)

INCLUDES

STANDARD SERIES UNIT:

- Silver Plus Gun
- RAC X 517, 1231 SwitchTips and Guard
- 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless Hose
- 1/4 in x 3 ft (6.4 mm x 0.9 m) BlueMax II Whip Hose

PROCONTRACTOR SERIES UNIT:

- Silver Plus Gun
- RAC X 517, 1231 SwitchTips and Guard
- 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless Hose
- AND
- 3/8 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless Hose
- 1/4 in x 3 ft (6.4 mm x 15 m) BlueMax II Airless Hose

TexSpray DutyMax™ Airless Sprayers

Hard workers for the heaviest applications

When you need to spray the heaviest materials, turn to the TexSpray DutyMax line of hydraulic gas airless sprayers. Configured with direct immersion pumps, oversized hoses, and guns with huge fluid passages, these sprayers are designed to deliver maximum flow and pressure from pump to gun. Whether you need to spray skim coat in a Level 5 finish, fire stop, intumescent, elastomeric, or any other high viscosity coatings, the TexSpray DutyMax GH sprayers have you covered.

TexSpray Models Available:

DutyMax GH/DH 230_{DL} Convertible
DutyMax GH 300_{DL}

With features such as a welded steel cart, a high-efficiency hydraulic pump, a high-capacity cooling system, heavy-duty prime valve, and a contractor-preferred Honda engine, Graco's hydraulic sprayers are the most versatile units on the market today—they're even available with a convertible electric motor that can be exchanged with the gas engine in seconds for working indoors!



Check out the full line of TexSpray HD Direct Drive sprayers in the Texture brochure (Part #300581), or go online today to see the complete family!



GH Big Rig™ Sprayers

For 30+ years, contractors have turned to the GH line of gas hydraulic sprayers when they needed maximum performance and unmatched versatility. The tradition continues with the GH Big Rig sprayers. Equipped with exclusive QuikChange™ Lowers, each Big Rig sprayer can easily be customized for each coating, eliminating the need to purchase additional rigs. Whether you require high pressure for long hose runs and hard-to-atomize materials, or high flow rates for heavier coverage, turn to the GH Big Rig sprayers to get the job done.

Gas Hydraulic Models Available:

GH **833**
GH **933**
GH **733ES**

GH **1017ES**
GH **2570ES**
GH **5040ES**



GH 833es Big Rig model shown.




Check out the full line of GH Big Rig hydraulic sprayers in their companion brochure (Part #342550), or go online today to see the complete family!

A SOLUTION TO KEEP YOU SPRAYING

Graco knows the last thing you can afford is costly downtime. And with the Endurance Advantage Program, you'll never need to worry about it. When you buy any new Graco sprayer, you can purchase an additional Endurance Pump for **up to 80% OFF** the list price—keep a spare on hand to save yourself time and money on every job. Or if you'd rather repack your own pump, we'll let you choose a **FREE Repair Kit** instead. No matter what your choice, Graco ensures you'll always be up and spraying! Simply follow the registration instructions included with your sprayer.



ProConnect no-tools pump removal system makes swapping out the Endurance Pump fast and easy.



m.graco.com/proconnect2vid



WARRANTY SPRAY PROTECTION

We stand behind every piece of equipment we manufacture with the industry's strongest warranty. Spray with the confidence that you will probably never need to use Graco's warranty, but if you do. . . *we will be there.*



3 YEAR HONDA & KOHLER ENGINE WARRANTY*

If the engine fails from normal use, Honda and Kohler will replace it under warranty for the original owner for 3 years.

LIFETIME DRIVE TRAIN WARRANTY (GMAX only)

If the drive train fails due to defects in materials or workmanship during normal use, we'll replace it under warranty for the original owner for the life of the sprayer.

30-DAY "JUST ADD PAINT" REPLACEMENT GUARANTEE*

Dissatisfied? Simply return the sprayer to the place you bought it within 30 days. They'll either exchange it for an identical sprayer or you can trade-up to a larger sprayer at an additional cost.



3-YEAR WARRANTY*

Coverage against defects in materials and workmanship on the entire sprayer.

DOWNTIME ELIMINATOR PROGRAM*

Part needed for a warranty repair not in stock at your distributor? Get **FREE** next business day air freight delivery when distributor orders the part by 2 p.m. CT.

CONVENIENT SERVICE

Graco offers more than 5,500 authorized distributor locations in North America and over 700 locations to administer warranty repair.

*NORTH AMERICA ONLY.

See your local Graco distributors for country specifics. For warranty or technical questions, please call 1-844-241-9499.

NOBODY ELSE BUILDS SPRAYERS LIKE THIS.



Accessories

GAS & DIESEL AIRLESS SPRAYERS



In addition to the industry's best sprayers, Graco makes the accessories that enable you to work faster and more productively. From rugged guns and tips to hoses and extensions, Graco's accessories let you customize your sprayer for the maximum performance that best suits your work.

RAC TIPS AND GUARDS

- 286-XXX RAC 5 SwitchTips, Black (Odd #) Ideal for residential, commercial and industrial jobs. *Maximum Working Pressure: 4050 psi (279 bar, 27.9 MPa)*
- 243161 RAC 5 HandTite Guard 7/8 in (22 mm) thread size, standard Graco thread
- 243263 RAC 5 HandTite Guard 11/16 in (17 mm) thread size, older style Graco pole guns, fits competitive guns with 11/16 in (17 mm) threads
- LTX-XXX RAC X SwitchTips, Blue (Odd #) It has the longest lasting fan pattern on the market. *Maximum Working Pressure: 4050 psi (279 bar, 27.9 MPa)*
- WR-XXXX RAC X Wide RAC SwitchTips, Blue (Odd #) 24 in (610 mm) spray fan for maximum coverage and productivity. *Maximum Working Pressure: 4050 psi (279 bar, 27.9 MPa)*
- 246215 RAC X HandTite™ Guard 7/8 in (22 mm) thread size, standard Graco thread
- 246437 RAC X HandTite Guard 11/16 in (17 mm) thread size, older style Graco pole guns, fits competitive guns with 11/16 in (17 mm) threads



CONTRACTOR/FTx GUNS Designed by Graco to be the longest-lasting guns on the market, the Contractor and FTx Guns continue to be the number one choice of painting contractors. With features like the FlexSeal design, Easy Out Gun Filter and EasyGlide Swivel, no wonder these are the contractors choice in guns.

- 288420 Contractor Gun (2-finger trigger) with RAC X 517 Tip and Guard
- 288425 Contractor Gun (4-finger trigger) with RAC X 517 Tip and Guard
- 288421 Contractor Gun (2-finger trigger) with RAC 5 517 Tip and Guard
- 288430 FTx™ Gun (4-finger trigger) with RAC X 515 Tip and Guard
- 288429 FTx Gun (2-finger trigger) with RAC X 515 Tip and Guard
- 288431 FTx Gun (4-finger trigger) with RAC 5 515 Tip and Guard
- 288488 Gun Repair Kit



SILVER PLUS GUNS *Maximum Working Pressure: 5000 psi (345 bar, 34.5 MPa)*

- 246240 Silver Plus Gun (2-finger) with RAC X 517 Tip and Guard
- 243283 Silver Plus Gun (2-finger) with RAC 5 517 Tip and Guard
- 235460 Silver Plus Gun (2-finger) with Flat Tip Guard
- 235461 Silver Plus Gun (4-finger) with Flat Tip Guard
- 235462 Silver Plus Gun Fine Finish (2-finger) with Flat Tip Guard
- 235474 Repair Kit



HEAVY-DUTY AND MASTIC GUNS

- 241705 Heavy-Duty Gun with RAC X 531 Tip and Guard, 4000 psi (276 bar)
- 224472 Mastic Gun 36 in (.9 m) Extension, 5000 psi (345 bar)
- 237260 Repair Kit – Heavy-Duty Gun



GUN SWIVEL

- 189018 Gun Swivel rated to 5600 psi (386 bar, 38.6 MPa)

POLE GUNS *Maximum Working Pressure: 3600 psi (248 bar, 24.8 MPa)*

- 287023 3 ft (.9 m) Pole Gun with RAC X SwitchTip 517 System
- 287024 6 ft (1.8 m) Pole Gun with RAC X SwitchTip 517 System



EXTENSIONS *Maximum Working Pressure: 4050 psi (280 bar, 28.0 MPa)*

Includes: RAC X HandTite Guard Standard with 7/8 in (22 mm) Gun Nut and OneSeal

- 287019 10-inch (25 cm) 287021 20-inch (50 cm)
- 287020 15-inch (38 cm) 287022 30-inch (75 cm)



SIPHON KITS

- 16Y759 5-Gallon Siphon Kit – Fits GMAX II 3900/5900/7900; GH 130/200/230/300; DH 230
- 16Y760 30/55-Gallon Siphon Kit – Fits GMAX II 3900/5900/7900; GH 130/200/230/300; DH 230
- 15F171 Siphon Hose Extension – Converts 5-Gallon Siphon Kit into 30/55-Gallon Siphon Kit

ELECTRIC MOTOR KITS

- | | | | |
|--------|---|--------|---|
| 245095 | GMAX 5900 Convertible Electric Motor Kit (USA) | 288473 | GH 130 Electric Motor Kit (Non-CSA) |
| | | 288474 | GH 130 Electric Motor Kit (CSA) |
| 245096 | GMAX 5900 Convertible Electric Motor Kit (Canada) | 248949 | GH 200/230 Electric Motor Kit (Non-CSA); DH 230 |
| | | 248950 | GH 200/230 Electric Motor Kit (CSA); DH 230 |

JETROLLERS™ Save time and money by spraying and back rolling in one easy step with the **NEW** Graco 3-in-1 JetRoller System. Each kit includes a lightweight detachable roller (uses industry standard roller covers), CleanShot shut-off valve, spray tip and guard.

- 24U170 JetRoller System with 20 in (50 cm) Heavy-Duty Extension and 9 in Handle
- 24U172 JetRoller System with 20 in (50 cm) Heavy-Duty Extension, Contractor InLine Valve and 9 in Handle
- 24W128 JetRoller System with 20 in (50 cm) Heavy-Duty Extension, Contractor InLine Valve and 18 in Handle



GUN HOSE KITS – KITS INCLUDE THE FOLLOWING UNLESS OTHERWISE NOTED

Airless Gun, RAC X 517 Tip and Guard, 1/4 in x 50 ft (6.4 mm x 15 m) 3300 psi (227 bar) BlueMax II Airless Hose and 3 ft (0.9 m) Whip Hose

- 288489 Contractor Gun Hose Kit
- 288496 Contractor Gun Hose Kit with RAC 5
- 288490 Contractor Gun Hose Kit with 3/8 in x 50 ft (9.5 mm x 15 m) 3300 psi (227 bar) BlueMax II Airless Hose
- 288493 FTx Gun Hose Kit with RAC X 515 Tip (Whip Hose Excluded)
- 288497 FTx Gun Hose Kit with RAC 5 515 Tip (Whip Hose Excluded)
- 287095 Flex Plus™ Gun Hose Kit
- 287041 Silver Plus Gun Hose Kit
- 287042 Silver Plus Gun Hose Kit with 3/8 in x 50 ft (9.5 mm x 15 m) 3300 psi (227 bar) BlueMax II Airless Hose
- 287043 Silver Plus Gun Hose Kit with 3/8 in x 50 ft (9.5 mm x 15 m) 4000 psi (276 bar) BlueMax II Airless Hose
- 287850 Silver Plus Gun Hose Kit with RAC X SwitchTip, 3/8 in x 50 ft (9.5 mm x 15 m) 3300 psi (227 bar) Hose
- 287851 Flex Plus Gun Hose Kit with RAC X 655 and 531 SwitchTip, 3/8 in x 50 ft (9.5 mm x 15 m) 4000 psi (276 bar) Hose and Whip Hose
- 287852 Heavy-Duty Gun Hose Kit with RAC X 655 and 531 SwitchTip, 3/8 in x 50 ft (9.5 mm x 15 m) 4000 psi (276 bar) Hose and Whip Hose



BLUEMAX II AIRLESS HOSE To maximize results, choose the high performance BlueMax II Airless Hose. Lighter weight and increased hose flexibility improves usability when spraying under pressure. With superior flexibility and durability, BlueMax II ensures you get the best results from your airless sprayer.

- 238358 3/16 in x 3 ft (4.8 mm x 0.9 m) BlueMax II 3300 psi (227 bar) Airless Whip Hose
- 238959 3/16 in x 4.5 ft (4.8 mm x 1.4 m) BlueMax II 3300 psi (227 bar) Airless Whip Hose
- 240793 1/4 in x 25 ft (6.4 mm x 7.5 m) BlueMax II 3300 psi (227 bar) Airless Hose
- 240794 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II 3300 psi (227 bar) Airless Hose
- 240797 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II 3300 psi (227 bar) Airless Hose



PUMP ARMOR™/TSL™ Maintaining your pump is essential for long life and reliability. Graco has made pump maintenance simple with our complete line of fluids. Pump Armor is a storage solution which protects your pump from the damaging effects of corrosion during storage. TSL (Throat Seal Liquid) prevents dried paint from accumulating on the pump rod—extending the life of the pump packings.

- 243103 Pump Armor – 1 qt (1 l)
- 245133 Pump Armor – 1 gal (3.8 l)
- 206994 Throat Seal Liquid (TSL) – 8 oz (.24 l)
- 206995 Throat Seal Liquid (TSL) – 1 qt (1 l)
- 206996 Throat Seal Liquid (TSL) – 1 gal (3.8 l)



Ask your local authorized Graco Distributor for details on our complete line of airless accessories.

GMAX GAS AIRLESS SPRAYER SPECIFICATIONS

		GMAX 3400	GMAX II 3900		
SPECIFICATIONS	Maximum Tip Size	0.027	0.036		
	Maximum psi (bar)	3300 (227)	3300 (227)		
	Maximum gpm (lpm)	0.75 (2.8)	1.25 (4.7)		
	Honda Engine cc (hp)	120 (4.0)	120 (4.0)		
	Control	SmartControl 3.0	SmartControl 3.0		
	Weight lb (kg)	89 (41)	109 (50)		
	Gun Support:				
	1 Gun	0.027	0.036		
2 Guns	—	0.023			
3 Guns	—	—			
4 Guns	—	—			
Gun Support (Elec.):					
1 Gun	N/A	N/A	N/A	0.031	
2 Guns				0.017	



SERIES TYPE		STANDARD	LO-BOY	STANDARD	PROCONTRACTOR	LO-BOY	CONVERTIBLE
MODEL	Cart Design-Part Number	16W863	16W866	16W865	16W867	16W870	Hi-Boy-16W873
INCLUDES	Gun	Contractor	Contractor	Contractor	Contractor	Contractor	Contractor
	Hose	1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless	1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless	1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless	1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless AND 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless	1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless	1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless
	Tip	RAC X 517	RAC X 517	RAC X 517	RAC X 517	RAC X 517	RAC X 517
	Filter	Easy Out	Easy Out	Easy Out	Easy Out	Easy Out	Easy Out
ADDITIONAL FEATURES	PUMP	Type	Endurance Piston QuikChange System	Endurance Piston ProConnect 2	Endurance Piston QuikChange System	Endurance Piston ProConnect 2	Endurance Piston ProConnect 2
		Intake	QuikAccess	QuikAccess	QuikAccess	QuikAccess	QuikAccess
		Rod	Chromex	Chromex	Chromex	Chromex	Chromex
		Sleeve	Hardened SST	Hardened SST	Hardened SST	Hardened SST	Hardened SST
	OTHER	—	Lo-Boy Frame	—	QuikReel	Lo-Boy Frame	—
	—	—	—	LED Display	—	—	
	—	—	—	WatchDog	—	—	
	—	—	—	On-Board Toolbox	—	—	
WEAR PARTS	Replacement Pump	246428	16X414	16Y598	16X414	16X419	16Y706
	Repair Kit	244194	248212	248212	248212	248213	248213
	Rod	249125	16X434	248206	16X434	16X435	248207
	Sleeve	—	248209	248209	248209	248210	248210
	Intake Seat Kit	246429	239922	239922	239922	244199	244199
MANUAL	Operation	332919	332919	332919	332919	332919	332919
	Parts	332921	332921	332921	332921	332921	332921

GMAX II 5900		
0.043		
3300 (227)		
1.60 (6.0)		
200 (6.5)		
SmartControl 3.0		
139 (64)		
0.043 0.029 0.023 —		
N/A	N/A	N/A

GMAX II 7900	
0.048	
3300 (227)	
2.20 (8.3)	
200 (6.5)	
SmartControl 3.0	
146 (67)	
0.048 0.035 0.027 0.023	
N/A	



STANDARD	PROCONTRACTOR	IRONMAN
16W869	16W871	16W881
Contractor	Contractor	Silver Plus
1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless	3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless AND 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless	3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless AND 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless
RAC X 517	RAC X 517	RAC X 517, RAC X Wide RAC 1231
Easy Out	Easy Out	Easy Out
Endurance Piston QuikChange System	Endurance Piston ProConnect 2	Endurance Piston ProConnect 2
QuikAccess	QuikAccess	QuikAccess
Chromex	Chromex	MaxLife
Hardened SST	Hardened SST	MaxLife
—	QuikReel	Roll Cage Frame
—	LED Display	LED Display
—	WatchDog	WatchDog
—	On-Board Toolbox	Flat-Proof Tires
16Y706	16X419	16X420
248213	248213	17K162/17K475*
248207	16X435	16X436
248210	248210	257031
244199	244199	244199
332919	332919	332919
332921	332921	332921

LO-BOY	STANDARD	PROCONTRACTOR	IRONMAN
16W884	16W883 Roof Rig—16W987	16W885	16W887
Contractor	Contractor	Contractor	Silver Plus
3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless AND 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Whip	3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless AND 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Whip	3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless AND 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless	3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless AND 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless
RAC X 517	RAC X 517	RAC X 517	RAC X 517, RAC X Wide RAC 1231
Easy Out	Easy Out	Easy Out	Easy Out
Endurance Piston QuikChange System	Endurance Piston QuikChange System	Endurance Piston ProConnect 2	Endurance Piston ProConnect 2
QuikAccess	QuikAccess	QuikAccess	QuikAccess
MaxLife	MaxLife	MaxLife	MaxLife
MaxLife	MaxLife	MaxLife	MaxLife
Lo-Boy Frame	—	QuikReel	Roll Cage Frame
—	—	LED Display	LED Display
—	—	WatchDog	WatchDog
—	—	On-Board Toolbox	Flat-Proof Tires
16X426	16X423	16X426	16X426
249123	249123	249123	249123/17A578*
16X439	249119	16X439	16X439
249121	249121	249121	249121
240918	240918	240918	240918/16X467*
332919	332919	332919	332919
332921	332921	332921	332921

*Includes Ceramic Balls.



HYDRAULIC SPRAYER SPECIFICATIONS



		GH 130 Convertible	GH 200 Convertible	GH 230 Convertible
SPECIFICATIONS	Maximum Tip Size	0.037	0.047	0.053
	Maximum psi (bar)	3300 (227)	3300 (227)	3300 (227)
	Maximum gpm (lpm)	1.30 (4.9)	2.15 (8.14)	2.35 (8.9)
	Honda Engine cc (hp)	120 (4.0)	160 (5.5)	200 (6.5)
	Weight lb (kg)	155 (70)	Standard 160 (73) / ProContractor 188 (85)	Standard 168 (76) / ProContractor 193 (88)
	Gun Support (Gas):			
	1 Gun	0.037	0.047	0.053
	2 Guns	0.023	0.034	0.038
	3 Guns	—	0.027	0.032
	4 Guns	—	0.023	0.028
5 Guns	—	—	0.024	
6 Guns	—	—	—	
Gun Support (Electric):				
1 Gun	0.031	0.031	0.031	
2 Guns	0.017	0.017	0.017	



SERIES TYPE		STANDARD	STANDARD	PROCONTRACTOR	STANDARD	PROCONTRACTOR
MODEL	Part Number	24W923 Gas 24W924 Gas with Electric Motor (Non CSA)	24W925 Gas 24W926 Gas with Electric Motor (Non CSA)	24W927 Gas 24W928 Gas with Electric Motor (Non CSA)	24W929 Gas 24W930 Gas with Electric Motor (Non CSA) 24W931 Gas with Electric Motor (CSA)	24W932 Gas 24W933 Gas with Electric Motor (Non CSA) 24W934 Gas with Electric Motor (CSA)
	Gun	Contractor	Contractor	Contractor	Silver Plus	Silver Plus
INCLUDES	Hose	1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless	1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless	1/4 in x 50 ft (6.4 mm x 15 m) AND 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless	3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless 1/4 in x 3 ft (6.4 mm x 0.9 m) BlueMax II Whip Hose	3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless AND 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless
	Tip(s)	RAC X 517	RAC X 517, 1231	RAC X 517, 1231	RAC X 517, 1231	RAC X 517, 1231
	Filter	Easy Out	Easy Out	Easy Out	Easy Out	Easy Out
	PUMP	Type	QuikChange System	QuikChange System	ProConnect System	QuikChange System
	Rod	Chromex	Chromex	MaxLife	Chromex	MaxLife
	Sleeve	Hardened SST	Hardened SST	MaxLife	Hardened SST	MaxLife
ADDITIONAL SERIES FEATURES		—	—	QuikReel	—	QuikReel
		—	—	ProConnect	—	ProConnect
		—	—	MaxLife Pump	—	MaxLife Pump
		—	—	Crush Proof Rock Catcher	—	Crush Proof Rock Catcher
		—	—	Additional 50 ft Hose	—	Additional 50 ft Hose
CONTROL & DRIVE	Control	Hydraulic	Hydraulic	Hydraulic	Hydraulic	Hydraulic
	ENDURANCE PUMP	Replacement Pump	24B748	24W995	24W996	24W997
WEAR PARTS	Repair Kit	288471	17D601	287813	17D601	287813
	Rod	288479	249000	288469	249001	288470
	Sleeve	248210	248979	249121	248980	287817
	Intake Seat Kit	244199	240918	240918	240918	240918
MANUAL	Operation Parts	334558	334558	334558	334558	334558

DH 230 Convertible	GH 300
0.053	0.057
3300 (227)	3300 (227)
2.35 (8.9)	3.00 (11.4)
349 (6.1)	270 (9.0)
228 (103)	Standard 195 (88) / ProContractor 222 (101)
0.053	0.057
0.038	0.039
0.032	0.033
0.028	0.029
0.024	0.025
—	—
0.031	N/A
0.017	



PROCONTRACTOR	STANDARD	PROCONTRACTOR
17G591 Diesel Engine	24W935 Gas	24W936 Gas
Silver Plus	Silver Plus	Silver Plus
3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless AND 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless	3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless 1/4 in x 3 ft (6.4 mm x 0.9 m) BlueMax II Whip Hose	2X 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless
RAC X 517, 1231	RAC X 517, 1231	RAC X 517, 1231
Easy Out	Easy Out	Easy Out
ProConnect System	QuikChange System	ProConnect System
MaxLife		MaxLife
MaxLife	Hardened SST	MaxLife
QuikReel	—	QuikReel
ProConnect	—	ProConnect
MaxLife Pump	—	MaxLife Pump
Crush Proof Rock Catcher	—	Crush Proof Rock Catcher
Additional 50 ft Hose	—	Additional 50 ft Hose
Hydraulic	Hydraulic	Hydraulic
24W998	24W997	24W998
287813	17D601	287813
288470	249001	288470
287817	248980	287817
240918	240918	240918
334558	334558	334558





ABOUT GRACO

PROVEN QUALITY. LEADING TECHNOLOGY.

Founded in 1926, Graco is a world leader in fluid handling systems and components. Graco products move, measure, control, dispense and apply a wide range of fluids and viscous materials used in vehicle lubrication, commercial and industrial settings.

The company's success is based on its unwavering commitment to technical excellence, world-class manufacturing and unparalleled customer service. Working closely with qualified distributors, Graco offers systems, products and technology that set the quality standard in a wide range of fluid handling solutions. Graco provides equipment for spray finishing, protective coating, paint circulation, lubrication, and dispensing sealants and adhesives, along with power application equipment for the contractor industry. Graco's ongoing investment in fluid management and control will continue to provide innovative solutions to a diverse global market.

GRACO LOCATIONS

MAILING ADDRESS

P.O. Box 1441
Minneapolis, MN 55440-1441
Tel: 612-623-6000
Fax: 612-623-6777

AMERICAS

MINNESOTA

Worldwide Headquarters
Graco Inc.
88-11th Avenue N.E.
Minneapolis, MN 55413

EUROPE

BELGIUM

European Headquarters
Graco N.V.
Industrieterrein-Oude Bunders
Slakweidestraat 31
3630 Maasmechelen,
Belgium
Tel: 32 89 770 700
Fax: 32 89 770 777

ASIA PACIFIC

AUSTRALIA

Graco Australia Pty Ltd.
Suite 17, 2 Enterprise Drive
Bundoora, Victoria 3083
Australia
Tel: 61 3 9468 8500
Fax: 61 3 9468 8599

CHINA

Graco Hong Kong Ltd.
Shanghai Representative Office
Building 7
1029 Zhongshan Road South
Huangpu District
Shanghai 200011
The People's Republic of China
Tel: 86 21 649 50088
Fax: 86 21 649 50077

INDIA

Graco Hong Kong Ltd.
India Liaison Office
Room 443, Augusta Point
Regus Business Centre 53
Golf Course Road
Gurgaon, Haryana
India 122001
Tel: 91 124 435 4208
Fax: 91 124 435 4001

JAPAN

Graco K.K.
1-27-12 Hayabuchi
Tsuzuki-ku
Yokohama City, Japan 2240025
Tel: 81 45 593 7300
Fax: 81 45 593 7301

KOREA

Graco Korea Inc.
Shinhan Bank Building
4th Floor #1599
Gwanyang-Dong, Dongan-Ku,
Anyang-si, Korea 431-060
Tel: 82 31 476 9400
Fax: 82 31 476 9801

SALES/ DISTRIBUTION/ SERVICE

Call today for product information or to request a demonstration.

800-690-2894 or visit us at www.graco.com.

Graco Inc. is registered to I.S. EN ISO 9001

North America
Customer Service
800-690-2894
Fax 800-334-6955

