



LD Series Pumps, Packages & Reels

Discover the Value of Graco LD™ Series Pumps

Stay ahead of the competition with the latest product solution from Graco Lubrication—the LD Series Pump. The affordable and full featured LD is designed for lower volume applications and is available in 3:1 and 5:1 for oil and 50:1 for grease. These pumps are fine-tuned for a compact, flexible and still incredibly durable solution.

High Quality

Lubrication solutions

Real Solutions for Real People

Field-Proven Performance Designed to Save You Money



It's Genetics

Loaded with high performance technologies

Only Graco can give you the field-proven performance found in the famous FireBall® pump for a solution that works as hard as you. Fast repairs, flexible configuration, industry leading warranty, and so many other field proven features are built-in—all at a competitive price.

LD Air-Powered Pumps

LD 3:1 Oil Pump

Medium pressure, high flow applications

LD 5:1 Oil Pump

High pressure, medium flow for cold temperature or long run applications

LD 50:1 Grease Pump

High pressure grease to 7500 psi



Three Inch Air Motor

Provides more power to create better flow.

NXT Air Valve

Designed to reduce icing in continuous use applications and uses less air than competitive pumps for better efficiency. Easy to repair or replace without tearing down internal pump components for less downtime.

Engineered for Durability

Patent-pending cup and plate design eliminates the need for O-rings that wear out faster for a more durable, longer-lasting solution.

Modular Air Valve

Air inlet and exhaust locations are easy to configure with just four bolts for simple, hassle free installations.

Pilot Valve

Patent-pending self cleaning design increases reliability in dirty air environments and minimizes pressure drop with rapid changeovers for reduced stalling and smoother flow.

Adjustable Bung Adapter Included

Built-in slide adjustment with easy-set hand screws is easier to fit into more applications.

Built-In Thermal Relief and Inlet Strainer

Built-in thermal relief (oil only) protects your equipment from thermal expansion without the need to buy and install an additional kit. Inlet strainer (oil only) is built-in to protect pump from contaminants that can damage your pump.

Professional Fluid Transfer Technology

Ordering information



Pumps		
		BSPT
3:1	Pump Universal w/ BA	24G578
	Pump Multilength	24G581
	Pump 200L drum	24G584
	Pump 1040L tote	24G587
5:1	Pump Universal w/ BA	24G590
	Pump Multilength	24G593
	Pump 200L drum	24G596
	Pump 1040L tote	24G599
50:1	Pump 35#	24G602
	Pump 120#	24G605
	Pump 400#	24G608

Accessories	
Bung Adapter Kits	24F918
Wall Bracket	24F910
Tote bracket top of tote without pump mount	24F920
Tote pump bracket top of tote	24F930
Tote side pump bracket	24F931
Reel Bracket	24F932
Meter Tray	24F914
Cart 55 kg	24H422
Cart 180 kg	24F915

Plates/Covers	20 KG	55 KG	180 KG
Follow plate	24F901	24F902	24F903
Drum cover	24F904	24F905	24F906

Guns/Hoses	BSPT
940mm downtube, with 2 m suction hose	24F937
1260mm downtube, with 2 m suction hose	24H668
Suction hose kit tote drain	24H671
Fluid oil hose kit	24H860
Fluid grease hose kit	24H863
Fluid hose kit, 5M	24H866
1/2" LD oil hose reel	24F796
1/4" LD grease hose reel	24F797
LDM5 Flex	24F881
LDM5 Rigid Trigger Guard Boot	24F882
LDP5 Flex	24F883
LDP5 Rigid Trigger Guard Boot	24F884
Grease gun	24H400
Grease Z-Swivel	24H614

Package BSPT						
	Type	Pump	Meter	Reel	Others	
3:1	24H709	TOTE MOUNT TOP	1040L oil pump (24G587)	LDM5 Flex Meter (24F881)	1/2" LD oil hose reel (24F796)	Fluid oil hose kit (24J497), Tote top mount bracket (24F930), Reel bracket kit (24F932), Meter tray (24F914)
	24H710			LDM5 Rigid Meter (24F882)		
3:1	24H733	TOTE MOUNT DRAIN	Universal oil pump (24G578)	LDM5 Flex Meter (24F881)	1/2" LD oil hose reel (24F796)	Fluid oil hose kit (24J497), Suction hose kit to tote (24H671), Tote mount pump bracket (24F920), Tote top mount bracket (24F931), Reel bracket kit (24F932), Meter tray (24F914)
	24H734			LDM5 Rigid Meter (24F882)		
50:1	24H758	CART W/ REEL	200L oil pump (24G584)	LDM5 Flex Meter (24F881)	1/2" LD oil hose reel (24F796)	Fluid oil hose kit (24J497), Cart (24F915)
	24H759			LDM5 Rigid Meter (24F882)		
50:1	24H807	DRUM PACKAGE	Multilength oil pump (24G581)	LDM5 Flex Meter (24F881)	-	Fluid Oil Hose Kit (24H860)
	24H808			LDM5 Rigid Meter (24F882)		

Package BSPT						
	Type	Pump	Meter	Reel	Others	
5:1	24H875	TOTE MOUNT TOP	1040L oil pump (24G599)	LDM5 Flex Meter (24F881)	1/2" LD oil hose reel (24F796)	Fluid oil hose kit (24J497), Tote top mount bracket (24F930), Reel bracket kit (24F932), Meter tray (24F914)
	24H876			LDM5 Rigid Meter (24F882)		
5:1	24H899	TOTE MOUNT DRAIN	Universal oil pump (24G590)	LDM5 Flex Meter (24F881)	1/2" LD oil hose reel (24F796)	Fluid oil hose kit (24J497), Suction hose kit to tote (24H671), Tote mount pump bracket (24F920), Tote top mount bracket (24F931), Reel bracket kit (24F932), Meter tray (24F914)
	24H900			LDM5 Rigid Meter (24F882)		
50:1	24H923	CART W/ REEL	200L oil pump (24G596)	LDM5 Flex Meter (24F881)	1/2" LD oil hose reel (24F796)	Fluid oil hose kit (24J497), Cart (24F915)
	24H924			LDM5 Rigid Meter (24F882)		
50:1	24H972	DRUM PACKAGE	Multilength oil pump (24G593)	LDM5 Flex Meter (24F881)	-	Fluid Oil Hose Kit (24H860)
	24H973			LDM5 Rigid Meter (24F882)		

Package BSPT						
	Type	Pump	Meter	Reel	Others	
50:1	24J032	DRUM	20kg grease pump (24G602)	-	Fluid grease hose kit (24H863), 20kg Follower plate (24F901), 20kg Drum cover (24F904), Z-swivel (24H614)	
			180kg grease pump (24G608)		Fluid grease hose kit (24H863), 180kg Follower plate (24F903), 180kg Drum cover (24F906), Z-swivel (24H614)	
	24J056	CART	180kg grease pump (24G608)	Grease gun (24H400)	-	Fluid grease hose kit (24H863), 180kg Follower plate (24F903), 180kg Drum cover (24F906), Cart (24F915), Z-swivel (24H614)
	24J068	CART WITH REEL	180# grease pump (24G608)	-	1/4" LD grease hose reel (24F797)	Fluid grease hose kit (24J503), 180kg Follower plate (24F903), 180kg Drum cover (24F906), Cart (24F915), Z-swivel (24H614)

Quality hose reels mount in minutes—gives you years of worry-free performance!



Ceiling/Wall Swivel Mount (standard)



Ceiling/Wall Stationary Mount (optional)



Bench Mount (optional)

Economical hose reel gets you up and running-fast!



Reduce clutter and increase workplace safety with a Graco one piece hose reel. Designed for dealerships, service garages, collision repair and industrial manufacturing facilities. Quickly mounts to wall, ceiling, bench, tanks or in cabinets. Complete packages available with LD oil meters and hose inlet kit to get you up and running fast!

ORDERING INFORMATION*

Application	Model	Hose Inlet Kit (BSPT)	Hose Inlet Kit (NPT)**
Air Only	HEL13D	24C437	24C443
	HEL15D	24C437	24C443
Air/Water	HEL23D	24C438	24C444
	HEL25D	24C438	24C444
	HEL33D	24C438	24C445
	HEL34D	24C438	24C445
Petroleum- and Synthetic-based Oils	HEM23D	24C440	24C537
	HEM33D	24C440	24C538
Grease	HEH13D	24C442	24C539

*Inlet kits ordered separately

**Includes two fittings to convert BSPT(m) to NPT(m)

OIL DISPENSING PACKAGES (Reel, Meter, Inlet Hose)

Package number	LD Reel	Hose Inlet Kit	Valve/Meter
24D197	HEM33D	24C538	256215, LDM5 Rigid with trigger guard
24D198	HEM33D	24C538	255751, LDM5 Flex without trigger guard
24D199	HEM33D	24C538	256216, LDP5 Rigid with trigger guard
24D200	HEM33D	24C538	255277, LDP5 Flex without trigger guard

ACCESSORIES

Includes all parts to bench-, table- or tank top-mount reel on wall or ceiling

Part Number	Mounting Options
24C772	Tote, Bench or Wall Mount Post

Tote, Bench or Wall Mount Post
24C772



TECHNICAL SPECIFICATIONS

Application	Model	Pressure psi (bar)	Hose ID x Length	Inlet (bspt)	Outlet (bspt)	Operating Temp.
Air Only	HEL13D	250 (17.2)	6 mm x 11 m (1/4 in x 35 ft)	1/2 in	1/4 in	-14–140 °F (-10–60 °C)
	HEL15D	250 (17.2)	6 mm x 15 m (1/4 in x 50 ft)	1/2 in	1/4 in	
Air/Water	HEL23D	250 (17.2)	10 mm x 11 m (3/8 in x 35 ft)	1/2 in	3/8 in	-0–140 °F (-17–60 °C)
	HEL25D	250 (17.2)	10 mm x 15 m (3/8 in x 50 ft)	1/2 in	3/8 in	
	HEL33D	250 (17.2)	12 mm x 11 m (1/2 in x 35 ft)	1/2 in	1/2 in	
	HEL34D	250 (17.2)	12 mm x 14 m (1/2 in x 45 ft)	1/2 in	1/2 in	
Petroleum/Synthetic-based Oils	HEM23D	1800 (124)	10 mm x 11 m (3/8 in x 35 ft)	1/2 in	3/8 in	
	HEM33D	1800 (124)	12 mm x 11 m (1/2 in x 35 ft)	1/2 in	1/2 in	
Grease	HEH13D	5000 (345)	6 mm x 11 m (1/4 in x 35 ft)	3/8 in	1/4 in	

Instruction Manual=313938

Contact us today!

Send an E-mail to sales@goind.com.au for product information

or visit us at www.goind.com.au

GO Industrial Pty Ltd

Unit 2 - 11 to 15 Baylink Avenue

Deception Bay QLD 4508

Tel: 61 7 3204 2240

©2015 Graco Inc. 352407 Rev. A. 07/2015 Printed in Australia. All other brand names or marks are used for identification purposes and are trademarks of their respective owners. All written and visual data contained in this document are based on the latest product information available at the time of publication. Graco reserves the right to make changes at any time without notice.