




GAS AIRLESS SPRAYERS

Graco's Complete Line of Professional
Gas Airless Sprayers



PROVEN QUALITY. LEADING TECHNOLOGY.



MADE IN THE USA WITH
IMPORTED ENGINES

THERE IS NOTHING LIKE A GRACO SPRAYER

Experienced contractors know the difference. Graco gas airless sprayers are powerful, efficient investments that keep you spraying and save you money to move your business forward.

TRUST YOUR BUSINESS AND REPUTATION TO GRACO

Graco is committed to providing the highest quality gas airless sprayers available, backed by the industry's best warranty.

AMERICAN BUILT QUALITY SINCE 1926

100% factory-tested and field-proven Graco professional gas airless sprayers are designed, manufactured, and assembled in the USA with global components.

INDUSTRY-LEADING WARRANTY

Behind every Graco sprayer is the industry's strongest warranty. You may never need Graco's warranty—but if you do, we will be there.

GRACO-ONLY SOLUTIONS TO KEEP YOU SPRAYING



PATENT PENDING

THE LONGEST LASTING PUMPS EVER BUILT

- Longest life in the industry with Vortex™ rotating piston rod
- 6X more gallons sprayed between repacks
- Extends pump rod life by 3X—delivering the industry's lowest cost of ownership



PATENTED

THE EASIEST MAINTENANCE

- Swap your pump in minutes—no tools needed
- Eliminate costly jobsite downtime
- Easier and faster than ever to service your sprayer



GRACO EXCLUSIVE

LARGE, DURABLE FILTRATION

- Easy Out™—vertical filtration ensures a quality finish with less mess
- Crushproof Inlet Strainer—withstands harsh impacts to maintain filtering and flow



PATENTED

EASY HOSE MANAGEMENT

- Deploy and rewind up to 300 feet of hose in seconds
- No twisting, kinking, or coiling
- Use only the hose you need—the rest stays on the reel

SMARTCONTROL™

GRACO EXCLUSIVE

PRECISION SPRAYING CONTROL

- Precision pressure control that delivers a consistent spray fan without pressure fluctuations
- Ideal for Low Pressure Tips commonly used for fine finish work and low overspray applications
- Monitors sprayer gallons, hours, and spray pressure

ADVANTAGE DRIVE™

GRACO EXCLUSIVE

THE LONGEST LASTING DRIVE

- The most dependable, longest lasting drive in the industry, backed by a lifetime warranty
- Hardened steel gears engineered to provide extremely quiet operation



CHOOSE THE RIGHT GAS AIRLESS SPRAYER

Our mission is to fit you to the sprayer that is sized for the work you do to get the job done right, every time.

CURRENT AND FUTURE JOBSITE FACTS TO CONSIDER WHEN SELECTING YOUR GRACO GAS SPRAYER:

- How many gallons per week will you spray?
- What hose lengths will you use?
- How many guns will you use?
- What tip sizes?
- What types of jobs will you bid?
- What types of materials will you spray?

FIND THE SPRAYER THAT FITS

RECOMMENDED SPRAYER	STANDARD		STANDARD	PROCONTRA
	GMAX® 3400	●	GMAX II 3900 GH™ 130	● ●
PRODUCTION NEEDS	LOW Up to 250 gallons per week		MEDIUM Up to 500 gallons per week	
	LOW 1 gun Up to 0.027 tip / Up to 0.75 gpm		MEDIUM 2 gun Up to 0.037 tip / Up to 1.3 gpm	
JOB TYPES	LIGHT Small Residential, Repaint/Remodel, Property Maintenance		LIGHT / MEDIUM Medium Residential, Repaint/Remodel, Property Maintenance, Light Commercial	
MATERIALS	LIGHT Lacquers and Stains, Interior/Exterior Latex, Enamels, Acrylics		LIGHT / MEDIUM Lacquers and Stains, Interior/Exterior Latex, Enamels, Acrylics, Oil-Based Primers	



CONTRACTOR™		STANDARD	PROCONTRACTOR	IRONMAN		STANDARD	PROCONTRACTOR	IRONMAN
●	GMAX II 5900	●	●	●	GMAX II 7900	●	●	●
	GH 200	●	●		GH 230	●	●	
					GH 300	●	●	
	HIGH Up to 1,000 gallons per week				HIGH Up to 1,000 gallons per week			
	HIGH Up to 4 guns Up to 0.047 tip / Up to 2.15 gpm				HIGHEST Up to 5 guns Up to 0.057 tip / Up to 3.0 gpm			
	LIGHT / HEAVY Interior/Exterior, Residential, Light Commercial				HEAVY DUTY Exterior Residential, Heavy Commercial, Industrial			
	LIGHT / HEAVY Interior/Exterior Latex, Oil-Based Primers, Acrylics, Block Fillers				HEAVY DUTY Interior/Exterior Latex, Oil-Based Primers, Epoxies, Block Fillers, Dryfall, Elastomerics			

*All sprayers are capable of spraying with up to 300 feet of hose, but maximum length will change depending on material thickness, hose diameter, and tip size.

CHOOSE THE RIGHT SERIES OF GAS AIRLESS SPRAYERS FOR YOUR BUSINESS

Only Graco is committed to meeting the needs of professional painting contractors by offering up to three different series of gas airless sprayer models.



EVERYDAY RELIABILITY

Small Residential and Repainting Contractor

- Painting multiple days a week
- Typically working on smaller jobs
- Don't need a lot of extra features



WORK SMARTER, FINISH MORE JOBS

Large Residential and Commercial Contractor

- Painting every day— frequently from job to job
- Tackling medium to large projects
- Requiring features to get you to the next jobsite faster



BEYOND JOBSITE TOUGH

Large Commercial and Industrial Contractor

- Painting continuously in less-than-ideal conditions
- Working on long-duration projects with large material volumes
- Require extreme durability and reliability



graco.com/GasAirless



INDUSTRIAL

MORE PRODUCTION IN LESS TIME

GMAX DIRECT DRIVE TECHNOLOGY

The most efficient spraying technology available, allowing you to get more work done with less effort while saving you time and money.

Through our Direct Drive Technology, an engine powers the pump from a clutch and geared drivetrain.

SAVE UP TO \$800 PER YEAR!



WORK EASIER

- Easier loading/unloading and jobsite portability — 20% lighter weight and a smaller footprint than hydraulic units



BURN LESS FUEL

- Save up to \$500 a year — use up to 30% less gas than hydraulic units



LESS MAINTENANCE

- Save up to \$300 a year — no hydraulic fluid or filter changes

INCREDIBLE DURABILITY

- MaxLife® and MaxLife Extreme pumps last 6X longer between pump repacks
- Lifetime Guarantee on gear train and pinion housing



BREAKTHROUGH ENDURANCE™ VORTEX MAXLIFE AND MAXLIFE EXTREME™ TECHNOLOGY

THE LONGEST LASTING GMAX PUMPS EVER BUILT

PATENT PENDING



Endurance Chromex™ Pump for GMAX
Lasts 2X longer than competing pumps



Endurance Vortex MaxLife Pump for GMAX
6X longer between repacks



Endurance Vortex MaxLife Extreme Pump for GMAX
Extends pump rod life by 3X — delivering the industry's lowest cost of ownership



SPRAYS THE WIDEST RANGE OF COATINGS

- Oversized clearances for maximum performance
- Maximum flow with heavy materials



EASIEST SERVICE IN THE INDUSTRY

QuikPak™ Cartridge System

- Repack the entire pump in minutes

ProConnect™ 2 Pump Replacement

- Complete no-tools pump replacement system

QuikAccess™ Intake Foot Valve

- Clear debris faster with easy inlet ball access



THE BEST JUST GOT BETTER

VORTEX ROTATING PISTON TECHNOLOGY

KEEPS YOU SPRAYING

(PATENT PENDING)

Built with Graco exclusive EXTREME ROD that is an abrasion-resistant composite to deliver the most durable, hardest wear surface possible

6X more gallons sprayed between repacks — Extreme Composite extends pump rod life by 3X, delivering the industry's lowest cost of ownership




ENDURANCE™ VORTEX™

**MAXLIFE
EXTREME**

(PATENT PENDING)



360° WEAR SURFACE
Delivers the longest pump life



(PATENT PENDING)

VORTEX TECHNOLOGY

Rotating rod for extended life

HELICAL DESIGN

Delivers high-velocity flow to rotate pump rod as you spray

OLD WAY



VS



NEW WAY

Modular pre-oiled cartridge packings install correctly every time

QUIKPAK CARTRIDGE REPAIR SYSTEM

(PATENT PENDING)

REPACK YOUR PUMP IN MINUTES



1) Insert pre-oiled packing cartridge assembly



2) Remove disposable clip



3) Assemble pump

QuikPak available on Ultra Max™ II 695-1595, GMAX II 3900-7900, and TexSpray™ Sprayers.

GMAX STANDARD SERIES

EVERYDAY RELIABILITY



Unmatched durability and performance, with the capability to handle the widest range of tip sizes, longer hose lengths, and heavier coatings with ease.



THE MOST RELIABLE PUMP

Endurance Chromex Piston Pump

- Lasts 2X longer than the next leading brand
- Repack the pump in minutes with the new QuikPak Cartridge System
- QuikChange™ pump design allows you to swap the pump easily on the job
- Faster cleaning with the QuikAccess intake foot valve



CONSISTENT SPRAY FAN AND PRESSURE CONTROL

SmartControl™ 3.0

- Handles the widest range of coatings with the most consistent fan pattern
- Lowest dead band at any pressure



THE LONGEST LASTING DRIVE

Advantage Drive™

- Hardened steel gears engineered to provide extremely quiet operation
- Lifetime Warranty



RELIABLE, POWERFUL, AND EASY TO START

Honda® Engines

- Oil Alert shuts down engine to prevent damage if oil level drops too low
- Contractor preferred

EASY MAINTENANCE AND LESS CLOGGING

Easy Out Pump Filter

- Exclusive inside-out filtering process won't collapse, and ensures a quality finish
- Vertical design for less mess

MAINTENANCE-FREE HIGH-PRESSURE DUMPING

Heavy-Duty Prime Valve

- Maintenance-free design withstands high-pressure dumping

RUGGED AND EASY TO MANEUVER

Durable Cart Design

- Thick chrome over steel frame and pneumatic wheels to handle tough jobsite conditions
- Retractable handle doubles as coiled hose storage

ALL-DAY COMFORT AND CONTROL

New Contractor PC™ Gun

- Lightest weight gun in its class
- Up to 50% lighter trigger pull force
- E-Z Fit™ adjustable trigger length
- Complete no-tools gun rebuild in seconds with ProConnect

All GMAX II 7900 sprayers feature Graco's extreme-duty MaxLife Pump:

- Lasts 6X longer between repacks
- Features exclusive hardened MaxLife sleeve and rod
- Oversized clearances ensure minimal pressure drop



Ready to Spray: Complete with Spray Gun, 50' Blue Max™ II hose, and RAC X™ SwitchTip™

GMAX MODELS	STANDARD	LO-BOY	CONVERTIBLE
GMAX 3400	17E825		
GMAX II 3900	17E827	17E826	
GMAX II 5900	17E831	17E829	17E830
GMAX II 7900	17E836	17E834	





GMAX PROCONTRACTOR SERIES

WORK SMARTER, FINISH MORE JOBS

Designed to deliver speed and performance so you can get to the next jobsite faster and increase your profits.



SUPERIOR PUMP LIFE

New Endurance Vortex MaxLife Piston Pump

Breakthrough Vortex Rotating Rod Technology Keeps You Spraying:

- Oversized passages for high-velocity flow to rotate rod for even wear
- Lasts 6X longer between repacks with innovative MaxLife technology
- Repack pump in minutes with new QuikPak cartridge repair system

IMPROVED FILTRATION

Crushproof Inlet Strainer

- Stands up to harsh impacts to maintain filtering and flow

PUMP DAMAGE PROTECTION

WatchDog™ Pump Protection System

- Automatically shuts down the pump if the material supply is too low



ELIMINATE COSTLY DOWNTIME

ProConnect 2 One-Part Pump Replacement System (PATENTED)

- Pump swaps in 1 minute or less — no tools, pins, or parts to lose

EASY-TO-READ PERFORMANCE

LED Display

- Displays pressure, gallon counter, and diagnostics



EASY HOSE MANAGEMENT

QuikReel™ Hose Management System (PATENTED)

- Deploy and rewind up to 300 feet of hose in seconds
- No twisting, kinking, or coiling
- Use only the hose you need — the rest stays on the reel

ProContractor Series sprayers also include all Standard Series features:

- SmartControl 3.0
- Precision Advantage Drive
- Honda Engine
- Easy Out Pump Filter
- Heavy-Duty Prime Valve
- Rugged, Durable Cart Design
- **NEW** Contractor PC Gun

Ready to Spray: Complete with Spray Gun, 50' Blue Max II hose, and RAC X SwitchTip



GMAX MODELS	PROCONTRACTOR
GMAX II 3900	17E828
GMAX II 5900	17E832
GMAX II 7900	17E837

GMAX IRONMAN SERIES

UNMATCHED DURABILITY



IronMan Series sprayers are designed and built to handle the most brutal and demanding conditions—typically found on large commercial and industrial jobsites.



THE LONGEST LIFE EVER

New Endurance Vortex MaxLife Extreme Piston Pump

Breakthrough Vortex Rotating Rod Technology Keeps You Spraying:

- Oversized passages for high-velocity flow to rotate rod for even wear
- 6X more gallons sprayed between repacks. Extreme rod extends pump rod life by 3X
- Graco exclusive abrasion-resistance composite delivers the most durable wear surface
- Repack pump in minutes with new QuikPak cartridge repair system



ELIMINATE COSTLY DOWNTIME

ProConnect 2 One-Part Pump Replacement System (PATENTED)

- Pump swaps in 1 minute or less—no tools, pins, or parts to lose



NEVER HAVE A FLAT AGAIN

Flat Proof Tires

- No tire puncturing from nails, screws, or any sharp debris



IMPROVED FILTRATION

Crushproof Inlet Strainer

- Stands up to harsh impacts to maintain filtering and flow



EASY-TO-READ PERFORMANCE

LED Display

- Displays pressure, gallon counter, and diagnostics



IronMan Series sprayers also include all Standard Series features:

- SmartControl 3.0
- Precision Advantage Drive
- Honda Engine
- Easy Out Pump Filter
- Heavy-Duty Prime Valve
- Rugged, Durable Cart Design
- **NEW** Contractor PC Gun

GMAX SERIES	IRONMAN	ROOF RIG
GMAX II 5900	17E833	
GMAX II 7900	17E838	17E835



Ready to Spray: Complete with Spray Gun, 50' Blue Max II hose, and RAC X SwitchTip

GMAX GAS AIRLESS SPRAYER SPECIFICATIONS

		GMAX 3400		GMAX II 3900	
SPECIFICATIONS	Maximum Tip Size	0.027		0.036	
	Maximum psi (bar)	3300 (227)		3300 (227)	
	Maximum gpm (lpm)	0.75 (2.8)		1.25 (4.7)	
	Honda Engine CC (HP)	120 (4.0)		120 (4.0)	
	Control	SmartControl 3.0		SmartControl 3.0	
	Weight lb (kg)	89 (41)		109 (50)	
	Gun Support (Gas): 1 Gun 2 Guns 3 Guns 4 Guns	0.027 – – –		0.036 0.023 – –	
	Gun Support (Electric): 1 Gun 2 Guns	N/A		N/A	



		GMAX 3400			GMAX II 3900		
SERIES TYPE		STANDARD			LO-BOY	STANDARD	PROCONTRACTOR
MODEL	Cart Design — Part Number	17E825			17E826	17E827	17E828
PUMP	Type	Endurance			Endurance	Endurance	Endurance Vortex
	Rod	Chromex			Chromex	Chromex	MaxLife
	Sleeve	Hardened SST			Hardened SST	Hardened SST	MaxLife
	Removal	QuikChange			ProConnect 2	QuikChange	ProConnect 2
FEATURES	NEW! Endurance Pump	●			●	●	● Vortex
	Honda Engine	●			●	●	●
	Advantage Drive	●			●	●	●
	Easy Out	●			●	●	●
	SmartControl 3.0	●			●	●	●
	LED Display						●
	WatchDog						●
	QuikReel						●
	ProConnect 2				●		●
	NEW! Flat Proof Tires						●
	NEW! Crushproof Inlet Strainer						●
	NEW! Contractor PC Gun	●			●	●	●
Tip	RAC X LTX 517			RAC X LTX 517	RAC X LTX 517	RAC X LTX 517	
Hose	1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless			1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless	1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless	1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless	
WEAR PARTS	Replacement Pump	246428			16X414	16Y598	17H823
	Repair Kit	244194			17H838	17H838	17H841
	Rod	249125			16X434	248206	17H876
	Sleeve	–			248209	248209	17H864
	Intake Seat Kits	246429			239922	239922	239922
MANUAL	Operation and Parts	3A6400			3A6400	3A6400	3A6400
	Pump	309250			3A6583	3A6584	3A6583

		LO-BOY	CONVERTIBLE
		17E829	17E830
		Endurance	Endurance
		Chromex	Chromex
		Hardened SST	Hardened SST
		ProConnect 2	QuikChange
		●	●
		●	●
		●	●
		●	●
		●	●
		●	●
		RAC X LTX 517	RAC X LTX 517
		1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless	1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless
		16X419	16Y706
		17H839	17H839
		16X435	248207
		248210	248210
		244199	244199
		3A6400	3A6400
		3A6583	3A6584

GMAX II 5900

0.043

3300 (227)

1.60 (6.0)

200 (6.5)

SmartControl 3.0

139 (64)

0.043

0.029

0.023

-

0.031

0.017



STANDARD	PROCONTRACTOR	IRONMAN
17E831	17E832	17E833
Endurance	Endurance Vortex	Endurance Vortex
Chromex	MaxLife	MaxLife EXTREME
Hardened SST	MaxLife	MaxLife
QuikChange	ProConnect 2	ProConnect 2
●	● Vortex	● Vortex
●	●	●
●	●	●
●	●	●
●	●	●
●	●	●
●	●	●
●	●	●
●	●	●
●	●	●
RAC X LTX 517	RAC X LTX 517	RAC X LTX 517
1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless	3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless AND 1/4 in x 3 ft (6.4 mm x 0.9 m) BlueMax II Whip Hose	3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless AND 1/4 in x 3 ft (6.4 mm x 0.9 m) BlueMax II Whip Hose
16Y706	17H824	17H826
17H839	17H842	17H843
248207	17H877	17H879
248210	257031	257031
244199	244199	17H888
3A6400	3A6400	3A6400
3A6584	3A6583	3A6583

GMAX II 7900

0.048

3300 (227)

2.20 (8.3)

200 (6.5)

SmartControl 3.0

146 (67)

0.048

0.035

0.027

0.023

N/A



LO-BOY	STANDARD	PROCONTRACTOR	IRONMAN
17E834	17E836	17E837	17E838 Roof Rig-17E835
Endurance Vortex	Endurance	Endurance Vortex	Endurance Vortex
MaxLife	MaxLife	MaxLife	MaxLife EXTREME
MaxLife	MaxLife	MaxLife	MaxLife
ProConnect 2	QuikChange	ProConnect 2	ProConnect 2
● Vortex	●	● Vortex	● Vortex
●	●	●	●
●	●	●	●
●	●	●	●
●	●	●	●
●	●	●	●
●	●	●	●
●	●	●	●
●	●	●	●
●	●	●	●
RAC X LTX 517	RAC X LTX 517	RAC X LTX 517	RAC X LTX 517
3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless AND 1/4 in x 3 ft (6.4 mm x 0.9 m) BlueMax II Whip Hose	3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless AND 1/4 in x 3 ft (6.4 mm x 0.9 m) BlueMax II Whip Hose	3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless AND 1/4 in x 3 ft (6.4 mm x 0.9 m) BlueMax II Whip Hose	3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless AND 1/4 in x 3 ft (6.4 mm x 0.9 m) BlueMax II Whip Hose
17H825	16X423	17H825	17H827
17H840	17H840	17H840	17H844
17H878	249119	17H878	17H880
249121	249121	249121	249121
240918	240918	240918	17H889
3A6400	3A6400	3A6400	3A6400
3A6583	3A6584	3A6583	3A6583

		GH 130 <i>Convertible</i>	GH 200 <i>Convertible</i>	GH 230 <i>Convertible</i>	GH 300
SPECIFICATIONS	Maximum Tip Size	0.037	0.047	0.053	0.057
	Maximum psi (bar)	3300 (227)	3300 (227)	3300 (227)	3300 (227)
	Maximum gpm (lpm) - GAS	1.30 (4.9)	2.15 (8.14)	2.35 (8.9)	3.00 (11.4)
	Maximum gpm (lpm) - ELECTRIC	1.10 (4.2)	1.10 (4.2)	1.10 (4.2)	
	Honda Engine CC (HP)	120 (4.0)	160 (5.5)	200 (6.5)	270 (9.0)
	Weight lb (kg)	155 (70)	Standard 160 (73) / ProContractor 188 (85)	Standard 168 (76) / ProContractor 193 (88)	Standard 195 (88) / ProContractor 222 (101)
	Gun Support (Gas):				
	1 Gun	0.037	0.047	0.053	0.057
	2 Guns	0.023	0.034	0.038	0.039
	3 Guns	-	0.027	0.032	0.033
4 Guns	-	0.023	0.028	0.029	
5 Guns	-	-	0.024	0.025	
Gun Support (Electric):					
1 Gun	0.031	0.031	0.031	N/A	
2 Guns	0.017	0.017	0.017		



SERIES TYPE		STANDARD	STANDARD	PROCONTRACTOR	STANDARD	PROCONTRACTOR	STANDARD	PROCONTRACTOR
MODEL	Part Number	24W923 Gas 24W924 Gas with Electric Motor (Non-CSA)	24W925 Gas 24W926 Gas with Electric Motor (Non-CSA)	24W927 Gas 24W928 Gas with Electric Motor (Non-CSA)	24W929 Gas 24W930 Gas with Electric Motor (Non-CSA) 24W931 Gas with Electric Motor (CSA)	24W932 Gas with Electric Motor (Non-CSA) 24W933 Gas with Electric Motor (Non-CSA) 24W934 Gas with Electric Motor (CSA) Electric Motor (CSA)	24W935 Gas	24W936 Gas
	Type	Endurance	Endurance	Endurance	Endurance	Endurance	Endurance	Endurance
PUMP	Rod	Chromex	Chromex	MaxLife	Chromex	MaxLife	Chromex	MaxLife
	Sleeve	Hardened SST	Hardened SST	MaxLife	Hardened SST	MaxLife	Hardened SST	MaxLife
	Removal	QuikChange	QuikChange	ProConnect	QuikChange	ProConnect	QuikChange	ProConnect
FEATURES	Endurance Pump	●	●	●	●	●	●	●
	Honda Engine	●	●	●	●	●	●	●
	High-Capacity Cooling System	●	●	●	●	●	●	●
	Easy Out	●	●	●	●	●	●	●
	High-Efficiency Hydraulic Motor	●	●	●	●	●	●	●
	QuikReel			●		●		●
	ProConnect			●		●		●
	Crushproof Inlet Strainer			●		●		●
	Gun	Contractor	Contractor	Contractor	Silver Plus	Silver Plus	Silver Plus	Silver Plus
	Tip	RAC X 517, 1231	RAC X 517, 1231	RAC X 517, 1231	RAC X 517, 1231	RAC X 517, 1231	RAC X 517, 1231	RAC X 517, 1231
Hose	1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless	1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless	1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless AND 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless	3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless AND 1/4 in x 3 ft (6.4 mm x 0.9 m) BlueMax II Whip Hose	3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless AND 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless	3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless AND 1/4 in x 3 ft (6.4 mm x 0.9 m) BlueMax II Whip Hose	3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless AND 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless	
CONTROL & DRIVE	Drive	Hydraulic	Hydraulic	Hydraulic	Hydraulic	Hydraulic	Hydraulic	Hydraulic
ENDURANCE PUMP	Replacement Pump	24B748	24W995	24W996	24W997	24W998	24W997	24W998
WEAR PARTS	Repair Kit	288471	17D601	287813	17D601	287813	17D601	287813
	Rod	288479	249000	288469	249001	288470	249001	288470
	Sleeve	248210	248979	249121	248980	287817	248980	287817
	Intake Seat Kit	244199	240918	240918	240918	240918	240918	240918
MANUAL	Operation Parts	334558	334558	334558	334558	334558	334558	334558

ACCESSORIES

SPEND LESS TIME, MAKE MORE MONEY

Maximize your performance and get to the next job faster by customizing your sprayer with proven Graco Accessories.

NEW CONTRACTOR PC GUNS



FINISH JOBS FASTER WITH LESS FATIGUE

Premium Comfort for All-Day Spraying

- Lightest-weight gun in its class
- Up to 50% lighter trigger pull force
- E-Z Fit adjustable trigger length (PATENT PENDING)



REDUCE DOWNTIME WITH PROCONNECT

Complete Gun Rebuild in Seconds (PATENT PENDING)

- Needle and all wear parts in one simple cartridge

GRACO'S LONGEST-LASTING, MOST DURABLE GUN YET

Industry-Proven Graco Quality

- Made in the USA



RAC X LOW PRESSURE SWICHTIPS (PATENTED)

- Less prep and cleanup time
- Less mess with less overspray
- Easiest pattern overlap
- Up to 2X life
- 46 different sizes for large surface and fine finish applications



Available in sizes 108–731
for fine finish and large
surface applications



SIPHON KITS

- Pump materials directly from containers
- Fits GMAX II 3900/5900/7900 and GH 130/200/230/300
- 5-Gallon Siphon Kit, 30/55-Gallon Siphon Kit, and Siphon Hose Extensions available



ELECTRIC MOTOR KITS

- Quickly swap the gas engine for an electric motor in seconds—without tools
- Available for GMAX II 5900 and GH 130/200/230



graco.com/accessories

FOR PART NUMBERS AND MORE DETAILS ON ALL AIRLESS ACCESSORIES:

Visit graco.com/accessories, see **Airless Accessories Brochure** (part #344386) or ask your local authorized Graco Distributor



SPRAY WITH CONFIDENCE

Industry-Leading Warranty Protection

Every Graco gas sprayer is backed by the industry's best warranty coverage.

3-YEAR HONDA ENGINE WARRANTY*

If the engine fails from normal use, Honda will replace it under warranty for the original owner for 3 years.

LIFETIME DRIVETRAIN WARRANTY*

If the drivetrain fails from normal use, we'll replace it under warranty for the original owner for the life of the sprayer.

30-DAY "JUST ADD PAINT" REPLACEMENT GUARANTEE*

Dissatisfied? Simply return the sprayer to the place you bought it within 30 days. They'll either exchange it for an identical sprayer or you can trade up to a larger sprayer at an additional cost.

3-YEAR WARRANTY*

Coverage against defects in materials and workmanship on the entire sprayer.

DOWNTIME ELIMINATOR PROGRAM*

Part needed for a warranty repair not in stock at your distributor? Get FREE next business day air freight delivery when distributor orders the part by 2 p.m. CT.

CONVENIENT SERVICE

Graco offers more than 5,500 authorized distributor locations in North America and over 700 locations to administer warranty repair.

*NORTH AMERICA ONLY. See your local Graco Distributors for country specifics. See printed product warranty for complete warranty terms and conditions.



Finish Every Job, Every Time

Downtime is costly. With the Endurance Advantage Program, you'll never need to worry about it again. Depending on the sprayer you purchase:

Receive up to 70% OFF the list price of an Endurance Pump

OR — Receive a FREE Repair Kit if you'd rather repack your own pump.

Follow the registration instructions included with your sprayer.



Every Graco purchase comes with A+ Customer Service.

Questions?
Call (844) 241-9499

For more information visit graco.com