

GrindLazer™

3A0103G


Designed to grind flat, horizontal concrete or asphalt surfaces
For removal of materials from concrete and asphalt surfaces
Professional outdoor use only -

Model 571002 - Forward cut line removal / bump smoothing GrindLazer 270 (270 cc / 9 hp)

Model 571003 - Forward cut line removal / bump smoothing GrindLazer 390 (390 cc / 13 hp)

Model 571004 - Reverse (up cut) / inlay and grooving (Must be used with LineDriver[™]) GrindLazer 480 (480 cc / 16 hp)


Model 571260 - Reverse (up cut) / inlay and grooving (Must be used with LineDriver[™]) GrindLazer 630 (627 cc / 21 hp)



Related Manuals: Operation - 3A0101 Repair - 3A0102 GrindLazer 270 and 390


GrindLazer 630

(Drums, cutters, and LineDriver[™] sold separately)




			Qty				Qty
Ref.	Part	Description	<u> </u>	Ref.	Part	Description	
19		NUT, full hex	2	129	16C278	GROMMET, square	1
22		WASHER, flat	5	130		SHAFT, adjustment, cutter height	1
23		NUT, lock	13	131		BEARING, flange	2
43		SCREW, cap, flng HD	6	132		SHAFT, crank, adjustment	1
45		NUT, lock, insert, nylock, 5/16	15	133		BRACKET, crankshaft	1
		WASHER, lock	1	134		PIN, handle, scarifier	1
66		PIN, spring	3	135		LEVER, actuator	
73		SCREW, cap, flng HD	4	136		RETAINER, plug	2 2
76		SPRING, belleville	6	137		GRIP, handle	2
78		NUT, lock	3	138		PLATE, control	1
79		CAP, dust	3	139	16D440	COVER, control	1
83		PLATE, lift, scarifier	4	140	117501	SCREW, mach, slot hex wash HD	5
84		SCREW, cap, flange head	6	141	16C789	HARNESS, wire (270/390 only)	1
85		PLUG, tubing	6		16C788	HARNESS, wire (480/630 only)	1
90		FRAME, rear	1	142		CONTROL, throttle cable	1
91	193405		1	143		NUT, lock, hex	2
93		WHEEL, pneumatic	2	144a		SWITCH, power (270/390 only)	1
94		WASHER	1	114b		SWITCH, power (480/630 only)	1
96	24D544	HITCH, mount	1	145		SWITCH, safety, tether, terminated	1
97		SCREW, cap, flng HD	3			CORD, lanyard, switch safety	1
98		BALL, trailer	1	148		SCREW, cap, hex HD	1
99		SWITCH, safety	1	150	123816		1
100		HARNESS, wire	1	151		CABLE with spring	1
101	16D497	ACTUATOR, switch, hitch	1	166▲	16D005	LABEL, 16 hp control (480/630	1
102	198891	BRACKET	▲ 1			only)	
103	195134	SPACER, ball, guide	1	170		LABEL, scarifier cutter position	1
104		BEARING	1			LABEL, ISO hazards & prevent	1
105	113961	SCREW, cap, hex HD	1	175	16D391	LABEL, brand, grindlazer	1
106		ROD, brake	1				
109	114956	TERMINAL, wire, tap	1			t Danger and Warning labels, tags, a	and
		(270/390 only)		cards	are availa	able at no cost.	
127	24C911	BAR, handle	1		λ		
128	112395	SCREW, cap, flng HD	4		O		
				o'i'			
			4	\mathbf{O}			
)			

GrindLazer 270/390




			Otv				Qty
Ref.	Part	Description	Qty	Ref.	Part	Description	
1a		ENCLOSURE, 9 HP and 13 HP	1		100052	-	1
2		BEARING, mount	1	55	123799		1
5		WASHER, lock	8	56		KEY, square	1
6		NUT, full, hex	8	57		CAP, plug, tube, red, 2 inch	1
7		SCREW, cap, hex HD	4	59		WASHER, plain	9
10		KIT, bearing, shaft, drive	1	60	801020	NUT, lock	4
11		SCREW, cap, hex HD	3	61	24D150	ACTUATOR, cutter height,	1
12		SPACER, guard, belt	3			assembly	
14	100321	NUT	3	62		ROD, lock, transport	1
15		PLATE, mount, motor	1	63	123681	SWIVEL, universal, joint	1
16		SCREW, shoulder, socket head	2	64		SCREW, hex, hd, flanged	5
17		WASHER, plain 5/8	2	65*		BELT, 3VX375, series A	1
18		NUT, lock, nylon, thin pattern	2 2		124994	BELT, 3VX355, series A (630),	1
19		NUT, full hex	2	00	400004	series B, C, D	~
20		BOLT, carriage	1	66 67		PIN, spring	3 2
21 22		SCREW, cap, hex HD WASHER, flat	2 2	67 68		COVER, dust, bearing SCREW, cap, hex head	2 4
22		NUT, lock	13	73		SCREW, cap, nex nead	8
26		SCREW, cap, hex HD	9	89		NUT, hex, lock, nylon, thin	1
27	102040	NUT, lock, hex	12	96		WASHER	4
28		KIT, brush, scarifier	2	112		WASHER, plain	2
32		BRACKET, arm, pivot	1	118		WASHER, lock	2 2 2
33		BRACKET, pivot, wheel, rear,	1	119		SCREW, cap, hex head	2
		painted		126		COVER, belt	1
38	100018	WASHER, lock, spring	4	140		SCREW, mach, slot hex wash HD	5
39	123664	SCREW, cap, hex head	7	165	15K616		1
40		WASHER, hardened, SAE	3			LABEL, ISO cut foot icon	2
41	24D173	COVER, cage, drum	1			LABEL, ISO pinch hazard icon	2
46	123697	PULLEY, sheave, QD, 3V	1	174	16C396	LABEL, grease equipment 50 hours	2
47		SPACER, clutch (480/630 only)	1	176	16D397	LABEL, brand, Grindlazer 480	1
		SPACER, clutch (270/390 only)	1			(480 only)	
48		KEY, square	1		16D395	LABEL, brand, Grindlazer 390	1
49	24H323	CLUTCH, centrifugal (480/630	1			(390 only)	
		only)		~~~	16D393	LABEL, brand, Grindlazer 270	1
	24H324	CLUTCH, centrifugal	1	\mathbf{O}		(270 only)	
		(270/390 only)			17D158	LABEL, brand, Grindlazer 630 (630	1
50	16C708	SPACER, engine (390/480/630	1	ろ		only)	
		only)		177	16D398	LABEL, brand, Grindlazer 480	1
F 4		SPACER, engine (270 only)	1			(480 only)	
51	123940	SCREW, cap, hex head (480/630	1		16D396	LABEL, brand, Grindlazer 390	1
	400000	only)	\			(390 only)	
		SCREW, cap, hex, head (390 only			16D394	LABEL, brand, Grindlazer 270	1
50		SCREW, cap, hex, head (270 only				(270 only)	
52	123900	ENGINE, gasoline, 9 HP	1		17D159	LABEL, brand, Grindlazer 630 (630	
	100011	(270 Models)	1			only)	
	123814		1	178	15F354	FUNNEL, oil	1
	100660	(390 Models)	4	* 1/17	!	H OF	
	123003	ENGINE, gasoline, 16 HP	1	" KH	includes l	Dell 05	
	127070	(480 Models)	1		nlacomor	t Danger and Marning Johola, tasa	nd
	121912	ENGINE, gasoline, 21HP (630	1			t Danger and Warning labels, tags, al	u
54	100122	Models) WASHER, lock (390/480/630 only)) 1	carus	are avalla	able at no cost.	
J+	100133	WAGHEN, IUCK (380/400/030 01119)	, 1				

GrindLazer 480




			Qty				Qty
Ref.	Part	Description	aly	Ref.	Part	Description	
1b		ENCLOSURE, 16 HP and 21 HP	1		127972	ENGINE, gasoline, 21HP (630	1
2		BEARING, mount	1			Models)	
5		WASHER, lock	8	53	16C492	ADAPTER, shaft, height	1
6		NUT, full, hex	8			adjustment	
7		SCREW, cap, hex HD	4	54	100133	WASHER, lock (390/480/630 only)	1
10		KIT, bearing, shaft, drive	1	•		WASHER, lock (270 only)	1
15		PLATE, mount, motor	1	55		BUSHING, QD, sheave, pulley	1
16		SCREW, shoulder, socket head	2	56		KEY, square	1
17	111841	WASHER, plain 5/8	2	65*	123794	BELT, 3VX375, series A	1
18		NUT, lock, nylon, thin pattern	2		124994	BELT, 3VX355 series A (630),	1
33		BRACKET, pivot, wheel	1			series B, C, D	
34		SCREW, shoulder, socket head	2	67	16D443	COVER, dust, bearing	2
35		AXLE, pivot, drum, wheel	1	68		SCREW, cap, hex head	4
36		SPACER, wheel, pivot	2	112		WASHER, plain	2
37		WHEEL	2	118		WASHER, lock	2
38		WASHER, lock, spring	4	119		SCREW, cap, hex head	2
39		SCREW, cap, hex head	7	126		COVER, belt	1
43		SCREW, cap, flng HD	6	176	16D397	LABEL, brand, Grindlazer 480	1
44		PIN, cotter, hair pin	2			(480 only)	
45		NUT, lock, insert, nylock, 5/16	15		16D395	LABEL, brand, Grindlazer 390	1
46 47		PULLEY, sheave, QD, 3V	1 1			(<mark>390</mark> only)	
47		SPACER, clutch (480/630 only) SPACER, clutch (270/390 only)	1		16D393	LABEL, brand, Grindlazer 270	1
48		KEY, square	1			(270 only)	
49		CLUTCH, centrifugal (480/630	▲ 1		17D158	LABEL, brand, Grindlazer 630 (630	1
-10	2411020	only)	· ·			only)	
	24H324	CLUTCH, centrifugal	1	177	16D398	LABEL, brand, Grindlazer 480	1
	2411024	(270/390 only)	'			(480 only)	
50	160708	SPACER, engine (390/480/630	1		16D396	LABEL, brand, Grindlazer 390	1
50	100700	only)	'			(390 only)	
	16D067	SPACER, engine (270 only)	1		16D394	LABEL, brand, Grindlazer 270	1
51		SCREW, cap, hex head (480/630	1			(270 only)	
01	120040	only)	'		17D159	LABEL, brand, Grindlazer 630 (630	
	123939	SCREW, cap, hex, head (390 only)	1	•		only)	
		SCREW, cap, hex, head (270 only)		178	15F354	FUNNEL, oil	1
52		ENGINE, gasoline, 9 HP	1			<i>и</i> а -	
02	120000	(270 Models)		* KH	includes b	pelt 65	
	123814	ENGINE, gasoline, 13 HP	1	ノ			
	0 0 1 1	(390 Models)	•				
	123663	ENGINE, gasoline, 16 HP	1				
		(480 Models)	•				

GrindLazer 630




			Qty				Qty
Ref.	Part	Description		Ref.	Part	Description	
1b		ENCLOSURE, 16 HP and 21 HP	1		127972	ENGINE, gasoline, 21HP (630	1
2		BEARING, mount	1			Models)	
5		WASHER, lock	8	53	16C492	ADAPTER, shaft, height	1
6		NUT, full, hex	8			adjustment	
7		SCREW, cap, hex HD	4	54	100133	WASHER, lock (390/480/630 only)	1
10	24E290	KIT, bearing, shaft, drive	1		100052	WASHER, lock (270 only)	1
15		PLATE, mount, motor	1	55		BUSHING, QD, sheave, pulley	1
16		SCREW, shoulder, socket head	2	56		KEY, square	1
17		WASHER, plain 5/8	2	65*		BELT, 3VX375, series A	1
18		NUT, lock, nylon, thin pattern	2		124994	BELT, 3VX355, series B, C, D	1
32		BRACKET, arm, pivot	1			series A (630)	
33		BRACKET, pivot, wheel	1	67		COVER, dust, bearing	2
34		SCREW, shoulder, socket head	2	68		SCREW, cap, hex head	4
35		AXLE, pivot, drum, wheel	1	118		WASHER, lock	2
36		SPACER, wheel, pivot	2 2	119	116596	SCREW, cap, hex head	2
37 38		WHEEL WASHER, lock, spring	2 4	126		COVER, belt	1
30 39		SCREW, cap, hex head	4	176	16D397	LABEL, brand, Grindlazer 480	1
43		SCREW, cap, flng HD	6		100205	(480 only)	4
44		PIN, cotter, hair pin	2		10D395	LABEL, brand, Grindlazer 390	1
45		NUT, lock, insert, nylock, 5/16	15		160202	(390 only) LABEL, brand, Grindlazer 270	1
46		PULLEY, sheave, QD, 3V	1		10D393		I
47		SPACER, clutch (480/630 only)	1		170159	(270 only) LABEL, brand, Grindlazer 630 (630	1
		SPACER, clutch (270/390 only)	1		170156		I
48		KEY, square	1	177	160208	o <mark>nly</mark>) LABEL, brand, Grindlazer 480	1
49	24H323	CLUTCH, centrifugal (480/630	1	\mathbf{M}	10D390	(480 only)	1
		only)			160306	LABEL, brand, Grindlazer 390	1
	24H324	CLUTCH, centrifugal	1		100330	(390 only)	1
		(270/390 only)			16D394	LABEL, brand, Grindlazer 270	1
50	16C708	SPACER, engine (390/480/630	1		TOBOOT	(270 only)	•
		only)			17D159	LABEL, brand, Grindlazer 630 (630	
		SPACER, engine (270 only)	1			only)	
51	123940	SCREW, cap, hex head (480/630	1	178	15E354	FUNNEL, oil	1
		only)		322		ELBOW	1
		SCREW, cap, hex, head (390 only		323		FITTING, nipple	1
50		SCREW, cap, hex, head (270 only		324		INDICATOR, air filter	1
52	123966	ENGINE, gasoline, 9 HP	1	ク		,	
	400044	(270 Models)	4	* KIT	includes l	pelt 65	
	123814	ENGINE, gasoline, 13 HP	1				
	400000	(390 Models)	4				
	123003	ENGINE, gasoline, 16 HP	1				

(480 Models)



			Qty				Qty
Ref.	Part	Description	Giy	Ref.	Part	Description	
23		NUT, lock	13	71y	114681	SCREW	1
45		NUT, lock, insert, nylock, 5/16	15	71z	120476	BOLT	1
64		SCREW, hex, HD, flanged	5	72	240991		1
70	24D184	FRAME, front	1	73	114982		4
71		CASTER, LineLazer	1	74		WHEEL, pneumatic	1
71a		SHAFT, fork	1	75 76		SPACER, seal SPRING, belleville	2 6
71b* 71d		BRACKET ARM, detent	1 1	77	112025		1
71ú 71f		STOP, wedge	1	78		NUT, lock	3
71g		DISK, adjuster	1	80		SCREW, hex flange	3 2 1
71h		WASHER	1	81		SPACER, support, cable	
71j		SCREW, shoulder, sch	1	82		BRACKET, cable	1
71k		SCREW, cap	2	83		PLATE, lift, scarifier	4
71m		NUT, lock	4	85 86		PLUG, tubing SPRING, compression	6 1
71p		SPRING, belleville	2 1	87		STOP, wire	1
71r 71s*	113484	BEARING	2	150		CABLE	1
71t		WASHER	1				
71w		BEARING, bronze	2	* Inclu	uded in Br	racket Repair Kit 240940.	
71x		CAP, dust	3				
				joir	d.c	on au	


GrindLazer 630 Models Only



Qty

16G756 STRAP

Drum and Cutter Parts



Drum and Cutter Parts List

Ref.	Part	Description
201	24D981	SPACER, 20 pack
202	24D612	CUTTER, 20 pack
203	24D613	MILLER, 6 pack
204	123791	SCREW
205	24D980	PLATE, 2 pack
206	100186	WASHER, lock
207	16A654	DRUM
208	24D979	ROD, 6 pack
209	16A259	CAP, end, threaded

Qty				Qty
	Ref.	Part	Description	
٠	210	16A257	SPACER, 1/4 in.	•
•	211	16A258	SPACER, 1/8 in.	•
•	212	24E289	BLADE, diamond	•
12	213	123252	SQUARE KEY	2
2	214	24D982	DRUM	•
12	215	16E065	WRENCH, spanner	1
1	216		FULLCUT flail cutter, 20 pack	•
6	217	24P818	STEEL cutter, 25 pack	•
•	♦ Qu	antities wi	ill vary. See chart on page 14.	

GrindLazer[™] Cutter Assemblies

Tu	oint Flail: ngsten de Cutter	Application: All purpose remova and thermoplastic markings, bu anti-slip grooving					
Ref.	Part	Description	Cut Width	Cutters	Spacers	Rods	End Plates
202	24D612	Replacement 8pt Flail, Tungsten Carbide Cutters (20 per pack)		20			
	24D182	Completely assembled drum for general purpose	*6 in. / 15.25 cm	84	234	6	2
	24D180	Completely assembled drum for general purpose	*8 in. / 20.5 cm	114	186	6	2
	24B957	Completely assembled drum for general purpose	*10 in. / 25.5 cm	138	150	6	2
	24E854	Completely assembled drum for Fine Finish	*6 in. / 15.25 cm	108	198	6	2
	24E855	Completely assembled drum for Fine Finish	*8 in. / 20.5 cm	144	138	6	2
	24E856	Completely assembled drum for Fine Finish	*10 in. / 25.5 cm	174	90	6	2
	•	See Repair manual for add	litional Cutter Stac	king Recom	nendations	-	•

See Repair manual for additional Cutter Stacking Recommendations.

Flail:	tFullCut [™] Tungsten de Cutter	Application: All purpose remova thermoplastic markings, bump-s grooving, and inlay applications					
Ref.	Part	Description	Cut Width	Cutters	Spacers	Rods	End Plates
216	24F213	Replacement 8pt FullCut, Tungsten Carbide Cutters (20pack)		20			
	24F184	Completely assembled drum for Ultra Fine Finish	6 in. / 15.25 cm	84	258	6	2
	24F185	Completely assembled drum for Ultra Fine Finish	8 in. / 20.5 cm	108	210	6	2
	24F186	Completely assembled drum for Ultra Fine Finish	10 in. / 25.5 cm	138	162	6	2
		See Beneir manual for add	litional Cuttor Stor	king Decem	nondationa		

See Repair manual for additional Cutter Stacking Recommendations.

Tu	int Miller: ngsten ide Cutter	Application: Specifically used for tape removal, and built-up paint					
Ref.	Part	Description	Cut Width	Cutters	Spacers	Rods	End Plates
203	24D613	Replacement 6pt Miller, Tungsten Carbide Cutters (6 pack)		6			
	24E214	Completely assembled drum with cutters	6 in. / 15.25 cm	30	204	6	2
	24D585	Completely assembled drum with cutters	8 in. / 20.5 cm	42	132	6	2
	24D183	Completely assembled drum with cutters	10 in. / 25.5 cm	54	66	6	2
		See Penair manual for add	litional Cuttor Stac	king Pocom	mondations		

See Repair manual for additional Cutter Stacking Recommendations.

Diamo	Diamond Blades Applications: Specifically used to inlay and groove concrete and asphalt pavement							
Ref.	Part	Description	Cut Width	Blades	1/8 in. Blade Spacers	1/4 in. End Spacers	Square Key	
212	24E289	Replacement Diamond Blade	1/4 in. / 6.35 cm	1				
	24B965	Completely assembled drum for pavement grooving/inlay	5 in. / 12.75 cm	30	204	21	2	
	24D583	Completely assembled drum for pavement grooving/inlay	10 in. / 25.5 cm	42	132	2	2	

12-Poin Steel Cu	t Beam: utter	Applications: All purpose remove from floors. Also used for greas					
Ref.	Part	Description	Cut Width	Cutters	Spacers	Rods	End Plates
217	24P818	Replacement 12pt Beam, Steel Cutters (25 pack)		25			
	24P714	Completely assembled drum for smooth finishes	6 in. / 15.25 cm	126	222	6	2
	24P715	Completely assembled drum for smooth finishes	8 in. / 20.5 cm	174	156	6	2
	24P716	Completely assembled drum for smooth finishes	10 in. / 25.5 cm	204	114	6	2

See Repair manual for additional Cutter Stacking Recommendations.

goind.com.?

Drum Components Ref. Part Description Application 24D610 Completely assembled drum without cutters and spacers For use with all Tungsten Carbide Cutters 208 24D979 Replacement Drum Rods For use with all Tungsten Carbide Cutters (6 pack) For use with all Tungsten Carbide Cutters (2 pack) 205 24D980 Replacement Drum End Plates For use with all Tungsten Carbide Cutters (20 pack) 201 24D981 **Replacement Steel Spacers** For use with all Diamond Blade Cutters 209 16A259 Threaded End Cap 210 16A257 1/4 in. Spacer For use with all Diamond Blade Cutters 211 16A258 1/8 in. Spacer For use with all Diamond Blade Cutters For use with all Diamond Blade Cutters 213 123252 Square Key 214 24D982 Assembled Diamond Blade drum without blades and spacers For use with all Diamond Blade Cutters

Graco Standard Warranty

Graco warrants all equipment referenced in this document which is manufactured by Graco and bearing its name to be free from defects in material and workmanship on the date of sale to the original purchaser for use. With the exception of any special, extended, or limited warranty published by Graco, Graco will, for a period of twelve months from the date of sale, repair or replace any part of the equipment determined by Graco to be defective. This warranty applies only when the equipment is installed, operated and maintained in accordance with Graco's written recommendations.

This warranty does not cover, and Graco shall not be liable for general wear and tear, or any malfunction, damage or wear caused by faulty installation, misapplication, abrasion, corrosion, inadequate or improper maintenance, negligence, accident, tampering, or substitution of non-Graco component parts. Nor shall Graco be liable for malfunction, damage or wear caused by the incompatibility of Graco equipment with structures, accessories, equipment or materials not supplied by Graco, or the improper design, manufacture, installation, operation or maintenance of structures, accessories, equipment or materials not supplied by Graco.

This warranty is conditioned upon the prepaid return of the equipment claimed to be defective to an authorized Graco distributor for verification of the claimed defect. If the claimed defect is verified, Graco will repair or replace free of charge any defective parts. The equipment will be returned to the original purchaser transportation prepaid. If inspection of the equipment does not disclose any defect in material or workmanship, repairs will be made at a reasonable charge, which charges may include the costs of parts, labor, and transportation.

THIS WARRANTY IS EXCLUSIVE, AND IS IN LIEU OF ANY OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO WARRANTY OF MERCHANTABILITY OR WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE.

Graco's sole obligation and buyer's sole remedy for any breach of warranty shall be as set forth above. The buyer agrees that no other remedy (including, but not limited to, incidental or consequential damages for lost profits, lost sales, injury to person or property, or any other incidental or consequential loss) shall be available. Any action for breach of warranty must be brought within two (2) years of the date of sale.

GRACO MAKES NO WARRANTY, AND DISCLAIMS ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, IN CONNECTION WITH ACCESSORIES, EQUIPMENT, MATERIALS OR COMPONENTS SOLD BUT NOT MANUFACTURED BY GRACO. These items sold, but not manufactured by Graco (such as electric motors, switches, hose, etc.), are subject to the warranty, if any, of their manufacturer. Graco will provide purchaser with reasonable assistance in making any claim for breach of these warranties.

In no event will Graco be liable for indirect, incidental, special or consequential damages resulting from Graco supplying equipment hereunder, or the furnishing, performance, or use of any products or other goods sold hereto, whether due to a breach of contract, breach of warranty, the negligence of Graco, or otherwise.

FOR GRACO CANADA CUSTOMERS

The Parties acknowledge that they have required that the present document, as well as all documents, notices and legal proceedings entered into, given or instituted pursuant hereto or relating directly or indirectly hereto, be drawn up in English. Les parties reconnaissent avoir convenu que la rédaction du présente document sera en Anglais, ainsi que tous documents, avis et procédures judiciaires exécutés, donnés ou intentés, à la suite de ou en rapport, directement ou indirectement, avec les procédures concernées.

Graco Information

For the latest information about Graco products, visit www.graco.com.

For patent information, see www.graco.com/patents.

TO PLACE AN ORDER, contact your Graco distributor or call 1-800-690-2894 to identify the nearest distributor.

All written and visual data contained in this document reflects the latest product information available at the time of publication. Graco reserves the right to make changes at any time without notice.

> *For patent information, see www.graco.com/patents.* Original instructions. This manual contains English. MM 3A0103

Graco Headquarters: Minneapolis International Offices: Belgium, China, Japan, Korea

GRACO INC. AND SUBSIDIARIES • P.O. BOX 1441 • MINNEAPOLIS MN 55440-1441 • USA

Copyright 2012, Graco Inc. All Graco manufacturing locations are registered to ISO 9001. www.graco.com

Revision G, July 2017