


GAS AIRLESS SPRAYERS

Graco's Complete Line of Professional
Gas Airless Sprayers



PROVEN QUALITY. LEADING TECHNOLOGY.



THERE IS NOTHING LIKE A GRACO SPRAYER

Experienced contractors know the difference. Graco gas airless sprayers are powerful, efficient investments that keep you spraying and save you money to move your business forward.

TRUST YOUR BUSINESS AND REPUTATION TO GRACO

Graco is committed to providing the highest quality gas airless sprayers available, backed by the industry's best warranty.

AMERICAN BUILT QUALITY SINCE 1926

100% factory-tested and field-proven Graco professional gas airless sprayers are designed, manufactured, and assembled in the USA with global components.

INDUSTRY-LEADING WARRANTY

Behind every Graco sprayer is the industry's strongest warranty. You may never need Graco's warranty—but if you do, we will be there.



GRACO-ONLY SOLUTIONS TO KEEP YOU SPRAYING



PATENT PENDING

THE LONGEST LASTING PUMPS EVER BUILT

- Longest life in the industry with Vortex™ rotating piston rod
- 6X more gallons sprayed between repacks
- Extends pump rod life by 3X—delivering the industry's lowest cost of ownership



PATENTED

THE EASIEST MAINTENANCE

- Swap your pump in minutes—no tools needed
- Eliminate costly jobsite downtime
- Easier and faster than ever to service your sprayer



GRACO EXCLUSIVE

LARGE, DURABLE FILTRATION

- Easy Out™—vertical filtration ensures a quality finish with less mess
- Crushproof Inlet Strainer—withstands harsh impacts to maintain filtering and flow



PATENTED

EASY HOSE MANAGEMENT

- Deploy and rewind up to 300 feet of hose in seconds
- No twisting, kinking, or coiling
- Use only the hose you need—the rest stays on the reel

SMARTCONTROL™

GRACO EXCLUSIVE

PRECISION SPRAYING CONTROL

- Precision pressure control that delivers a consistent spray fan without pressure fluctuations
- Ideal for Low Pressure Tips commonly used for fine finish work and low overspray applications
- Monitors sprayer gallons, hours, and spray pressure

ADVANTAGE DRIVE™

GRACO EXCLUSIVE

THE LONGEST LASTING DRIVE

- The most dependable, longest lasting drive in the industry, backed by a lifetime warranty
- Hardened steel gears engineered to provide extremely quiet operation



CHOOSE THE RIGHT GAS AIRLESS SPRAYER

Our mission is to fit you to the sprayer that is sized for the work you do to get the job done right, every time.

CURRENT AND FUTURE JOBSITE FACTS TO CONSIDER WHEN SELECTING YOUR GRACO GAS SPRAYER:

- How many gallons per week will you spray?
- What hose lengths will you use?
- How many guns will you use?
- What tip sizes?
- What types of jobs will you bid?
- What types of materials will you spray?

FIND THE SPRAYER THAT FITS

RECOMMENDED SPRAYER	GMAX® 3400	STANDARD		GMAX II 3900 GH™ 130	STANDARD		PROCONTRA
		●			●		
PRODUCTION NEEDS	LOW Up to 250 gallons per week		MEDIUM Up to 500 gallons per week				
	LOW 1 gun Up to 0.027 tip / Up to 0.75 gpm		MEDIUM 2 gun Up to 0.037 tip / Up to 1.3 gpm				
JOB TYPES	LIGHT Small Residential, Repaint/Remodel, Property Maintenance		LIGHT / MEDIUM Medium Residential, Repaint/Remodel, Property Maintenance, Light Commercial				
MATERIALS	LIGHT Lacquers and Stains, Interior/Exterior Latex, Enamels, Acrylics		LIGHT / MEDIUM Lacquers and Stains, Interior/Exterior Latex, Enamels, Acrylics, Oil-Based Primers				



CONTRACTOR™		STANDARD	PROCONTRACTOR	IRONMAN		STANDARD	PROCONTRACTOR	IRONMAN
●	GMAX II 5900	●	●	●	GMAX II 7900	●	●	●
	GH 200	●	●		GH 230	●	●	
					GH 300	●	●	
	HIGH Up to 1,000 gallons per week				HIGH Up to 1,000 gallons per week			
	HIGH Up to 4 guns Up to 0.047 tip / Up to 2.15 gpm				HIGHEST Up to 5 guns Up to 0.057 tip / Up to 3.0 gpm			
	LIGHT / HEAVY Interior/Exterior, Residential, Light Commercial				HEAVY DUTY Exterior Residential, Heavy Commercial, Industrial			
	LIGHT / HEAVY Interior/Exterior Latex, Oil-Based Primers, Acrylics, Block Fillers				HEAVY DUTY Interior/Exterior Latex, Oil-Based Primers, Epoxies, Block Fillers, Dryfall, Elastomerics			

*All sprayers are capable of spraying with up to 300 feet of hose, but maximum length will change depending on material thickness, hose diameter, and tip size.

CHOOSE THE RIGHT SERIES OF GAS AIRLESS SPRAYERS FOR YOUR BUSINESS

Only Graco is committed to meeting the needs of professional painting contractors by offering up to three different series of gas airless sprayer models.

STANDARD SERIES



EVERYDAY RELIABILITY

Small Residential and Repainting Contractor

- Painting multiple days a week
- Typically working on smaller jobs
- Don't need a lot of extra features

PRO Contractor SERIES



WORK SMARTER, FINISH MORE JOBS

Large Residential and Commercial Contractor

- Painting every day — frequently from job to job
- Tackling medium to large projects
- Requiring features to get you to the next jobsite faster

IRONMAN SERIES



BEYOND JOBSITE TOUGH

Large Commercial and Industrial Contractor

- Painting continuously in less-than-ideal conditions
- Working on long-duration projects with large material volumes
- Require extreme durability and reliability



graco.com/GasAirless



MORE PRODUCTION IN LESS TIME

GMAX DIRECT DRIVE TECHNOLOGY

The most efficient spraying technology available, allowing you to get more work done with less effort while saving you time and money.

Through our Direct Drive Technology, an engine powers the pump from a clutch and geared drivetrain.

SAVE UP TO \$800 PER YEAR!



WORK EASIER

- Easier loading/unloading and jobsite portability — 20% lighter weight and a smaller footprint than hydraulic units



BURN LESS FUEL

- Save up to \$500 a year — use up to 30% less gas than hydraulic units



LESS MAINTENANCE

- Save up to \$300 a year — no hydraulic fluid or filter changes

INCREDIBLE DURABILITY

- MaxLife® and MaxLife Extreme pumps last 6X longer between pump repacks
- Lifetime Guarantee on gear train and pinion housing



BREAKTHROUGH ENDURANCE™ VORTEX MAXLIFE AND MAXLIFE EXTREME™ TECHNOLOGY

THE LONGEST LASTING GMAX PUMPS EVER BUILT

PATENT PENDING



Endurance Chromex™ Pump for GMAX
Lasts 2X longer than competing pumps



Endurance Vortex MaxLife Pump for GMAX
6X longer between repacks **NEW!**



Endurance Vortex MaxLife Extreme Pump for GMAX
Extends pump rod life by 3X—delivering the industry's lowest cost of ownership **NEW!**



SPRAYS THE WIDEST RANGE OF COATINGS

- Oversized clearances for maximum performance
- Maximum flow with heavy materials



EASIEST SERVICE IN THE INDUSTRY

QuikPak™ Cartridge System

- Repack the entire pump in minutes

ProConnect™ 2 Pump Replacement

- Complete no-tools pump replacement system

QuikAccess™ Intake Foot Valve

- Clear debris faster with easy inlet ball access



THE BEST JUST GOT BETTER

VORTEX ROTATING PISTON TECHNOLOGY

KEEPS YOU SPRAYING

(PATENT PENDING)

Built with Graco exclusive EXTREME ROD that is an abrasion-resistant composite to deliver the most durable, hardest wear surface possible

6X more gallons sprayed between repacks — Extreme Composite extends pump rod life by 3X, delivering the industry's lowest cost of ownership



ENDURANCE™ VORTEX™

**MAXLIFE
EXTREME**

(PATENT PENDING)




360° WEAR SURFACE
Delivers the longest pump life



(PATENT PENDING)

VORTEX TECHNOLOGY

Rotating rod for extended life



HELICAL DESIGN

Delivers high-velocity flow to rotate pump rod as you spray

QUIKPAK CARTRIDGE REPAIR SYSTEM

(PATENT PENDING)

OLD WAY



VS



NEW WAY

Modular pre-oiled cartridge packings install correctly every time

REPACK YOUR PUMP IN MINUTES



1) Insert pre-oiled packing cartridge assembly



2) Remove disposable clip



3) Assemble pump

QuikPak available on Ultra Max™ II 695-1595, GMAX II 3900-7900, and TexSpray™ Sprayers.

GMAX STANDARD SERIES

EVERYDAY RELIABILITY



Unmatched durability and performance, with the capability to handle the widest range of tip sizes, longer hose lengths, and heavier coatings with ease.



THE MOST RELIABLE PUMP

Endurance Chromex Piston Pump

- Lasts 2X longer than the next leading brand
- Repack the pump in minutes with the new QuikPak Cartridge System
- QuikChange™ pump design allows you to swap the pump easily on the job
- Faster cleaning with the QuikAccess intake foot valve



CONSISTENT SPRAY FAN AND PRESSURE CONTROL

SmartControl™ 3.0

- Handles the widest range of coatings with the most consistent fan pattern
- Lowest dead band at any pressure



THE LONGEST LASTING DRIVE

Advantage Drive™

- Hardened steel gears engineered to provide extremely quiet operation
- Lifetime Warranty



RELIABLE, POWERFUL, AND EASY TO START

Honda® Engines

- Oil Alert shuts down engine to prevent damage if oil level drops too low
- Contractor preferred

EASY MAINTENANCE AND LESS CLOGGING

Easy Out Pump Filter

- Exclusive inside-out filtering process won't collapse, and ensures a quality finish
- Vertical design for less mess

MAINTENANCE-FREE HIGH-PRESSURE DUMPING

Heavy-Duty Prime Valve

- Maintenance-free design withstands high-pressure dumping

RUGGED AND EASY TO MANEUVER

Durable Cart Design

- Thick chrome over steel frame and pneumatic wheels to handle tough jobsite conditions
- Retractable handle doubles as coiled hose storage

ALL-DAY COMFORT AND CONTROL

New Contractor PC™ Gun

- Lightest weight gun in its class
- Up to 50% lighter trigger pull force
- E-Z Fit™ adjustable trigger length
- Complete no-tools gun rebuild in seconds with ProConnect

All GMAX II 7900 sprayers feature Graco's extreme-duty MaxLife Pump:

- Lasts 6X longer between repacks
- Features exclusive hardened MaxLife sleeve and rod
- Oversized clearances ensure minimal pressure drop



Ready to Spray: Complete with Spray Gun, 50' Blue Max™ II hose, and RAC X™ SwitchTip™

GMAX MODELS	STANDARD	LO-BOY	CONVERTIBLE
GMAX 3400	17E825		
GMAX II 3900	17E827	17E826	
GMAX II 5900	17E831	17E829	17E830
GMAX II 7900	17E836	17E834	





GMAX PROCONTRACTOR SERIES

WORK SMARTER, FINISH MORE JOBS

Designed to deliver speed and performance so you can get to the next jobsite faster and increase your profits.



SUPERIOR PUMP LIFE

New Endurance Vortex MaxLife Piston Pump

Breakthrough Vortex Rotating Rod Technology Keeps You Spraying:

- Oversized passages for high-velocity flow to rotate rod for even wear
- Lasts 6X longer between repacks with innovative MaxLife technology
- Repack pump in minutes with new QuikPak cartridge repair system

IMPROVED FILTRATION

Crushproof Inlet Strainer

- Stands up to harsh impacts to maintain filtering and flow

PUMP DAMAGE PROTECTION

WatchDog™ Pump Protection System

- Automatically shuts down the pump if the material supply is too low



ELIMINATE COSTLY DOWNTIME

ProConnect 2 One-Part Pump Replacement System (PATENTED)

- Pump swaps in 1 minute or less — no tools, pins, or parts to lose

EASY-TO-READ PERFORMANCE

LED Display

- Displays pressure, gallon counter, and diagnostics



EASY HOSE MANAGEMENT

QuikReel™ Hose Management System (PATENTED)

- Deploy and rewind up to 300 feet of hose in seconds
- No twisting, kinking, or coiling
- Use only the hose you need — the rest stays on the reel

ProContractor Series sprayers also include all Standard Series features:

- SmartControl 3.0
- Precision Advantage Drive
- Honda Engine
- Easy Out Pump Filter
- Heavy-Duty Prime Valve
- Rugged, Durable Cart Design
- **NEW** Contractor PC Gun

Ready to Spray: Complete with Spray Gun, 50' Blue Max II hose, and RAC X SwitchTip



GMAX MODELS	PROCONTRACTOR
GMAX II 3900	17E828
GMAX II 5900	17E832
GMAX II 7900	17E837

GMAX IRONMAN SERIES

UNMATCHED DURABILITY



IronMan Series sprayers are designed and built to handle the most brutal and demanding conditions—typically found on large commercial and industrial jobsites.



THE LONGEST LIFE EVER

New Endurance Vortex MaxLife Extreme Piston Pump

Breakthrough Vortex Rotating Rod Technology Keeps You Spraying:

- Oversized passages for high-velocity flow to rotate rod for even wear
- 6X more gallons sprayed between repacks. Extreme rod extends pump rod life by 3X
- Graco exclusive abrasion-resistance composite delivers the most durable wear surface
- Repack pump in minutes with new QuikPak cartridge repair system



ELIMINATE COSTLY DOWNTIME

ProConnect 2 One-Part Pump Replacement System (PATENTED)

- Pump swaps in 1 minute or less—no tools, pins, or parts to lose



NEVER HAVE A FLAT AGAIN

Flat Proof Tires

- No tire puncturing from nails, screws, or any sharp debris



IMPROVED FILTRATION

Crushproof Inlet Strainer

- Stands up to harsh impacts to maintain filtering and flow



EASY-TO-READ PERFORMANCE

LED Display

- Displays pressure, gallon counter, and diagnostics



IronMan Series sprayers also include all Standard Series features:

- SmartControl 3.0
- Precision Advantage Drive
- Honda Engine
- Easy Out Pump Filter
- Heavy-Duty Prime Valve
- Rugged, Durable Cart Design
- **NEW** Contractor PC Gun

GMAX SERIES	IRONMAN	ROOF RIG
GMAX II 5900	17E833	
GMAX II 7900	17E838	17E835



Ready to Spray: Complete with Spray Gun, 50' Blue Max II hose, and RAC X SwitchTip

HIGH PRODUCTION PERFORMANCE

GH HYDRAULIC TECHNOLOGY

Graco's powerful GH hydraulic units are built for high-production contractors spraying a wide range of thick materials on large commercial jobs.

Hydraulic sprayers use a gas engine or an electric motor to power a hydraulic system that drives the fluid pump.

INCREDIBLE DURABILITY

Built to withstand the most extreme abuse

- Exclusive Crushproof Inlet Strainer
- Shroud support protects belt from jobsite damage
- Durable steel frame withstands rugged environments
- Heavy-duty prime valve withstands high-pressure dumping



LESS MAINTENANCE

Innovative component designs keep you spraying

- Inside-out filter flow and oversized filter surface prevent filter collapsing
- High-pressure form-fitted hydraulic fittings and lines eliminate leaks



REDUCED DOWNTIME

Chromex and MaxLife pumps provide long life between pump repacks

- ProConnect Pump Replacement System
- Pump removal and replacement in minutes (ProContractor Series only)
- Efficiently cooled hydraulic fluid only needs changing once per year



BUILT FOR HOW YOU WORK

QuikReel Hose Management System

- Increased versatility with flexible material hose
- Deploying and rewinding up to 300 feet of hose in seconds



UNMATCHED RELIABILITY

GAS HYDRAULIC ENDURANCE PUMPS

AN ENDURANCE PUMP FOR EVERY APPLICATION

Endurance Piston Pump (Standard Series)

- Lasts 2X longer than the next leading brand
- Chromex rod and hardened stainless steel sleeve deliver superior reliability and life
- Long-life V-Max Blue™ Packings

Endurance MaxLife Piston Pump (ProContractor Series)

- Lasts 6X longer between repacks
- Exclusive MaxLife sleeve and rod are built for the most demanding jobs, delivering extended durability and life



EASIEST SERVICE IN THE INDUSTRY

ProConnect Pump Replacement System

- Swap your pump in minutes — no tools (ProContractor Series only)

QuikAccess Intake Foot Valve

- Clear debris faster with easy inlet ball access



SPRAYS THE WIDEST RANGE OF COATINGS

- Oversized clearances for maximum performance
- Maximum flow and less pack-out for heavy materials



FINISH EVERY JOB, EVERY TIME

Downtime is costly. With the Endurance Advantage Program, you'll never need to worry about it again. Depending on the sprayer you purchase:

Receive up to 70% OFF the list price of an Endurance Pump OR — Receive a FREE Repair Kit if you'd rather repack your own pump.

Follow the registration instructions included with your sprayer.



Endurance Chromex Pump for GH

Lasts 2X longer than competing pumps

Endurance MaxLife Pump for GH

6X longer between repacks



GH™ STANDARD SERIES

EVERYDAY RELIABILITY

Graco's Standard Series sprayers deliver durability and performance for painting multiple projects a week, time after time.



THE MOST RELIABLE PUMP

Endurance Chromex Piston Pump

- Lasts 2X longer than the next leading brand
- QuikChange pump design allow you to swap the pump easily on the job
- Faster cleaning with the QuikAccess intake foot valve



FINISH JOBS FASTER

High-Efficiency Hydraulic Motor

- Fast, responsive changeover
- Less maintenance and longer life with fewer moving parts



REDUCED DOWNTIME

High-Capacity Cooling System

- Innovative design allows the pump to run cooler and more efficiently
- Easier and more thorough fluid changes
- Reservoir cooling fins deflect more heat
- No special hydraulic fluid needed



RELIABLE, POWERFUL, AND EASY-TO-START

- #### Honda Engines
- Oil Alert shuts down engine to prevent damage if oil level drops too low
 - Contractor preferred

EASY MAINTENANCE AND LESS CLOGGING

Easy Out Pump Filter

- Easier filter cleaning and less mess with fewer tip clogs to ensure a quality finish
- Won't collapse or get stuck with inside-out filtering process

RUGGED AND EASY-TO-MANEUVER

Durable Cart Design

- Withstands the tough jobsite conditions while absorbing impacts and vibrations
- Retractable handle doubles as coiled hose storage
- Heavy-duty frame design easily fits for quick service on the jobsite

MAINTENANCE-FREE HIGH-PRESSURE DUMPING

Heavy-Duty Prime Valve

- Maintenance-free design withstands high-pressure dumping.

INDOOR AND OUTDOOR USE

Electric Motor Kit

- Quickly swap the gas engine for an electric motor in seconds—without tools



Ready to Spray: Complete with Spray Gun, 50' Blue Max II hose, and RAC X SwitchTip

GAS HYDRAULIC MODELS	STANDARD (GAS ONLY)	W/ ELECTRIC MOTOR (NON-CSA)	W/ ELECTRIC MOTOR (CSA)
GH 130 Convertible	24W923	24W924	
GH 200 Convertible	24W925	24W926	
GH 230 Convertible	24W929	24W930	24W931
GH 300	24W935		

GH PROCONTRACTOR SERIES

WORK SMARTER, FINISH MORE JOBS



Designed to deliver speed and performance so you can get to the next jobsite faster and increase your profits.



LONGER PUMP LIFE

Endurance MaxLife Piston Pump

- Lasts 6X longer between repacks
- Minimal pressure drop and increased performance
- Maximum versatility no matter what you're spraying



EASY HOSE MANAGEMENT

QuikReel Hose Management System (PATENTED)

- Deploy and rewind up to 300 feet of hose in seconds
- No twisting, kinking, or coiling
- Use only the hose you need — the rest stays on the reel



ELIMINATE COSTLY DOWNTIME

ProConnect One-Part Pump Replacement System (PATENTED)

- Fast and easy pump replacement — pinless design needs no tools
- Eliminates costly downtime



IMPROVED FILTRATION

Crushproof Inlet Strainer

- Stands up to harsh impacts to maintain filtering and flow



ProContractor Series sprayers also include all Standard Series features:

- High-Efficiency Hydraulic Motor
- High-Capacity Cooling System
- Honda Engine
- Easy Out Pump Filter
- Heavy-Duty Prime Valve
- Rugged, Durable Cart Design
- Electric Motor Kit (optional)

Ready to Spray: Complete with Spray Gun, 100' Blue Max II hose, and RAC X SwitchTip

GAS HYDRAULIC MODELS	PROCONTRACTOR (GAS ONLY)	W/ ELECTRIC MOTOR (NON-CSA)	W/ ELECTRIC MOTOR (CSA)
GH 200 Convertible	24W927	24W928	
GH 230 Convertible	24W932	24W933	24W934
GH 300 Convertible	24W936		



EXPAND YOUR CAPABILITIES

GRACO TEXTURE SOLUTIONS

When you need to spray thick and heavy materials, Graco offers the TexSpray™ HD, TexSpray DutyMax™ and TexSpray GH Big Rig™ sprayers designed to deliver maximum flow and pressure for spraying heavy coatings with ease.



TEXSPRAY HD AIRLESS SPRAYERS

Ideal for Exterior Applications

- Ideal for spraying elastomerics, waterproofing, vapor barriers, roof coatings, and other heavy exterior coatings
- Easily spray the full range of paints and primers
- Unmatched fuel economy and a lifetime drivetrain warranty



TEXSPRAY DUTYMAX SPRAYERS

Engineered for the Heaviest Texture Applications

- Designed to deliver maximum flow and pressure from pump to gun
- Easily spray everything from skim coat in a Level 5 finish, fire stop, intumescent, elastomeric, or any other high-viscosity coatings
- Ability to convert from a gas engine to an electric motor in seconds — with no tools

Check out the [Texture Sprayers brochure \(Part #344382\)](#), or visit graco.com/TexSpray



GH BIG RIG AIRLESS SPRAYERS

The Highest Pressure and Flow for the Heaviest Materials

- High pressure for long hose runs and hard-to-atomize materials
- High flow rates for heavier coverage
- Maximum performance and versatility — no need for multiple rigs
- Exclusive customizable QuikChange lowers handle multiple coatings

Check out the [GH Big Rig brochure \(Part #344409\)](#), or visit graco.com/GHBigRig

GMAX GAS AIRLESS SPRAYER SPECIFICATIONS

		GMAX 3400	GMAX II 3900
SPECIFICATIONS	Maximum Tip Size	0.027	0.036
	Maximum psi (bar)	3300 (227)	3300 (227)
	Maximum gpm (lpm)	0.75 (2.8)	1.25 (4.7)
	Honda Engine CC (HP)	120 (4.0)	120 (4.0)
	Control	SmartControl 3.0	SmartControl 3.0
	Weight lb (kg)	89 (41)	109 (50)
	Gun Support (Gas):		
	1 Gun	0.027	0.036
	2 Guns	-	0.023
3 Guns	-	-	
4 Guns	-	-	
Gun Support (Electric):			
1 Gun	N/A	N/A	
2 Guns			



SERIES TYPE		STANDARD	LO-BOY	STANDARD	PROCONTRACTOR	LO-BOY	CONVERTIBLE
MODEL	Cart Design — Part Number	17E825	17E826	17E827	17E828	17E829	17E830
PUMP	Type	Endurance	Endurance	Endurance	Endurance Vortex	Endurance	Endurance
	Rod	Chromex	Chromex	Chromex	MaxLife	Chromex	Chromex
	Sleeve	Hardened SST	Hardened SST	Hardened SST	MaxLife	Hardened SST	Hardened SST
	Removal	QuikChange	ProConnect 2	QuikChange	ProConnect 2	ProConnect 2	QuikChange
FEATURES	NEW! Endurance Pump	●	●	●	● Vortex	●	●
	Honda Engine	●	●	●	●	●	●
	Advantage Drive	●	●	●	●	●	●
	Easy Out	●	●	●	●	●	●
	SmartControl 3.0	●	●	●	●	●	●
	LED Display				●		
	WatchDog				●		
	QuikReel				●		
	ProConnect 2		●		●	●	
	NEW! Flat Proof Tires						
	NEW! Crushproof Inlet Strainer				●		
	NEW! Contractor PC Gun	●	●	●	●	●	●
Tip	RAC X LTX 517	RAC X LTX 517	RAC X LTX 517	RAC X LTX 517	RAC X LTX 517	RAC X LTX 517	
Hose	1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless	1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless	1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless	1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless	1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless	1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless	
WEAR PARTS	Replacement Pump	246428	16X414	16Y598	17H823	16X419	16Y706
	Repair Kit	244194	17H838	17H838	17H841	17H839	17H839
	Rod	249125	16X434	248206	17H876	16X435	248207
	Sleeve	-	248209	248209	17H864	248210	248210
	Intake Seat Kits	246429	239922	239922	239922	244199	244199
MANUAL	Operation and Parts	3A6400	3A6400	3A6400	3A6400	3A6400	3A6400
	Pump	309250	3A6583	3A6584	3A6583	3A6583	3A6584

		GH 130 <i>Convertible</i>	GH 200 <i>Convertible</i>	GH 230 <i>Convertible</i>	GH 300
SPECIFICATIONS	Maximum Tip Size	0.037	0.047	0.053	0.057
	Maximum psi (bar)	3300 (227)	3300 (227)	3300 (227)	3300 (227)
	Maximum gpm (lpm) - GAS	1.30 (4.9)	2.15 (8.14)	2.35 (8.9)	3.00 (11.4)
	Maximum gpm (lpm) - ELECTRIC	1.10 (4.2)	1.10 (4.2)	1.10 (4.2)	
	Honda Engine CC (HP)	120 (4.0)	160 (5.5)	200 (6.5)	270 (9.0)
	Weight lb (kg)	155 (70)	Standard 160 (73) / ProContractor 188 (85)	Standard 168 (76) / ProContractor 193 (88)	Standard 195 (88) / ProContractor 222 (101)
	Gun Support (Gas):				
	1 Gun	0.037	0.047	0.053	0.057
	2 Guns	0.023	0.034	0.038	0.039
	3 Guns	-	0.027	0.032	0.033
4 Guns	-	0.023	0.028	0.029	
5 Guns	-	-	0.024	0.025	
Gun Support (Electric):					
1 Gun	0.031	0.031	0.031	N/A	
2 Guns	0.017	0.017	0.017		



SERIES TYPE		STANDARD	STANDARD	PROCONTRACTOR	STANDARD	PROCONTRACTOR	STANDARD	PROCONTRACTOR
MODEL	Part Number	24W923 Gas 24W924 Gas with Electric Motor (Non-CSA)	24W925 Gas 24W926 Gas with Electric Motor (Non-CSA)	24W927 Gas 24W928 Gas with Electric Motor (Non-CSA)	24W929 Gas 24W930 Gas with Electric Motor (Non-CSA) 24W931 Gas with Electric Motor (CSA)	24W932 Gas 24W933 Gas with Electric Motor (Non-CSA) 24W934 Gas with Electric Motor (CSA)	24W935 Gas	24W936 Gas
	Type	Endurance	Endurance	Endurance	Endurance	Endurance	Endurance	Endurance
PUMP	Rod	Chromex	Chromex	MaxLife	Chromex	MaxLife	Chromex	MaxLife
	Sleeve	Hardened SST	Hardened SST	MaxLife	Hardened SST	MaxLife	Hardened SST	MaxLife
	Removal	QuikChange	QuikChange	ProConnect	QuikChange	ProConnect	QuikChange	ProConnect
FEATURES	Endurance Pump	●	●	●	●	●	●	●
	Honda Engine	●	●	●	●	●	●	●
	High-Capacity Cooling System	●	●	●	●	●	●	●
	Easy Out	●	●	●	●	●	●	●
	High-Efficiency Hydraulic Motor	●	●	●	●	●	●	●
	QuikReel			●		●		●
	ProConnect			●		●		●
	Crushproof Inlet Strainer			●		●		●
	Gun	Contractor	Contractor	Contractor	Silver Plus	Silver Plus	Silver Plus	Silver Plus
	Tip	RAC X 517, 1231	RAC X 517, 1231	RAC X 517, 1231	RAC X 517, 1231	RAC X 517, 1231	RAC X 517, 1231	RAC X 517, 1231
Hose	1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless	1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless	1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless AND 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless	3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless AND 1/4 in x 3 ft (6.4 mm x 0.9 m) BlueMax II Whip Hose	3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless AND 1/4 in x 3 ft (6.4 mm x 0.9 m) BlueMax II Airless	3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless AND 1/4 in x 3 ft (6.4 mm x 0.9 m) BlueMax II Whip Hose	3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless AND 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless	
CONTROL & DRIVE	Drive	Hydraulic	Hydraulic	Hydraulic	Hydraulic	Hydraulic	Hydraulic	Hydraulic
ENDURANCE PUMP	Replacement Pump	24B748	24W995	24W996	24W997	24W998	24W997	24W998
WEAR PARTS	Repair Kit	288471	17D601	287813	17D601	287813	17D601	287813
	Rod	288479	249000	288469	249001	288470	249001	288470
	Sleeve	248210	248979	249121	248980	287817	248980	287817
	Intake Seat Kit	244199	240918	240918	240918	240918	240918	240918
MANUAL	Operation Parts	334558	334558	334558	334558	334558	334558	334558

ACCESSORIES

SPEND LESS TIME, MAKE MORE MONEY

Maximize your performance and get to the next job faster by customizing your sprayer with proven Graco Accessories.

NEW CONTRACTOR PC GUNS



FINISH JOBS FASTER WITH LESS FATIGUE

Premium Comfort for All-Day Spraying

- Lightest-weight gun in its class
- Up to 50% lighter trigger pull force
- E-Z Fit adjustable trigger length (PATENT PENDING)



REDUCE DOWNTIME WITH PROCONNECT

Complete Gun Rebuild in Seconds (PATENT PENDING)

- Needle and all wear parts in one simple cartridge

GRACO'S LONGEST-LASTING, MOST DURABLE GUN YET

Industry-Proven Graco Quality

- Made in the USA



RAC X LOW PRESSURE SWITCHTIPS (PATENTED)

- Less prep and cleanup time
- Less mess with less overspray
- Easiest pattern overlap
- Up to 2X life
- 46 different sizes for large surface and fine finish applications



Available in sizes 108–731
for fine finish and large
surface applications



SIPHON KITS

- Pump materials directly from containers
- Fits GMAX II 3900/5900/7900 and GH 130/200/230/300
- 5-Gallon Siphon Kit, 30/55-Gallon Siphon Kit, and Siphon Hose Extensions available



ELECTRIC MOTOR KITS

- Quickly swap the gas engine for an electric motor in seconds—without tools
- Available for GMAX II 5900 and GH 130/200/230



graco.com/accessories

FOR PART NUMBERS AND MORE DETAILS ON ALL AIRLESS ACCESSORIES:

Visit graco.com/accessories, see **Airless Accessories Brochure** (part #344386)
or ask your local authorized Graco Distributor



SPRAY WITH CONFIDENCE

Industry-Leading Warranty Protection

Every Graco gas sprayer is backed by the industry's best warranty coverage.

3-YEAR HONDA ENGINE WARRANTY*

If the engine fails from normal use, Honda will replace it under warranty for the original owner for 3 years.

LIFETIME DRIVETRAIN WARRANTY*

If the drivetrain fails from normal use, we'll replace it under warranty for the original owner for the life of the sprayer.

30-DAY "JUST ADD PAINT" REPLACEMENT GUARANTEE*

Dissatisfied? Simply return the sprayer to the place you bought it within 30 days. They'll either exchange it for an identical sprayer or you can trade up to a larger sprayer at an additional cost.

3-YEAR WARRANTY*

Coverage against defects in materials and workmanship on the entire sprayer.

DOWNTIME ELIMINATOR PROGRAM*

Part needed for a warranty repair not in stock at your distributor? Get FREE next business day air freight delivery when distributor orders the part by 2 p.m. CT.

CONVENIENT SERVICE

Graco offers more than 5,500 authorized distributor locations in North America and over 700 locations to administer warranty repair.

*NORTH AMERICA ONLY. See your local Graco Distributors for country specifics. See printed product warranty for complete warranty terms and conditions.



Finish Every Job, Every Time

Downtime is costly. With the Endurance Advantage Program, you'll never need to worry about it again. Depending on the sprayer you purchase:

Receive up to 70% OFF the list price of an Endurance Pump
OR — Receive a FREE Repair Kit if you'd rather repack your own pump.

Follow the registration instructions included with your sprayer.



Every Graco purchase comes with A+ Customer Service.

Questions?
Call (844) 241-9499

For more information visit graco.com