

# HIGH PRESSURE **ACCESSORIES**



## ITALIAN QUALITY ACCESSORIES

Jetwaves selection of accessories are quality Italian manufactured and build strictly to Jetwave specifications and quality standard.



## SWISS FLAT SURFACES CLEANERS

Select Hammerhead Flat Surface Cleaners are proudly made to the highest quality Jetwave standards & specifications by Mosmatic in Switzerland.



## JETWAVES EXTENSIVE KNOWLEDGE

Jetwave with over 30 years of knowledge and experience, we can recommend the right tool for the right job to increase cleaning efficiency and significantly decrease cleaning time on the job.



## WIDE RANGE OF ACCESSORIES, PARTS & TOOLS

With comprehensive inventory whatever the job you need to complete Jetwave has you covered, from large area flat surface cleaning, foaming, sanitisation and niche cleaning tasks trust Jetwave coupled with our innovative range of machines to get the job done.

### READING GUIDE TO ACCESSORIES ORIFICE SIZE

**CODE**    **ORIFICE SIZE**

JWA160    .xx

Note: Use Nozzle Chart to identify correct nozzle orifice size





### UR25 TURBO HEAD W/SNAP TAIL


Maximum Pressure: 4350 psi / 300 bar  
 Maximum Flow: 10 l/pm  
 Rated Temperature: 100°C  
 Connection: 1/4" M SNAP  
 Nozzle Size: O3

ACCESSORY	CODE	PRICE (MRRP)	DISC. %
UR25 COMPLETE TURBO HEAD W/SNAP TAIL	JWA303	\$149.00	C



### UR25 TURBO HEAD W/LANCE

Maximum Pressure: 4350 psi / 300 bar  
 Maximum Flow: 41 l/pm  
 Rated Temperature: 100°C  
 Length: 500mm  
 Connection: M22 M  
 Nozzle size required when ordering




ACCESSORY	CODE	PRICE (MRRP)	DISC. %
UR25 COMPLETE TURBO HEAD W/ LANCE	JWA160.xx	\$180.00	C



### UR32 TURBO HEAD W/LANCE

Maximum Pressure: 5075 psi / 350 bar  
 Maximum Flow: 41 l/pm  
 Rated Temperature: 100°C  
 Length: 1,000mm  
 Connection: M22 M  
 Nozzle size required when ordering



ACCESSORY	CODE	PRICE (MRRP)	DISC. %
UR32 COMPLETE TURBO HEAD W/ LANCE	JWA159.xx	\$299.00	C



### ADDITIONAL HIGH PRESSURE DWB HOSE

Maximum Pressure: 5800 psi / 400 bar  
 Maximum Temperature: 155°C  
 Construction: Rubber  
 End Type: 3/8" BSP F x 2

ACCESSORY	CODE	PRICE (MRRP)	DISC. %
ADDITIONAL HIGH PRESSURE HOSE	52001	\$16.50 PER METRE	C
10M HOSE EXTENSION	JWA018-EX	\$170.00	C
15M HOSE EXTENSION	JWA017-EX	\$245.00	C
20M HOSE EXTENSION	JWA019-EX	\$320.00	C
30M HOSE EXTENSION	JWA020-EX	\$470.00	C
60M HOSE EXTENSION	JWA078-EX	\$920.00	C
100M HOSE EXTENSION	JWA079-EX	\$1,520.00	C
OPTIONAL	CODE	PRICE (MRRP)	DISC. %
QUICK COUPLING B 3PCS M22 X 3/8" M (300BAR)	26025020	\$24.00	C
QUICK COUPLING B 3PCS M24 X 3/8" M (350BAR)	26065030	\$34.00	C



### VIPERFLEX WATER JETTING HOSE

Maximum Pressure: 5075 psi / 350 bar  
 Maximum Temperature: 85°C

ACCESSORY	CODE	PRICE (MRRP)	DISC. %
60M 3/16" VIPERFLEX WATER JETTING HOSE	HOP3VFX60	\$750.00	C
60M 1/4" VIPERFLEX WATER JETTING HOSE	HOP4VFX60	\$810.00	C
60M 3/8" VIPERFLEX WATER JETTING HOSE	HOP6VFX60	\$950.00	C
120M 3/8" VIPERFLEX WATER JETTING HOSE	HOP6VFX120	\$1,750.00	C
OPTIONAL	CODE	PRICE (MRRP)	DISC. %
STAINLESS STEEL PREMIUM 1/4" F QR COUPLING SHORT	QR8SS	\$66.00	C



### JW3 FOAMING KIT

Rated Flow: 8 - 12 l/pm  
 Tank: 1 litre  
 Connection: M22 M



ACCESSORY	CODE	PRICE (MRRP)	DISC. %
JW3 FOAMING KIT	JWA221	\$155.00	C



### JW12 FOAMING KIT

Rated Flow: 15 - 23 l/pm  
 Tank: 1 litre  
 Connection: M22 M




ACCESSORY	CODE	PRICE (MRRP)	DISC. %
JW12 FOAMING KIT	JWA221-LS12	\$180.00	C



### JW BYPASS PRO FOAM KIT

Maximum Pressure: 5075 psi / 350 bar  
 Max Temperature: 100°C  
 Chemical Selection: 2 Way Valve / 3 Way Valve  
 Connection: Inlet M22 F / Outlet M22 M  
 Nozzle size required when ordering



ACCESSORY	CODE	PRICE (MRRP)	DISC. %
JW BYPASS PRO FOAM KIT (SINGLE CHEMICAL)	PROFOAM.xx	\$1,180.00	C
JW BYPASS PRO FOAM KIT (DUAL CHEMICAL)	PROFOAM.2.xx	\$1,980.00	C
OPTIONALS	CODE	PRICE (MRRP)	DISC. %
JW BYPASS PRO FOAM TROLLEY KIT (SINGLE CHEMICAL)	PROFOAM-TROLLEY	\$849.00	C
JW BYPASS PRO FOAM TROLLEY KIT (DUAL CHEMICAL)	PROFOAM-TROLLEY.2	\$1,049.00	C
STAINLESS STEEL HOSE REEL	1067SS-CMPL	\$847.00	C
ADDITIONAL HIGH PRESSURE HOSE (PER METRE)	52001	\$16.50	C



### OEM HOSE REEL 30M

Max Hose Capacity: 60m 1/4" / 30m x 3/8"  
 Maximum Pressure: 5075 psi / 350 bar  
 Maximum Temperature: 100°C  
 Connection: Inlet 1/2" BSP F / Outlet BSP 3/8" F  
 Configuration: Base mount (90mm x 90mm)

ACCESSORY	CODE	PRICE (MRRP)	DISC. %
OEM HOSE REEL 30M	1055	\$425.00	C
OPTIONALS	CODE	PRICE (MRRP)	DISC. %
1M LEADER HOSE (SUITE 1055)	JWA103-A	\$35.00	C
NIPPLE 90° M/M 3/8" BSP	S49-0606	\$19.00	C

### PRO RAPID HOSE REELS 30M-60M

Max Hose Capacity: 60-120m 1/4" / 30-60m x 3/8"  
 Maximum Pressure: 5075 psi / 350 bar  
 Maximum Temperature: 100°C  
 Connection: Inlet 1/2" BSP M / Outlet BSP 3/8" F  
 Configuration: Base mount (130mm x 130mm)



ACCESSORY	CODE	PRICE (MRRP)	DISC. %
PRO RAPID STYLE HOSE REEL 30M	1060CMPL	\$490.00	C
PRO RAPID STYLE HOSE REEL 60M	1067CMPL	\$550.00	C
PRO RAPID STYLE STAINLESS STEEL HOSE REEL 60M	1067SSCMLP	\$887.00	C
OPTIONALS	CODE	PRICE (MRRP)	DISC. %
3/4" LOW PRESSURE INLET HOSE	00-920-019	\$10.00 PER METRE	C
DOUBLE STACKED POST (1067 ONLY) (POST ONLY)	JWA-90175	\$499.00	D
HOSE REEL ROLLER GUIDE SYSTEM HGS™ (1067 ONLY)	1067-GUIDEASSY	\$430.00	D



### RETRACTABLE HOSE REELS

Max Hose Capacity: 30m x 3/8"  
 Maximum Pressure: 5075 psi / 350 bar  
 Maximum Temperature: 100°C  
 Configuration: Base mount or wall mount

ACCESSORY	CODE	PRICE (MRRP)	DISC. %
RETRACTABLE HOSE REEL 30M	REC-1060	TBA	C
RETRACTABLE HOSE REEL STAINLESS STEEL 30M	REC-1060SS	TBA	C



### APACHE UNIVERSAL 2.0 HOSE REEL

Max Hose Capacity: 50m x 3/8"  
 Maximum Pressure: 5075 psi / 350 bar  
 Maximum Temperature: 100°C  
 Connection: Inlet 3/8" BSP M / Outlet BSP 3/8" F  
 Configuration: Base mount (90mm X 90mm)

ACCESSORY	CODE	PRICE (MRRP)	DISC. %
APACHE UNIVERSAL 2.0 HOSE REEL	JWA060P	\$590.00	C
OPTIONALS	CODE	PRICE (MRRP)	DISC. %
1M LEADER HOSE	JWA103-B	\$36.00	C
NIPPLE M/M 3/8" BSP	S46-0606	\$14.00	C
HOSE REEL GUIDES	JWA100	\$289.00	C

### APACHE A-FRAME HOSE REELS

Hose Capacity: 50m - 130m x 3/8"  
 Maximum Pressure: 5075 psi / 350 bar  
 Maximum Temperature: 100°C  
 Connection: Inlet 1/2" BSP F / Outlet BSP 1/2" BSP F  
 Configuration: A-Frame (various widths)



ACCESSORY	CODE	PRICE (MRRP)	DISC. %
APACHE A-FRAME HOSE REEL 50M	JWA060	\$560.00	C
APACHE A-FRAME HOSE REEL 100M	JWA120	\$649.00	C
APACHE A-FRAME HOSE REEL 130M	JWA150	\$690.00	C
OPTIONALS	CODE	PRICE (MRRP)	DISC. %
DOUBLE STACKED KIT	JWA-120-DSK	\$314.00	C
3M LEADER HOSE	JWA065	\$52.00	C
HOSE REEL GUIDES SUIT JWA060	2100462	\$289.00	C
HOSE REEL GUIDES SUIT JWA120	2100463	\$315.00	C
HOSE REEL GUIDES SUIT JWA150	2100503	\$320.00	C
APACHE A FRAME REEL CART	2100465	\$349.00	C
12V REWIND KIT	103166	\$1,050.00	C



# HAMMERHEAD™

## 12" FSC - ABS PLASTIC

Cleaning Diameter: 12"  
 Maximum Working Pressure: 3500 psi / 250 bar  
 Maximum Working Temperature: 80°C  
 Nozzle Size: 03  
 Connection: M22 F

ACCESSORY	CODE	PRICE (MRRP)	DISC. %
HAMMERHEAD 12" FSC W/LANCE	JWA-FSC12-CMPL	\$279.00	C



# HAMMERHEAD™

## 30" FSC - STAINLESS STEEL

Cleaning Diameter: 30" (750MM)  
 Maximum Working Pressure: 4060 psi / 280 bar  
 Maximum Working Temperature: 120°C  
 Minimum Flow Rate: 21 L/PM  
 Standard Nozzle Size: 06  
 Connection: M22 M  
*Nozzle size required when ordering*



ACCESSORY	CODE	PRICE (MRRP)	DISC. %
HAMMERHEAD 30" FSC - STAINLESS STEEL	JWA-FSC30.xx	\$2,900.00	D




# HAMMERHEAD™

## 21" FSC - ABS PLASTIC

Cleaning Diameter: 21"  
 Maximum Working Pressure: 4350 psi / 300 bar  
 Maximum Working Temperature: 100°C  
 Standard Nozzle Size: 04  
 Connection: M22 M  
*Nozzle size required when ordering*

ACCESSORY	CODE	PRICE (MRRP)	DISC. %
HAMMERHEAD 21" FSC - ABS PLASTIC	JWA-FSC21.xx	\$1,088.00	C
OPTIONAL	CODE	PRICE (MRRP)	DISC. %
4 X CASTER WHEEL KIT	2100200	\$248.00	C



# HAMMERHEAD™

## SELF RECOVERY 12" & 21" FSC - STAINLESS STEEL

Cleaning Diameter: 12" or 21"  
 Maximum Working Pressure: 4060 psi / 280 bar  
 Maximum Working Temperature: 120°C  
 Minimum Flow Rate: 21 L/PM  
 Recovery Function: Venturi W/50mm Outlet  
 Nozzle Size: 06  
 Connection: M22 M  
*Nozzle size required when ordering*



ACCESSORY	CODE	PRICE (MRRP)	DISC. %
HAMMERHEAD SELF RECOVERY 12" FSC - STAINLESS STEEL	JWA-FSC12VEN.xx	\$1,530.00	E
HAMMERHEAD SELF RECOVERY 21" FSC - STAINLESS STEEL	JWA-FSC21VEN.xx	\$3,890.00	E



# HAMMERHEAD™

## 21" FSC - STAINLESS STEEL

Cleaning Diameter: 21" (520MM)  
 Maximum Working Pressure: 5075 psi / 350 bar  
 Maximum Working Temperature: 120°C  
 Standard Nozzle Size: 04  
 Connection: M22 M  
*Nozzle size required when ordering*



ACCESSORY	CODE	PRICE (MRRP)	DISC. %
HAMMERHEAD 21" FSC - STAINLESS STEEL	JWA-FSC22-5.xx	\$1,550.00	C



# HAMMERHEAD™

## VACUUM RECOVERY PORT 12" & 21" FSC - STAINLESS STEEL

Cleaning Diameter: 21" (520MM) or 30" (750MM)  
 Maximum Working Pressure: 5075 psi / 350 bar  
 Maximum Working Temperature: 120°C  
 Vac Recovery Port Diameter: 50mm  
 Connection: M22 M  
*Nozzle size required when ordering*



ACCESSORY	CODE	PRICE (MRRP)	DISC. %
HAMMERHEAD VAC RECOVERY 21" FSC - STAINLESS STEEL	JWA-FSC21VR.xx	\$2,760.00	E
HAMMERHEAD VAC RECOVERY 30" FSC - STAINLESS STEEL	JWA-FSC30VR.xx	\$3,396.00	E



### TRL BIN/CHUTE LANCE

Maximum Pressure: 4060 psi / 280 bar  
 Minimum Flow: 21 L/PM  
 Maximum Temperature: 120°C  
 Length: 1570mm  
 Standard Nozzle Size: O6 (3 x O2)  
 Connection: M22 M  
 Nozzle size required when ordering



ACCESSORY	CODE	PRICE (MRRP)	DISC. %
TRL BIN/CHUTE LANCE	JWA-TRL.xx	\$1,185.00	E



### CLASS B DOUBLE ACTION FOOT VALVE

Maximum Pressure: 5075 psi / 350 bar  
 Maximum Temperature: 100°C  
 Hose Length: 2m  
 Hose Diameter: 3/8"

ACCESSORY	CODE	PRICE (MRRP)	DISC. %
CLASS B DOUBLE ACTION FOOT VALVE KIT	55403-DA	\$1,680.00	E



### GIRAFFE TELESCOPIC LANCE 7M

Max Length: 7.3m  
 Maximum Pressure: 4350 psi / 300 bar  
 Maximum Temperature: 120°C  
 Connection: M22 M  
 Configuration: Alloy Steel  
 Nozzle size required when ordering



ACCESSORY	CODE	PRICE (MRRP)	DISC. %
GIRAFFE TELESCOPIC LANCE 7M	JWA-TELE7.3.xx	\$499.00	C



### PROFESSIONAL NOZZLE KIT

Maximum Pressure: 5080 psi / 350  
 Inclusions: 4 Nozzles & Nozzle cleaning tool and pick




ACCESSORY	CODE	PRICE (MRRP)	DISC. %
COMPLETE NOZZLE KIT-05 (15-23 L/PM)	JWA308	\$934.00	D
COMPLETE NOZZLE KIT-065 (23-26 L/PM)	JWA308-065	\$934.00	D
COMPLETE NOZZLE KIT-08 (31-36 L/PM)	JWA308-08	\$934.00	D



### COMPLETE TS8 SAND BLASTING KIT

Maximum Pressure: 4060 psi / 280 bar  
 Rated Flow: 40 l/pm  
 Rated Temperature: 90°C  
 Connection: M22 M  
 Standard Nozzle Size: O45 (Fixed)



ACCESSORY	CODE	PRICE (MRRP)	DISC. %
SANDBLASTING KIT TS8	JWA164.045	\$499.00	C



### VIPERFLEX 1/8" WHIP HOSE


Maximum Pressure: 5075 psi / 350 bar  
 Maximum Temperature: 100°C  
 Hose Length: 15m  
 Hose Diameter: 1/8"  
 Connection: 1/4" M SNAP

ACCESSORY	CODE	PRICE (MRRP)	DISC. %
DRAIN CLEANING WHIP HOSE	HOP2X15VF-ASSY	\$314.00	C



### REMOTE MINI REEL

Working Pressure: 5075 psi / 350  
 Hose Length & Diameter: 60m (3/16") or 60m (1/4") or 30m (3/8")



ACCESSORY	CODE	PRICE (MRRP)	DISC. %
REMOTE MINI REEL WITH 60M 3/16"	PW134-RRCMPL-HOP3	\$1,790.00	D
REMOTE MINI REEL WITH 60M 1/4"	PW134-RRCMPL-HOP4	\$1,890.00	D
REMOTE MINI REEL WITH 30M 3/8"	PW134-RRCMPL-HOP6	\$1,990.00	D
REMOTE MINI REEL WITHOUT HOSE	PW134-RRCMPL	\$1,100.00	D
OPTIONAL	CODE	PRICE (MRRP)	DISC. %
STAINLESS STEEL LOCKING PLATE	90012HRH-LP	\$188.00	D



### FORWARD ROOT CUTTING NOZZLE

Maximum Pressure: 5075 psi / 350  
 Rated Flow: 23-36 l/pm  
 Connection: 1/4" M SNAP

ACCESSORY	CODE	PRICE (MRRP)	DISC. %
FORWARD ROOT CUTTING NOZZLE (23-26 L/PM)	C43RS.08	\$980.00	E
FORWARD ROOT CUTTING NOZZLE (31-36 L/PM)	C43RS.09	\$980.00	E
OPTIONALS	CODE	PRICE (MRRP)	DISC. %
3/8" M BSPT X 1/4" F BSPT RED BUSH	S24-0604	\$9.00	C



### SLUDGE KIT

Maximum Pressure: 4060 psi / 280 bar  
 Maximum Flow: 25 l/pm  
 Rated Temperature: 90°C  
 Connection: M22 M  
 Nozzle size required when ordering  
 \*Use only 0° nozzle



ACCESSORY	CODE	PRICE (MRRP)	DISC. %
SLUDGE KIT	80005.xx	\$199.00	C



### MULTI FUNCTION LANCE

Maximum Pressure: 4060 psi / 280 bar  
 Maximum Temperature: 120°C  
 Functions: Pencil Jet, Fan Jet/Wash & Foam  
 Connection: M22 M  
 Nozzle Size: 045 (Fixed)




ACCESSORY	CODE	PRICE (MRRP)	DISC. %
MULTI FUNCTION LANCE	JWA-MFL	\$699.00	C



### LONG REACH STABILISER NOZZLE

Maximum Pressure: 5075 psi / 350 bar  
 Maximum Temperature: 100°C  
 Maximum Reach: 7m  
 Connection: M22 M  
 Nozzle Size: 07 (Fixed)



ACCESSORY	CODE	PRICE (MRRP)	DISC. %
LONG REACH STABILISER NOZZLE	JWA-STAB	\$193.00	C



### GUM BLASTER LANCE/GUN

Maximum Pressure: 5075 psi / 350 bar  
 Maximum Temperature: 120°C  
 Function: Multiple pencil jet streams for lifting gum  
 Connection: M22 M  
 Nozzle size required when ordering



ACCESSORY	CODE	PRICE (MRRP)	DISC. %
GUM BLASTER NOZZLE	JWA-GBN.xx	\$1,299.00	C



### WASH & SIPHON WINE BARREL WASHER

Maximum Pressure: 2300 psi / 160 bar  
 Rated Flow: 10 - 25 l/pm  
 Maximum Temperature: 0°C - 90°C  
 Drive: Electric 12v DC  
 Power Supply: 230v 50Hz AC  
 Cable Length: 8m  
 Standard Barrel Diameter: 730mm  
 Connection: M22 M

\*Supplied with various nozzle sizes

ACCESSORY	CODE	PRICE (MRRP)	DISC. %
WINE BARREL WASHER	25435000	\$3,140.00	C
OPTIONALS	CODE	PRICE (MRRP)	DISC. %
532MM SUCTION TUBE (940MM BARREL)	80038000	\$210.00	C
667MM SUCTION TUBE (1,070MM BARREL)	80038600	\$249.00	C



### VULCAN V1 HOT BOX

Maximum Working Pressure: 4060 psi / 280 bar  
 Maximum Working Temperature: 90°C\*  
 Working Flow: 10 - 21 L/PM  
 Voltage: 240v

\*DEPENDENT ON INLET TEMP



ACCESSORY	CODE	PRICE (MRRP)	DISC. %
VULCAN V1 HOT BOX	10199	\$4,230.00	C



### VULCAN V2 HOT BOX

Maximum Working Pressure: 5075 psi / 350 bar  
 Maximum Working Temperature: 90°C\*  
 Working Flow: 10 - 26 L/PM  
 Voltage: 240v

\*DEPENDENT ON INLET TEMP



ACCESSORY	CODE	PRICE (MRRP)	DISC. %
VULCAN V2 HOT BOX	10198	\$4,690.00	C



### TST SAFETY GEAR

Hose Shroud Rating: 500 BAR | 7500 PSI  
 Safety Helmet Rating: 3000 BAR | 43500 PSI  
 Safety Apron Rating: 500 BAR | 7500 PSI (Flat Jet)  
 Safety Gloves Rating: 500 BAR | 7500 PSI


ACCESSORY	CODE	PRICE (MRRP)	DISC. %
TST HOSE SHROUD 750MM	5660045	\$220.00	E
TST SAFETY HELMET	51K0216890	\$550.00	E
TST SAFETY APRON	5623025	\$550.00	E
TST SAFETY GLOVES OUTER	5600025	\$210.00	E
TST SAFETY GLOVES INNER	6000256	\$15.00	E
TST WHIP STOP/CHECK	5072000	\$37.00 (EACH)	E



### HOSE SAFETY WHIP RESTRAINT

Material: Galv/Stainless Steel  
 Type: Single eye sock w/carribiner clip

ACCESSORY	CODE	PRICE (MRRP)	DISC. %
HOSE SAFETY WHIP RESTRAINT GALV	SECS14-20	\$73.10 (EACH)	D
HOSE SAFETY WHIP RESTRAINT STAINLESS STEEL	SECS14-20SS	\$93.45 (EACH)	D
WHIP PLATE STAINLESS STEEL	MINIWIP	\$14.50 (EACH)	D



### J5500K PRO GUN QC SYSTEM

Max Rating: 5075 PSI (350 BAR)  
 Max Flow: 45 L/PM  
 Max Temperature: 150° C  
 Material: Brass/Stainless Steel

ACCESSORY	CODE	PRICE (MRRP)	DISC. %
J5500K BALL TYPE KW BRASS COUPLING 1/4" M (A)	26241060	\$58.00 (EACH)	C
J5500K PLUG FEMALE KW 1/4" F BSP PLUG/TAIL (B)	040001255	\$48.00 (EACH)	C
J5500K PLUG MALE KW 1/4" M BSP PLUG/TAIL (C)	040001256	\$40.00 (EACH)	C

## NOTES





**JETWAVE**  
GROUP



jetwavegroup



jetwave\_group



jetwavegroup



jetwavegroup



jetwave-group